

ISO/IEC 19798 Yield Test Report

Epson AcuLaser C2900N / CX29NF

Cartridge Code:

Cyan(C)	C13S050629	Magenta(M)	C13S050628
Yellow(Y)	C13S050627	Black(K)	C13S050630 , C13S050631 C13S050631:DOUBLE TONER CARTRIDGE PACK(BLACK)

Declaration of yield:

Average Continuous Composite Color(CMY) Cartridge	2500 standard pages
Average Continuous Black Cartridge(K) Yield	3000 standard pages
Declared yield value in accordance with ISO/IEC 19798	

Tested Cartridge Summary:

90% Lower Confidence:

Cyan Cartridge:	2567	standard pages
Magenta Cartridge:	2564	standard pages
Yellow Cartridge:	2519	standard pages
Black Cartridge:	3136	standard pages

Date Tested:

2011/02/24-2011/03/07

For questions concerning testing contact:

SEIKO EPSON CORPORATION
80 Harashinden, Hirooka, Shiojiri-shi, Nagano-ken 399-0785 JAPAN
Attn: IJP·LP Sales & Marketing Department

Number of cartridges used in testing:	C=9 M=9 Y=9 K=9
Number of cartridges used in calculations:	C=9 M=9 Y=9 K=9
Shake procedure used?	No
Print mode:	Continuous (250pages/job)
Number of engines used in testing:	3
Media used:	FX-C2 / 70gsm
Paper size:	A4
Paper feed orientation:	Short edge feed
Computer model:	TOSHIBA Satellite J40
Driver version:	Version. 16.64
Operating system:	Microsoft Windows XP
Application software	Adobe Reader 10.0.1
Test page version	ISO-IEC 24712 FCD Test Suite.pdf
Power (off/ on) everyday	Yes

Cartridge Testing Data:

Engine	Color	Cartridge	Temperature			Humidity			Cartridge Yield	Cart Used in Calculation
			Avg	Max	Min	Avg	Max	Min		
#1	C	#01	22.3	22.3	22.1	55.5	56.0	55.0	2715	Yes
#1	C	#02	22.3	22.3	22.2	55.3	56.0	54.0	2590	Yes
#1	C	#03	22.3	22.3	22.1	55.6	56.0	55.0	2630	Yes
#2	C	#04	22.2	22.3	22.1	55.5	57.0	54.0	2700	Yes
#2	C	#05	22.2	22.3	22.1	55.2	56.0	54.0	2495	Yes
#2	C	#06	22.3	22.3	22.2	55.0	56.0	54.0	2555	Yes
#3	C	#07	22.2	22.3	22.1	55.6	57.0	55.0	2695	Yes
#3	C	#08	22.2	22.3	22.1	55.3	56.0	54.0	2515	Yes
#3	C	#09	22.3	22.3	22.2	55.1	56.0	54.0	2685	Yes
#1	M	#01	22.2	22.3	22.1	55.4	56.0	55.0	2555	Yes
#1	M	#02	22.3	22.3	22.2	55.1	56.0	54.0	2630	Yes
#1	M	#03	22.3	22.3	22.1	55.0	56.0	54.0	2605	Yes
#2	M	#04	22.2	22.3	22.1	55.5	56.0	55.0	2565	Yes
#2	M	#05	22.2	22.4	22.1	55.0	56.0	54.0	2585	Yes
#2	M	#06	22.3	22.4	22.2	55.2	56.0	55.0	2630	Yes
#3	M	#07	22.2	22.3	22.1	55.5	56.0	55.0	2575	Yes
#3	M	#08	22.2	22.4	22.1	55.2	56.0	55.0	2520	Yes
#3	M	#09	22.3	22.4	22.2	55.3	56.0	54.0	2675	Yes
#1	Y	#01	22.3	22.3	22.1	55.5	56.0	55.0	2655	Yes
#1	Y	#02	22.3	22.3	22.2	55.3	56.0	55.0	2600	Yes
#1	Y	#03	22.3	22.3	22.2	55.3	57.0	54.0	2555	Yes
#2	Y	#04	22.2	22.3	22.1	55.6	56.0	55.0	2565	Yes
#2	Y	#05	22.2	22.3	22.1	55.1	56.0	54.0	2430	Yes
#2	Y	#06	22.3	22.4	22.2	55.3	56.0	55.0	2480	Yes
#3	Y	#07	22.2	22.3	22.1	55.3	56.0	54.0	2570	Yes
#3	Y	#08	22.2	22.3	22.1	55.3	56.0	54.0	2570	Yes
#3	Y	#09	22.3	22.4	22.2	55.2	56.0	54.0	2695	Yes
#1	K	#01	22.2	22.3	22.1	55.3	56.0	54.0	3165	Yes
#1	K	#02	22.3	22.3	22.2	55.4	56.0	54.0	3160	Yes
#1	K	#03	22.3	22.3	22.1	55.3	56.0	55.0	3165	Yes
#2	K	#04	22.2	22.3	22.1	55.5	57.0	54.0	3165	Yes
#2	K	#05	22.2	22.3	22.1	55.1	56.0	54.0	3160	Yes
#2	K	#06	22.3	22.3	22.2	55.1	56.0	54.0	3095	Yes
#3	K	#07	22.2	22.3	22.1	55.5	56.0	54.0	3165	Yes
#3	K	#08	22.3	22.3	22.1	55.3	56.0	54.0	3245	Yes
#3	K	#09	22.3	22.4	22.2	55.1	56.0	54.0	3405	Yes

	Average	Std Dev. Of Sample	90% Lower Confidence
Cyan Cartridge	2620	85	2567
Magenta Cartridge	2593	47	2564
Yellow Cartridge	2569	80	2519
CMY Composite			2549
Black Cartridge	3192	88	3136

Comments: