

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	EPSON	Logo
Company name *	Seiko Epson Corporation	EDCON
Contact information *	EPSON Europe B.V.	EPSON
e-mail address	environment@epson.eu	EXCEED YOUR VISION
Internet site *	http://www.epson.com	
Additional information		

The company declares (bato the statements given in	sed on product specification or test results based obtained from sample testing), that the product conforms this declaration.
Type of product *	Liquid Crystal Projector
Commercial name *	EB-FH52
Model number *	EB-FH32
Issue date *	2023/6/9
Intended market *	☐ Global Europe Asia, Pacific & Japan Americas Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

Model number *	EB-FH52	Logo	EDOON
Issue date *	2023/6/9		EYSON EXCEED YOUR VISION

Produc	ct environmental attributes - Legal requirements	Require	nent n	net
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	X		
P1.2*	Products do not contain Asbestos (see legal reference).	X		
	Comment: Legal reference has no maximum concentration value.			
	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	X		
D4 0*	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
P1.3*	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	X		
P1.4"	terphenyl (PCT) in preparations (see legal reference).	12-31		
D4 C *	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	X		
P1.5*	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
D4.C*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 mg/cm ² /week	П		X
P1.6*	(see legal reference).			<u></u>
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	X		
	http://www.epson.com			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal	X		
1 2.1	symbol. Information on proper disposal is provided in user manual. (See legal reference) Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal		Ш	
P2.2*	reference)	\boxtimes		
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	X	П	П
P3	Conformity verification & Eco design (ErP)	(V		
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	X		
	The Declaration of Conformity can be requested at (add link or e-mail address): https://www.epson.eu/			
P3.2*	The product complies with the Eco design Requirements for Energy-Related Products,	X		
	(see legal reference).	<u> </u>		
	Required information is; given in item P15 or added to this document,	X		
	available at (add URL): http://www.epson.com	<u> </u>		
P4	Consumable materials			
	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater			
P4.1*	than 0,01% (see legal reference and NOTE B1).			X
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see			\boxtimes
	legal reference)			
	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to			\boxtimes
P4.3*	are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available			
	(see legal reference).			
P5	· · · · · · · · · · · · · · · · · · ·			
	Product packaging Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and	K-A		
P5.1*	hexavalent chromium by weight of these together.	\boxtimes		
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the		X	
1 J.Z	material(s) used (see legal reference).		(F. 3)	
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).	\boxtimes		
	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	X		
1 0.1	mornation for recyclorational facilities is available (see legal reference).			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	EB-FH52	Logo	EDOON
Issue date *	2023/6/9		EPSON EXCEED YOUR VISION
			EXCEED YOUR VISION

	environmental attributes - Market requirements (See General Note GN below) vironmental conscious design	Regu	iiremen	t met
tem	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
7	Design			
	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	X	П	П
P7.2*	Plastic materials in covers/housing have no surface coating.	X		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	X		П
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	X		П
7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.			П
7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	X		П
	Product lifetime			
7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	X		
77.8*	Upgrading can be done using commonly available tools	X		
7.9.	Spare parts are available after end of production for: 6 years			
7.10	Service is available after end of production for: 6 years			П
	Material and substance requirements			
7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: PC+ABS Material type: Material type:			
7.12	Insulation materials of external electrical cables are PVC free.	П	\boxtimes	
7.13	Insulation materials of internal electrical cables are PVC free.		X	П
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	X		
7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g □ are low halogen as defined in IEC 61249-2-21. (See NOTE B2)		X	
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) □ , TBBPA (reactive) □ (See NOTE B3), Other; chemical name: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4)			
	1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: "			
	2. Chemical name: , CAS #. 3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): (See NOTE B5	5)		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	EB-FH52	Logo	EDOON
Issue date *	2023/6/9		EPSON EXCEED YOUR VISION

Product 6	environmental attribu	ites - Market requirer	ments (continued)			Requ	iremer	nt met
Item			,			Yes	No	n.a.
	Material and substa	nce requirements (co	ontinued)					
P7.20*	Postconsumer recycle	ed plastic material cor	ntent is used in the pro	oduct (See NOTE B6):		X	
	If YES; at least one o	f the two alternatives I	below shall be answer	red;				
	a) Of total plastic pa	rts' weight > 25 g, the	postconsumer recycle	ed plastic material co	ontent			
		ercentage of total plas		%.				
	or							
	b) The weight of rec	ycled material is	g.					
P7.21*	Biobased plastic mate	erial content is used ir	the product (See NO	TE B7):			X	
	If YES; at least one o	f the two alternatives l	below shall be answer	red;				
	 a) Of total plastic pa 	rts' weight > 25 g, the	biobased plastic mate	erial content				
	(calculated as a p	ercentage of total plas	stic by weight) is	%.				
	or							
		biobased plastic mate				-		
P7.22*						\boxtimes		
-		ecify: Number of lamp	s: 1 and maxin	num mercury conten	t per lamp: 50 mg			
P8	Batteries	71	- ula - u					
P8.1*	Battery chemical com		arbon					
P9	Energy consumptio		· ·					
P9.1	For the product the fo	ollowing power levels of			D. f			
Energy m	ode *	Power level at	Power level at	Power level at	Reference/Standard for test method *	energy	modes	s and
		100 V AC	115 V AC	230 V AC	lest method			
On-noma	I	w	w	327.0	N ISO/IEC 2118			×
Save		w	w	0.3	N ISO/IEC 2118			\boxtimes
Frate on 15	Danier Committee Effect		Efficience Mandato o B	-tI\ * ·				
	Power Supply Efficienc			DIOCOI) " :				X
	n Speed * :	images per minure mode: 30						
	ne to enter energy sav			roduct				

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	EB-FH52	Logo	EDCON	
Issue date *	2023/6/9		EPSON EXCEED YOUR VISION	

Product	oduct environmental attributes - Market requirements (continued)						Req	uireme	ent met
Item				·			Yes	No	n.a.
P10	Emissions								
	Noise emission	- Declared according	to ISO 9296	(See NOTE B9)	1				
P10.1	Mode	Mode description		Declare	d A-weighted				
				sound _j	oressure level LpAr	n (dB)			
	Idle	*		*					X
	Operation	* Operation		*	3	7			
	Other mode								
	Measured according to: ☐ ISO 7779 ☐ ECMA-74								
		☐ Other (only if not co	vered by ECMA	·74)				
	Chemical emiss	ions from printing pro	ducts (See I	NOTE B10)					
P10.2*	Test performed a	according to ECMA-328	Determinatio	n of Chemical E	mission Rates from		\boxtimes		
	Electronic Equipr	ment (ISO/IEC 28360)	🔀 , othe	r specify:					
P10.3	Typical emission	rate (operation phase)	is (mg/h):						
	Electrophotograp	hic devices: Ozone	Dust	Styrene	Benzene	TVOC			
	Ink devices:		Dust	Styrene	Benzene	TVOC			
	NOTE: compliand	ce with maximum emiss	ion rates in e	co labels to be	declared in P14.				
P11	Consumable ma	aterials for printing pro	oducts						
P11.1*	A Safety Data Sh	neet (SDS) is available f	or the ink/ton	er preparation, e	even if not legally re	quired (see P4.3).			X
P11.2*	Paper containing	post-consumer recycle	d fibers can b	oe used, provide	d that it meets the r	equirements of EN			X
P11.2	12281.								
P11.3*	2-sided (duplex)	printing/copying is an in	tegrated proc	duct function.					X
P11.4*	The product is de	elivered to end-user with	า default auto	-duplex enabled					X
P13	Packaging and								
P13.1*	Product packagir	ng material type(s):	Corrugated F	ibreboard weight	ght (kg): 0.616				
	Product packagir	ng material type(s):	Foamed PS	wei	ght (kg): 0.061				
	Product packagir	ng material type(s):	PE	wei	ght (kg): 0.056				
P13.2*		rimary packaging is free					\boxtimes		
P13.3*	For product prima	ary corrugated fiberboa	rd packaging,	specify the con	tained percentage o	of			
	minimum post-co	onsumer recovered fiber	content:	80 %					
P13.4*	Specify media for	r user and product docu	ımentation (tid	ck box):					
		, Paper							
P13.5	(Please only com	plete this item if paper	documentatio	on used)					
	User and product	t documentation on pap	er media is c	hlorine-free:					
	If Yes, please sp	ecify:							
	Totally chlorine-fi	ree							
	Elemental chlorin	ne-free							
	Processed chlori	ne-free							
P14	Voluntary progr	ams:							
P14.1	The product mee	ts the requirements of t	he following \	oluntary progra	m(s):				
	ENERGY STAR	© Criteria version	1:	Date:	Product categor	y:			
	Eco-label:	Criteria version	1:	Date:	Product categor	y:			
	Eco-label:	Criteria version	1:	Date:	Product categor	y:			

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm. NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	EB-FH52	Logo	EDCON
Issue date *	2023/6/9		EPSON EXCEED YOUR VISION

Product e	Product environmental attributes - Market requirements (concluded) Requirement met			
P15	P15 Additional information (See NOTE B11)			

Legal references Europe Annex B1

Legal references Europe Annex B1	I
Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *	P1.1, P4.1, P3.1
* Specific exemptions apply for certain products and applications.	
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.*	P2.1, P2.2, P2.3, P8.1
* These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	