

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

| Brand * | EPSON | Logo |
|------------------------|-------------------------|--------------------|
| Company name * | Seiko Epson Corporation | FDCON |
| Contact information * | EPSON Europe B.V. | EPSON |
| e-mail address | environment@epson.eu | EXCEED YOUR VISION |
| Internet site * | http://www.epson.com | |
| Additional information | | |

| | The company declares (based on product specification or test results based obtained from sample testing), that the product conforms of the statements given in this declaration. | | | | | | |
|------------------------|--|--|--|--|--|--|--|
| Type of product * | Liquid Crystal Projector | | | | | | |
| Commercial name * | EB-760Wi | | | | | | |
| Model number * | LB-700WI | | | | | | |
| Issue date * | 2023/2/6 | | | | | | |
| Intended market * | ☐ Global Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other | | | | | | |
| Additional information | | | | | | | |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

| Model number * | EB-760Wi | Logo | EDCON |
|----------------|----------|------|-----------------------------|
| Issue date * | 2023/2/6 | | EPSON EXCEED YOUR VISION |

| Produ | Requirer | nent r | net | |
|-------|--|-------------|-----|-------------|
| Item | | Yes | No | n.a. |
| P1 | Hazardous substances and preparations | | | |
| P1.1* | Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1) | X | | |
| P1.2* | Products do not contain Asbestos (see legal reference). | X | | |
| | Comment: Legal reference has no maximum concentration value. | | | |
| | Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), | X | | |
| D4 0* | hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- | | | |
| P1.3* | trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum | | | |
| | concentration values. | | | |
| D4 4* | Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated | × | | |
| P1.4* | terphenyl (PCT) in preparations (see legal reference). | <u> </u> | | |
| D4 C* | Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the | X | | |
| P1.5* | chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). | <u></u> | | |
| D4.0* | Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 mg/cm ² /week | | | \boxtimes |
| P1.6* | (see legal reference). | | | |
| | Comment: Max limit in legal reference when tested according to EN1811:2011-5. | | | |
| P1.7* | REACH Article 33 information about substances in articles is available at (add URL or mail contact): | X | | |
| | http://www.epson.com | | | |
| P2 | Batteries | | | |
| P2.1* | If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal | × | | |
| . 2 | symbol. Information on proper disposal is provided in user manual. (See legal reference) Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal | | Ш | |
| P2.2* | reference) | X | | |
| P2.3* | Batteries and accumulators are readily removable. (See legal reference) | X | П | П |
| P3 | Conformity verification & Eco design (ErP) | | | |
| P3.1* | The product is CE-marked to show conformance with applicable legal requirements (see legal reference). | X | П | |
| | The Declaration of Conformity can be requested at (add link or e-mail address): https://www.epson.eu/ | | | |
| P3.2* | The product complies with the Eco design Requirements for Energy-Related Products, | | | |
| | (see legal reference). | | ш | |
| | Required information is; given in item P15 or added to this document, | X | | |
| | available at (add URL): http://www.epson.com | | Ш | Ш |
| P4 | Consumable materials | | | |
| | If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater | | | |
| P4.1* | than 0,01% (see legal reference and NOTE B1). | | | \boxtimes |
| P4.2* | If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see | | | \boxtimes |
| | legal reference) | | | |
| | If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there | | | \boxtimes |
| P4.3* | are Community workplace exposure limits, the product/packaging is adequately labeled according to | | | |
| | applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). | | | |
| D.F. | , , | | | |
| P5 | Product packaging Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and | | | |
| P5.1* | hexavalent chromium by weight of these together. | \boxtimes | | |
| DC 0* | The packaging materials are marked with abbreviations and numbers indicating the nature of the | | X | |
| P5.2* | material(s) used (see legal reference). | | | |
| P5.3* | The product packaging material is free from ozone depleting substances as specified in the Montreal | X | | |
| | Protocol (see legal reference). | _ | _ | _ |
| DC | Comment: Legal reference has no maximum concentration values. | | | |
| P6 1* | Treatment information | | | |
| P6.1* | Information for recyclers/treatment facilities is available (see legal reference). | \boxtimes | | |

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

| Model number * | EB-760Wi | Logo | EDOON |
|----------------|----------|------|--------------------------|
| Issue date * | 2023/2/6 | | EPSON EXCEED YOUR VISION |

| | environmental attributes - Market requirements (See General Note GN below) vironmental conscious design | Regu | iiremen | t met |
|-------|--|------|-------------|-------|
| tem | *=mandatory to fill in. Additional information regarding each item may be found under P14. | Yes | No | n.a. |
| 7 | Design | | | |
| | Disassembly, recycling | | | |
| P7.1* | Parts that have to be treated separately are easily separable | X | П | П |
| P7.2* | Plastic materials in covers/housing have no surface coating. | X | | |
| P7.3* | Plastic parts > 100 g consist of one material or of easily separable materials. | X | | П |
| P7.4* | Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. | X | | П |
| 7.5 | Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. | | | П |
| 7.6* | Labels are easily separable. (This requirement does not apply to safety/regulatory labels). | X | | П |
| | Product lifetime | | | |
| 7.7* | Upgrading can be done e.g. with processor, memory, cards or drives | X | | |
| 7.8* | Upgrading can be done using commonly available tools | X | | |
| 7.9. | Spare parts are available after end of production for: 6 years | | | |
| 7.10 | Service is available after end of production for: 6 years | | | П |
| | Material and substance requirements | | | |
| 7.11* | Product cover/housing material type (e.g. plastics, metal, aluminum): | | | |
| | Material type: PC+ABS Material type: Material type: | | | |
| 7.12 | Insulation materials of external electrical cables are PVC free. | П | \boxtimes | |
| 7.13 | Insulation materials of internal electrical cables are PVC free. | | X | П |
| P7.14 | External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content. | X | | |
| 7.15 | Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g □ are low halogen as defined in IEC 61249-2-21. (See NOTE B2) | | X | |
| P7.16 | Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40) | | | |
| P7.17 | Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) □ , TBBPA (reactive) □ (See NOTE B3), Other; chemical name: , CAS #: | | | |
| | Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: | | | |
| 7.18 | Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) | | | |
| | 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " | | | |
| | 2. Chemical name: , CAS #. 3. Chemical name: , CAS #: " | | | |
| | Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: | | | |
| 7.19 | In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements: | | | |
| | The source(s) for these classifications is/are found at (add URL(s)): (See NOTE B5 | 5) | | |

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

| lodel number * | EB-760Wi | Logo | FDCON | |
|----------------|----------|------|--------------------------|--|
| ssue date * | 2023/2/6 | | EPSON EXCEED YOUR VISION | |
| ssue date * | 2023/2/6 | | EP20N | |

| Product | environmental attribu | ites - Market requirer | ments (continued) | | | Requ | iireme | nt met |
|----------|--|--------------------------|-----------------------------|------------------------|-----------------|-----------------|--------|-----------|
| Item | | • | • | | | Yes | No | n.a. |
| | Material and substa | nce requirements (c | ontinued) | | | | | |
| P7.20* | | ed plastic material cor | | oduct (See NOTE Be | 3): | | X | |
| | If YES; at least one of | of the two alternatives | below shall be answer | red; | | | | |
| | a) Of total plastic pa | rts' weight > 25 g, the | postconsumer recycle | ed plastic material co | ontent | | | |
| | , . | ercentage of total plas | stic by weight) is | %. | | | | |
| | or | | _ | | | | | |
| | b) The weight of rec | ycied material is | g. | | | | | |
| P7.21* | Biobased plastic mat | erial content is used ir | the product (See NO | TE B7): | | | X | |
| | If YES; at least one o | of the two alternatives | below shall be answer | red; | | | | |
| | a) Of total plastic pa | rts' weight > 25 g, the | biobased plastic mate | erial content | | | | |
| | (calculated as a p | ercentage of total plas | stic by weight) is | %. | | | | |
| | or | | | | | | | |
| 5= 60t | , , | biobased plastic mate | | | | 4. 4 | | |
| P7.22* | | | | | | | | |
| Do | | ecify: Number of lamp | s: and maxin | num mercury conter | it per iamp: | mg | | |
| P8.1* | Batteries Battery chemical com | nposition: Zinc-c | arhon | | | | | |
| P9 | • | • | arbon | | | | | |
| P9.1 | Energy consumption | ollowing power levels | or energy consumption | ne are reported: | | | | |
| | | Power level at | Power level at | Power level at | Reference/Stand | dard for energy | / mode | s and |
| Energy m | node * | 100 V AC | 115 V AC | 230 V AC | test method * | | mode | |
| On-noma | ıl | w | W | 197.0 | w ISO/IEC 211 | 18 | | × |
| | | | | | | | | |
| Save | | W | W | 0.5 | W ISO/IEC 211 | 18 | | X |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | - | | | |
| | | | | | | | | |
| | | | | | | | | |
| External | Power Supply Efficienc | v Level (International | L Efficiency Marking Pro | otocol) * · | | | | \square |
| | n Speed * : | images per minu | | | | | | |
| | me to enter energy sav | | minutes | | | | | X |
| P9.2* | Information about the | e energy save function | is provided with the p | roduct. | • | X | П | |

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

| Model number * | EB-760Wi | Logo | EDCON |
|----------------|----------|------|-----------------------------|
| Issue date * | 2023/2/6 | | EPSUN EXCEED YOUR VISION |

| | environmental at | tributes - Market requi | rements (cor | ntinued) | | | | • | | ent met |
|--------|--------------------|---------------------------|---------------------|-------------------|-----------|-----------------|--------------------|-------------|----|---------|
| Item | | | | | | | | Yes | No | n.a. |
| P10 | Emissions | | | | | | | | | |
| | | - Declared according | to ISO 9296 | · · | | | | | | |
| P10.1 | Mode | Mode description | | Declare | | | | | | |
| | | | | sound µ | oressure | e level LpAm | n (dB) | | | |
| | Idle | * | | * | | | | | | X |
| | Operation | * Operation | | * | | 37 | 7 | | | |
| | Other mode | | | | | | | | | |
| | Measured accord | ding to: 🔀 ISO 77 | 79 | ☐ ECMA-74 | | | | | | |
| | | ☐ Other | (only if not cov | vered by ECMA | -74) | | | | | |
| | Chemical emiss | sions from printing pro | oducts (See N | NOTE B10) | | | | | | |
| P10.2* | Test performed a | according to ECMA-328 | Determination | n of Chemical E | mission | Rates from | | \boxtimes | | |
| | Electronic Equip | ment (ISO/IEC 28360) | 🔀 , othe | r specify: | | | | | | |
| P10.3 | Typical emission | rate (operation phase) | is (mg/h): | | | | | | | |
| | | | | | | | | | | |
| | Electrophotograp | phic devices: Ozone | Dust | Styrene | ı | Benzene | TVOC | | | |
| | Ink devices: | | Dust | Styrene | ı | Benzene | TVOC | | | |
| | | | | | | | | | | |
| | NOTE: complian | ice with maximum emiss | sion rates in e | co labels to be | declared | d in P14. | | | | |
| P11 | Consumable ma | aterials for printing pr | oducts | | | | | | | |
| P11.1* | A Safety Data SI | heet (SDS) is available t | for the ink/ton | er preparation, e | even if r | not legally red | quired (see P4.3). | | | |
| P11.2* | Paper containing | g post-consumer recycle | ed fibers can b | e used, provide | d that it | meets the re | equirements of EN | | | |
| P11.2 | 12281. | | | | | | | | | |
| P11.3* | 2-sided (duplex) | printing/copying is an ir | ntegrated prod | luct function. | | | | | | |
| P11.4* | The product is de | elivered to end-user with | h default auto | -duplex enabled | l. | | | | | |
| P13 | Packaging and | documentation | | | | | | | | |
| P13.1* | Product packagi | ng material type(s): | Corrugated F | ibreboard weight | ght (kg): | 1.269 | | | | |
| | Product packagi | ng material type(s): | Foamed PS | weig | ght (kg): | 0.154 | | | | |
| | Product packagi | ng material type(s): | PE | weig | ght (kg): | 0.104 | | | | |
| P13.2* | Product plastic p | orimary packaging is free | e from PVC. | | | | | X | | |
| P13.3* | For product prim | ary corrugated fiberboa | rd packaging, | specify the con | tained p | percentage o | f | | | |
| | minimum post-co | onsumer recovered fiber | r content: | 80 % | | | | | | |
| P13.4* | Specify media for | or user and product docu | umentation (tid | ck box): | | | | | | |
| | Electronic | 🐧 , Paper 📋 💢 , O | ther 🗆 | | | | | | | |
| P13.5 | (Please only con | nplete this item if paper | documentatio | n used) | | | | | | |
| | User and produc | ct documentation on pap | oer media is cl | hlorine-free: | | | | | | |
| | If Yes, please sp | ecify: | | | | | | | | |
| | Totally chlorine-f | free | | | | | | | | |
| | Elemental chlori | ne-free | | | | | | | | |
| | Processed chlori | ine-free | | | | | | | | |
| P14 | Voluntary progr | rams: | | | | | | | | |
| P14.1 | | ets the requirements of t | the following v | oluntary progra | m(s): | | | | | |
| | ENERGY STAR | | _ | Date: | | duct category | <i>'</i> : | | | |
| | Eco-label: | Criteria versior | n: | Date: | Prod | duct category | <i>'</i> : | | | |
| | Eco-label: | Criteria versior | | Date: | Prod | duct category | <i>r</i> : | | | |

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

| Model number * | EB-760Wi | Logo | EDOON |
|----------------|----------|------|--------------------------|
| Issue date * | 2023/2/6 | | EPSON EXCEED YOUR VISION |
| | | | |

| Product e | Product environmental attributes - Market requirements (concluded) Requirement met | | | |
|-----------|--|--|--|--|
| P15 | P15 Additional information (See NOTE B11) | | | |
| | | | | |
| | | | | |
| | | | | |

Legal references Europe Annex B1

| Reference | Declaration item |
|--|------------------------------|
| Directive 2011/65/EU (RoHS Directive) * | P1.1, P4.1, P3.1 |
| * Specific exemptions apply for certain products and applications. | |
| Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII | P1.2, P1.4, P1.6, P1.7, P4.2 |
| Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII | P1.10 |
| Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II) | P4.3 |
| Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances) | P1.3, 5.3 |
| Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002 | P1.5 |
| Directive 2006/66/EC (Battery and accumulators Directive), as amended.* | P2.1, P2.2, P2.3, P8.1 |
| * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator. | |
| Directive 2014/35/EU (Low Voltage Directive) | P3.1 |
| Directive 2014/30/EU (EMC Directive) | P3.1 |
| Directive 2014/53/EU (RE Directive) | P3.1 |
| Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation) | P3.1, P3.2, P9.1 |
| Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions | |
| Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies | P3.1, P3.2, P9.1 |
| Commission Regulation (EC) 1272/2008 (CLP Regulation) | P4.3, P7.19 |
| Directive 2004/12/EC (Packaging Directive) | P5.1 |
| Decision 97/129/EC (Secondary packaging legislation) | P5.2 |

| Directive 2012/19/EU (WEEE directive) | P6.1 |
|--|------|
| Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register. | |
| Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State. | |