



Switch to bigger collaborative spaces



Market leading displays

Epson, the market leader in projectors since 2001¹, offers display solutions with a superior viewing experience compared to flat panel screens, helping to increase audience engagement.

Introducing a wide range of innovative features for enhanced image quality, reliability and flexibility, Epson solutions are the clear choice.

Large, scalable displays to create agile working environments in a variety of spaces. Enjoy hassle-free connectivity for users and seamless connectivity to existing IT infrastructures.



**EPSON
WORLD LEADER
IN PROJECTORS¹**





Ultimate displays for hybrid working

Large displays provide a bigger space for remote attendees or learners to truly collaborate with colleagues or classmates in real time. Everyone feels included and represented whether at home or in the office or classroom.



Great content at the right size

The correct display size for your room maximises audience engagement. Unlike fixed flat panel displays, Epson's scalable solutions project incredible quality displays up to 500". Project images in up to Full HD with rich colours and brightness up to three times that of 1-chip DLP projectors³.



Unrestricted viewing experiences

A relaxed viewing environment helps the audience concentrate on the information presented. Epson display solutions avoid the glare, blind spots and fingerprints associated with screens and can be viewed without obstruction from anywhere in the room, creating equal opportunities and engagement for all.



Hassle-free connectivity

Epson display solutions offer both wired and wireless connectivity, and our iProjection App makes it easy for people to stream and share from their own devices².



An end to maintenance cycles

Epson's fit-and-forget display solutions combine performance with reliability, meaning lower costs, longer life cycles and impressive warranties of up to five years. You can count on up to 17,000 hours life for lamps and up to 30,000 hours for laser light sources.



A sustainable IT choice with TCO Certified

Unlike flat panels, many of our business projectors are TCO Certified⁴. This is independent affirmation that Epson is making responsible choices and reaching sustainability standards that are recognised across the globe.

Why choose an Epson display?

When choosing the right display solution for your business, you'll soon discover Epson displays hold many advantages over flat panels.

Easier on the eye

Flat panels can appear pixelated when you view them close-up for long periods, causing tired eyes. Epson projectors are less pixelated and selected models feature automatic light adjustment, making for a comfortable experience.

Unrestricted viewing

Unlike flat panels, Epson projectors have no blind spots or restricted viewing angles, making it easier to see content even from the sides of a room. There are no visible finger marks left on the screen, and when using Epson displays with anti-bacterial whiteboard surfaces, it eradicates any breeding ground for bacteria and viruses.

Scalable displays

Thanks to scalability and flexibility, Epson projectors suit rooms and audiences of every size. Their ability to deliver large-scale, data-heavy content makes it more comfortable and engaging for the audience to view. With Epson projectors, you have the flexibility to scale a display up to 500", in multiple aspect ratios. You can also connect multiple projectors to create one large seamless display.

Mobile presenting


With most of our projectors, you aren't restricted to one room, one venue, one setting. They're lightweight, portable and easy to set up.

Easy and cost-effective to install

Flat panels are heavy, require strong walls and a lot more physical exertion to install. Connecting Epson projectors to your business couldn't be easier. Simple to install, they're also fully compatible with most industry-standard image software and collaboration tools.

Enterprise security with peace of mind

Thanks to Epson enterprise security, our projectors operate in a network that can't be accessed wirelessly without a password. Also, any saved data and annotations made on our interactive displays can be encrypted and password protected.



Make the sustainable choice

Unlike flat panels, many Epson business projectors are TCO Certified⁴, meeting the world's most comprehensive sustainability certification for IT products. To achieve that, we set the highest standards in our supply chains and factories, and offer environmentally responsible take-back and recycling schemes. This helps your organisation to meet your own social responsibility goals.



True colours, beautiful detail

Epson's 3LCD technology produces high-resolution images with rich, life-like colours at levels of brightness that make presentations clear and engaging, even in well-lit environments.

Images are up to three times brighter than 1-chip DLP projectors³ and achieve levels of quality, versatility and creative freedom greater than flat panel displays.





High brightness

Inspire and engage audiences by bringing subjects to life with the brightest, most colourful images. With equally high White and Colour Light Output, whatever the subject, you can count on that level of brightness for all content across the entire screen.



Higher contrast, amazing clarity

Project every detail even on the biggest screens with high contrast ratios up to 2,500,000:1. This means that the brightest white is 2,500,000 times brighter than the darkest black, bringing content to life.



Full HD for total clarity

Reproduce every detail to add clarity to any scenario with resolutions up to Full HD. Create sharper text and high definition images that are easier on the eye and get your message across more effectively.



Agile collaborative spaces

Transform your workspace with large, scalable displays. Epson's easy-to-use display solutions are designed to enrich collaborative and agile working environments. They boost engagement, and promote greater knowledge sharing with students, colleagues, clients and conference delegates using the latest and most versatile connectivity options.



Flexible display options and sizes

Deliver impactful sessions with a choice of display options and sizes* at one fixed cost:

Up to 100" (16:10 standalone)

Up to 100" (16:9 standalone)

Up to 120" (16:6 standalone)

Up to 155" DuoLink interactivity (EB-1485Fi only), which combines two interactive displays using edge blending.

Collaborate and connect

Create agile working environments and share content quickly and simply with easy-to-use, intuitive on-screen interfaces and optional pen or finger touch on the interactive models.

Wirelessly connect any mobile device with Epson iProjection App or Screen Mirroring (Miracast) functionality*. Compatible with Windows, MacOS, iOS, Android and Chromebooks, iProjection is free to download and allows you to display content from multiple devices and platforms whilst retaining control over what is displayed and when.

Optimise meeting interactions

Combine up to four sources, such as video conference systems from multiple video sources and presentations, by creating a sliding split screen*.

Fit and forget laser technology*

Use for up to 30,000 hours (Eco mode) without any maintenance, with the additional peace of mind of a five-year warranty.

Interactive displays

Laser: EB-725Wi, EB-735Fi, EB-1485Fi

Lamp: EB-685Wi, EB-695Wi

Non-interactive displays

Laser: EB-L200SX, EB-L200SW, EB-720, EB-725W, EB-735F

Lamp: EB-530, EB-535W, EB-685W

The above laser models are compatible with the ELPWP10



EB-1485Fi

Multiple display options and sizes up to 155" (with DuoLink interactivity)

5,000lm, Full HD (1366 x 768 x 2) resolution, 16:6 wide display

Touch and dual pen interactivity

Built-in digital whiteboard

Multiple connectivity options including HDMI out and HDBaseT

Built-in wireless and Screen Mirroring (Miracast)

Split-screen interactivity

Built-in OPS slot for a mini PC

Five year warranty

* Not available on all products, please check product specifications for details.

Versatile, scalable display solutions

Bring presentations for audiences of any size to life with our mainstream business displays. Versatile connectivity and installation options mean, whatever your budget, there is a display to suit your needs.

Bright, scalable and affordable

EB-992F

Full HD resolution – 1080p

Flexible installation or move between rooms

Up to 300" scalable display

Built-in wireless and Screen Mirroring (Miracast)

Up to 17,000 hours lamp life (in Eco mode)

Other models in range EB-E20, EB-X49, EB-W49, EB-982W, EB-FH52



Portable, slim and lightweight for truly mobile presenting

EB-1795F

1.8kg

Full HD resolution – 1080p

Up to 300" scalable display

Built-in wireless and Screen Mirroring (Miracast)

Up to 7,000 hours lamp life (in Eco mode)

Other models in range EB-1780W





Compact displays with flexible connectivity either mounted or mobile

EB-2250U

Full HD resolution – WUXGA

Up to 300" scalable display

Optional wireless

Up to 10,000 hours lamp life (in Eco mode)



Smart fit and forget creative laser solutions

EB-L730U

Full HD resolution - WUXGA

Up to 500" scalable display

Built-in wireless and Screen Mirroring (Miracast)

Up to 30,000 hours light source life (in Eco mode)

Other models in the range EB-L200F, EB-L200W, EB-L520U, EB-L530U, EB-L630U, EB-L630SU, EB-L635SU, EB-L720U, EB-L735U



Compatible with the ELPWP10





Create the right impression

Make your workplace more inviting to visitors and employees with Epson's lighting and signage solutions. Display up-to-the-minute information to reflect promotional and seasonal messaging.

Flexible mounting options mean projectors can be mounted out of sight and reach on ceilings, walls and lighting tracks for dynamic, impactful signage that doesn't clutter your environment. And, with a maintenance-free life of up to 20,000 hours, these laser light-source products are the ideal solution for displaying engaging messaging.



EB-800 Series

EB-800F, EB-805F



5,000lm with Full HD 1080p resolution
Ultra-short-throw with edge blending support
Scalable and affordable informative signage display solution

Other models in the range EB-750F, EB-755F

EV-110 Series

EV-110, EV-115



2,200lm
Transform work spaces with experiential lighting and signage projection
Add information and entertainment to objects and surfaces, even glass

Other models in the range EB-W70, EB-W75, EB-U50, EB-L250F, EB-L255F

Premium solutions for large audiences

Take your visual creativity to the next level with our breathtaking laser installation projectors.

Create superb projections with Epson's range of installation projectors in up to 30,000lm brightness. Transform larger spaces, auditoriums and even buildings with creative display and mapping solutions using Epson laser installation projectors.



Superb image quality

Enjoy the improved texture and exceptional sharpness, clarity and detail of laser projectors with 4K enhancement technology.

Flexibility

A wide choice of interchangeable lenses makes finding the perfect solution for a new or upgraded projection set-up easy. Even short projection distances can be achieved with the optional ultra-short-throw, zero-offset lenses. Motorised optics, advanced geometric correction and 360 degree projection facilitate fast and flexible installation, while portrait projection and edge-blending offer even wider scope for creating stunning, seamless displays in large environments.

Better connections

Integrate easily into almost any IT set-up with advanced connectivity features. Offering HDMI, HDBaseT and RJ45 support across the range, it is easy to connect and control your display. Advanced models in the range support SDI input and interchangeable interface boards.

High reliability

The inorganic phosphor wheel offers superior light- and heat-resistance and excellent reliability, resulting in a light source which is maintenance-free for up to 20,000 hours.

EB-PU1000 Series

EB-PU1006W, EB-PU1007W,
EB-PU1007B, EB-PU1008W,
EB-PU1008B, EB-PU2010W,
EB-PU2010B



EB-L1000 Series

EB-L1500UH, EB-L1505UH,
EB-L1715S, EB-L1750U,
EB-L1755U



EB-L2000U



EB-L3000U



Present wirelessly



Epson's new wireless presentation systems make it easy for you to share your screen and increase your productivity.

Automatic start-up

Epson display solutions automatically turn on when the transmitter is plugged into a laptop.

Receiver functionality

The receiver functionality is integrated with Epson display solutions* reducing your initial costs (ELPWP10 only).


Intuitive design

It's simple enough that anyone can use it without special training. Multi-screen display and screen hiding are just as easy.

Smooth screen switching

Switching to the next presenter's screen is a breeze. No more interrupting meetings to fiddle with cables or moving to a seat where the cable can reach.

Achieve a wire free meeting room



Just plug the transmitter into your laptop

To connect, plug the transmitter into a USB port. No need to worry about wireless settings or cables. No special software to install, no prior preparation.



Click and share it's that easy

One click on the app's button and you are displaying on a big screen.



Share up to four screens on one screen

Enhance your productivity by comparing multiple documents on the big, easy-to-view screen.




ELPWP10

For Epson display solutions*



Transmitter x2



Wireless LAN adapter



Tray for transmitters

ELPWP20

For any HDMI display



Transmitter x2



Receiver (base unit)



Tray for transmitters

ELPWT01

Additional transmitter



*Selected Epson laser products only, alternatively use ELPWP20 for all other HDMI displays.

Bring content to life

Bring content into a new dimension by capturing and recording 3D objects and displaying them on the big screen. These compact high-resolution video cameras are easy to connect to your projector, whether you're at home or in the office.

Crisp detail

Capture and record pictures and objects in Full HD using the high-resolution 2-megapixel camera. The optical and digital zoom provides ultra-sharp detail and magnification. Rely on smooth video with no motion blur thanks to a high frame rate of 30 frames per second.

Large, real life image capture

Enjoy full flexibility from any angle by rotating the camera and amplifying content. Easily capture larger materials up to A3 in size – from full A4 textbook spreads to large 3D objects – without having to reposition them.



Easy operation, simple control

Access camera controls easily on-screen for hassle-free presenting without having to move between PC, projector and camera.



A versatile presenting partner

Recordings of images, clips, screen pictures and annotations from another device can be saved and viewed using the SD card slot and reader.



Microscope attachment included

Included as standard on ELPDC13 and ELPDC21.



Visualisers

ELPDC07, ELPDC13, ELPDC21
Supplied with carry case.




Create the perfect solution

Every environment and every presentation is different, so we offer a wide range of solutions to create your perfect projector package, including lamps, ceiling mounts, screens and lenses.




Epson genuine lamps

Guarantee the best, brightest and most consistent images for longer with genuine Epson lamps. They guarantee the best image quality, maximise reliability, minimise maintenance and ensure ongoing comprehensive warranty cover.



Ceiling mounts

Fit your projector perfectly to your venue and ensure flexibility, safety and security with tailor-made mounts.



2.4GHz wireless LAN adapter ELPAP10

2.4/5GHz wireless LAN adapter ELPAP11

Make fast, secure, wireless presentations with this USB adapter. Selected product compatibility.



Active speakers ELPSP02

Add powerful audio to any meeting space solution with compact speakers.



Control and connection box ELPCB03

Benefit from greater device connectivity, ease of use and neat cable management. This convenient, wall-mounted box boasts a direct source button for 3x HDMI connectivity and split screen support.



Wireless presentation system ELPWP10

Intuitive, low-cost wireless presentation system that improves collaboration by displaying content from up to four devices on a large display.

Expand possibilities

We have built innovative relationships with leading technology companies to enhance the presenting experience even further. From wireless presenting and remote conferencing to whiteboard software, digital content and device control, we make sure that every element adds value and has guaranteed compatibility. This ensures you have the most up-to-date systems, now and in the future.



Crestron

Crestron automation and control solutions allow you to control entire environments with the push of a button, integrating systems such as AV, lighting, shading, security, BMS and HVAC. Monitor, manage and control everything from one platform.



Extron

Extron designs advanced technologies that create impressive-looking images, high-quality sound, and systems that are easy to control and work reliably. Extron's asset management tools help technology professionals manage large numbers of audio/visual systems.



Smit Visual

Smit Visual is a leading Dutch manufacturer of visual supplies, such as whiteboards and projection boards.



Mozaik Education

Mozaik offers market leading interactive educational K-12 content (3D scenes, videos, apps, games, etc) for all subjects with built-in whiteboarding functions, LMS, homework and classroom management features.




TeamMate

TeamMate is a leading manufacturer of contemporary and innovative audio/visual and collaborative furniture solutions for education, corporate and retail spaces.

Enhance your projector's capabilities

Inspiring presentations and innovative solutions go hand-in-hand. That's why we have developed a dynamic portfolio of advanced display tools. Epson solutions will optimise your business productivity and give you a platform to deliver your best work and ideas.

As the world's leading projector manufacturer¹, we enable you to present the way you want, where you want, easily and effectively. To discover just how much more flexible your current Epson display solution could be, visit www.epson.co.uk/epson-projector-software.



Stream, share and collaborate

Wirelessly stream and share

iProjection for PC / Mac

Wireless Screen Mirroring solution that utilises the built-in Wi-Fi connection of the presenter's device to stream and share content to the projector. Up to 50 devices can be connected to the same projector and up to four can present their content at the same time. The built-in moderator mode allows one user to take control of incoming content from the connected devices.

iProjection App for iOS / Android

Feature-rich BYOD solution for smartphones and tablets allows users to stream and share content, annotate and even control the projector, all directly from their devices. There is also a multi device mode for group collaboration. The built-in moderator mode allows one user to take control of incoming content from the connected devices.

iProjection App for Chromebooks

Supports fully mirrored display of all your Chromebook content including Google Docs, Slides, Sheets and Chrome browser.

Screen Mirroring (Miracast)

Industry-wide standard that enables Screen Mirroring from compatible smartphones, tablets and PCs to enhance BYOD flexibility and provide the freedom of wireless connectivity.

Interactivity and collaboration

GoBoard Education software

Our new solution offers an advanced whiteboard with built in online functionality, integration with many common VC applications and wireless connectivity with multiple device types.

www.epson.co.uk/goboard

Easy Interactive Tools

Gives you annotation and drawing capability on projected images or a whiteboard. You can also perform simple control of your document camera and projector.

Some software solutions may be restricted to selected models only. Please refer to product specifications.

Projector management solutions

Monitoring and control

Epson Projector Management

The free-to-download centralised management utility lets IT, facilities and network managers efficiently monitor, control and manage their display solution fleet. The software is also compatible with PJLink certified devices.

Functions include operation status, error reporting and input source switching. The scheduling feature can power down all the projectors in a building, while error monitoring helps avoid delays and downtime.


Epson Professional Projector Tool

Simplify multi-projector installations with intuitive geometry corrections such as edge-blending and adjustment for curved surfaces, plus colour-matching and brightness controls.

Epson Projector Configuration Tool

This free application for smart devices makes setting up and configuring multiple projectors easy. Simply register the projector's data using NFC connectivity, read and edit the settings in the app and then upload the settings to a fleet of projectors without even needing to power the projectors on.

Some software solutions may be restricted to selected models only. Please refer to product specifications.



Content management

Epson Projector Content Manager

Add images and videos to playlists, and save them on an external storage device (SD card or USB drive). Insert the storage device into the projector to easily project your playlist content without using a cable connection. Add custom shape filters, overlay effects and scheduling.

Epson Creative Projection

Create custom content on your smartphone or tablet, with ease. Enliven rooms and product displays by combining your photos and movies with the app's built-in templates and stamps.

Utilities

Display size calculator

Work out the ideal display size for your room based on room dimensions, layout and number of seats.







www.epson.co.uk/display-size-matters





Throw distance calculator







Easily work out image sizes and projection distance dimensions across our entire projector range. Simply select your desired screen size or the projection distance, and the smart online tool will automatically calculate all the necessary installation dimensions.








www.epson.co.uk/distancecalculator
















Model	EB-1780W	EB-1795F	EB-FH52	EB-E20	EB-X49	EB-W49
						
Resolution	WXGA (1280 x 800)	Full HD (1920 x 1080)	Full HD (1920 x 1080)	XGA (1024 x 768)	XGA (1024 x 768)	WXGA (1280 x 800)
Native aspect	16:10	16:9	16:9	4:3	4:3	16:10
Colour Light Output (lumens) normal / eco	3,000 / 1,900	3,200 / 1,900	4,000 / 2,400	3,400 / 2,200	3,600 / 2,400	3,800 / 2,600
Contrast ratio	10,000:1	10,000:1	16,000:1	15,000:1	16,000:1	16,000:1
Lightsource	Lamp	Lamp	Lamp	Lamp	Lamp	Lamp
Lightsource life (hours) normal / eco	4,000 / 7,000	4,000 / 7,000	5,500 / 12,000	6,000 / 12,000	6,000 / 12,000	8,000 / 17,000
Throw ratio in native aspect	1.04 - 1.26:1	1.02 - 1.23:1	1.32 - 2.14:1	1.44 - 1.95:1	1.48 - 1.77:1	1.30 - 1.56:1
Scalable image size (diagonal)	30 - 300"	30 - 300"	30 - 300"	30 - 350"	30 - 300"	33 - 320"
Zoom	Optical x1.2	Optical x1.2	Optical x1.6	Digital x1.35	Optical x1.2	Optical x1.2
Vertical keystone	Automatic ±30°	Automatic ±30°	Automatic ±30°	Manual ±30°	Automatic ±30°	Automatic ±30°
Horizontal keystone	Manual ±30°	Automatic ±20°	Manual ±30°	Manual ±30°	Manual ±30°	Manual ±30°
Lens shift	N/A	N/A	N/A	N/A	N/A	N/A
Speaker output	1W	1W	16W	5W	5W	5W
Connectivity	VGA in, Composite RCA, USB Type B, USB Type A, HDMI	VGA in, Composite RCA, USB Type B, USB Type A, HDMI, Screen Mirroring (Miracast)	VGA in, HDMI in x2, Composite in, USB 2.0 Type A, USB 2.0 Type B, Wireless LAN, Screen Mirroring (Miracast)	VGA in x2, VGA out, HDMI in, Composite in, USB 2.0 Type B, RS-232C	VGA in x2, VGA out, HDMI in, Composite in, USB 2.0 Type A, USB 2.0 Type B, RS-232C, RJ45, Wireless LAN (optional)	VGA in x2, VGA out, HDMI in x2, Composite in, USB 2.0 Type A, USB 2.0 Type B, RS-232C, RJ45, Wireless LAN (optional)
Audio connectivity	Stereo mini in	Stereo mini in	RCA pair in	Stereo mini out, Stereo mini in (2x), RCA pair in	Stereo mini out, Stereo mini in (2x), RCA pair in	Stereo mini out, Stereo mini in (2x), RCA pair in
Networking	Wireless LAN	Wireless LAN	Wireless LAN unit	N/A	LAN (RJ45) and optional wireless LAN unit	LAN (RJ45) and optional wireless LAN unit
Epson software solutions	Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook	Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook	Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Management	N/A	Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Management	Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Management
Other features	3-in-1 USB display, A/V mute slide, DICOM SIM colour mode, Split screen, PC-free presentation, Kensington lock, Wireless LAN security, Password protection, Carry case	3-in-1 USB display, A/V mute slide, DICOM SIM colour mode, Split screen, PC-free presentation, Auto screen fit and Auto focus, Real time keystone correction, Gesture Presenter, NFC, Kensington lock, Wireless LAN security, Password protection, Carry case	A/V mute slide, Horizontal keystone slider, Quick corner correction, Split screen, Auto source search, QR code function, Kensington lock, Padlock, Security cable hole, Stream and share features, Password protection, Carry case	A/V mute slide, Horizontal keystone slider, Quick corner correction, Split screen, Auto source search, Kensington lock, Padlock, Security cable hole, Password protection, Optional carry case	A/V mute slide, Horizontal keystone slider, Quick corner correction, Split screen, Auto source search, QR code function, Kensington lock, Padlock, Security cable hole, Password protection, Optional carry case	A/V mute slide, Horizontal keystone slider, Quick corner correction, Split screen, Auto source search, QR code function, Kensington lock, Padlock, Security cable hole, Password protection, Optional carry case
Noise (dB) normal / eco	39 / 30	39 / 30	37 / 28	37 / 28	37 / 28	37 / 28
Weight (kg)	1.8	1.8	3.1	2.7	2.7	2.7
Dimensions exc. feet (W x D x H mm)	292 x 213 x 44	292 x 213 x 44	309 x 282 x 90	302 x 249 x 87	302 x 249 x 87	302 x 249 x 87
Power consumption normal / eco	277W / 200W	295W / 208W	327W / 225W	327W / 225W	327W / 225W	327W / 225W
Power consumption standby, comm. off	0.34W	0.34W	0.3W	0.3W	0.3W	0.3W
TCO Certified	Yes	Yes	No	No	No	No
Standard interchangeable lens included	N/A	N/A	N/A	N/A	N/A	N/A
Warranty	Projector - 5 years Lamp - 5 years / 1,000hrs	Projector - 5 years Lamp - 5 years / 1,000hrs	Projector - 3 years Lamp - 3 years / 1,000hrs	Projector - 3 years Lamp - 3 years / 1,000hrs	Projector - 3 years Lamp - 3 years / 1,000hrs	Projector - 3 years Lamp - 3 years / 1,000hrs







EB-982W	EB-992F	EB-530	EB-L200SX	EB-535W	EB-L200SW
					
WXGA (1280 x 800)	Full HD (1920 x 1080)	XGA (1024 x 768)	XGA (1024 x 768)	WXGA (1280 x 800)	WXGA (1280 x 800)
16:10	16:9	4:3	4:3	16:10	16:10
4,200 / 2,600	4,000 / 2,400	3,200 / 1,800	3,600 / 2,520	3,400 / 1,900	3,800 / 2,660
16,000:1	16,000:1	16,000:1	2,500,000:1	16,000:1	2,500,000:1
Lamp	Lamp	Lamp	Laser	Lamp	Laser
6,500 / 17,000	6,500 / 17,000	5,000 / 10,000	20,000 / 30,000	5,000 / 10,000	20,000 / 30,000
1.38 - 2.24:1	1.32 - 2.14:1	0.55:1	0.55-0.74:1	0.48:1	0.48-0.65:1
29 - 280"	30 - 300"	50 - 108"	50 - 112"	53 - 116"	53 - 120"
Optical x1.6	Optical x1.6	Digital x1.35	Digital x1.35	Digital x1.35	Digital x1.35
Automatic ±30° Manual ±30°	Automatic ±30° Manual ±30°	Manual ±15° Manual ±15°	Manual ±15° Manual ±15°	Manual ±15° Manual ±15°	Manual ±15° Manual ±15°
N/A	N/A	N/A	N/A	N/A	N/A
16W	16W	16W	16W	16W	16W
VGA in x2, VGA out, HDMI in x2, Composite in, USB 2.0 Type A, USB 2.0 Type B, RS-232C, RJ45, Wireless LAN (optional)	VGA in x2, VGA out, HDMI in x2, Composite in, Wireless LAN, Screen Mirroring (Miracast), USB 2.0 Type A, USB 2.0 Type B, RS-232C, RJ45	VGA in x2, VGA out, Composite RCA, S-Video, USB Type B, USB Type A, HDMI, RS-232C	VGA in x2, VGA out, HDMI x2, USB Type A, USB Type B, RS-232C, Screen Mirroring (Miracast), Wireless LAN	VGA in x2, VGA out, Composite RCA, S-Video, USB Type B, USB Type A, HDMI, RS-232C	VGA in x2, VGA out, HDMI x2, USB Type A, USB Type B, Composite RCA, RS-232C, Screen Mirroring (Miracast), Wireless LAN
Stereo mini out, Stereo mini in (2x), RCA pair in, Microphone input	Stereo mini out, Stereo mini in (2x), RCA pair in, Microphone input	Stereo mini out, Stereo mini in (2x), RCA pair in, Microphone input	Stereo mini in x2, Microphone stereo mini in, Stereo mini out, RCA pair in	Stereo mini out, Stereo mini in (2x), RCA pair in, Microphone input	Stereo mini in x2, Microphone stereo mini in, Stereo mini out, RCA pair in
LAN (RJ45) and optional wireless LAN unit	LAN (RJ45) and Wireless LAN unit	LAN (RJ45) and optional wireless LAN unit	LAN (RJ45) and wireless LAN unit	LAN (RJ45) and optional wireless LAN unit	LAN (RJ45) and wireless LAN unit
Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Management	Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Management	Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Management	Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Management	Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Management	Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Management
A/V mute slide, Horizontal keystone slider, Quick corner correction, Split screen, Auto source search, QR code function, Kensington lock, Padlock, Security cable hole, Password protection, Optional carry case	A/V mute slide, Horizontal keystone slider, Quick corner correction, Split screen, Auto source search, QR code function, Kensington lock, Padlock, Security cable hole, Stream and share features, Password protection, Optional carry case	3-in-1 USB display, Copy OSD settings, PC-free presentation, Padlock, Security cable hole, Kensington lock, Optional carry case	Stream and share features, A/V mute, Copy OSD settings, Quick corner correction, PC-free presentation, Padlock, Security cable hole, Kensington lock, Wireless LAN unit lock, Password protection, Optional carry case, Optional wall mount or ceiling mount	3-in-1 USB display, Copy OSD settings, PC-free presentation, Padlock, Security cable hole, Kensington lock, Optional carry case	Stream and share features, A/V mute, Copy OSD settings, Quick corner correction, PC-free presentation, Padlock, Security cable hole, Kensington lock, Wireless LAN unit lock, Password protection, optional carry case, Optional wall mount or ceiling mount
37 / 28	37 / 28	37 / 29	37 / 28	37 / 29	36 / 26
3.1	3.1	3.7	4.5	3.7	4.5
309 x 282 x 90	309 x 282 x 90	345 x 315 x 94	325 x 337 x 90	345 x 315 x 94	325 x 337 x 90
327W / 225W	327W / 225W	298W / 221W	254W / 193W	298W / 221W	254W / 193W
0.3W	0.3W	0.28W	0.5W	0.28W	0.5W
No	No	No	Yes	No	Yes
N/A	N/A	N/A	N/A	N/A	N/A
Projector - 5 years Lamp - 5 years / 1,000hrs	Projector - 5 years Lamp - 5 years / 1,000hrs	Projector - 5 years Lamp - 5 years / 1,000hrs	5 years / 12,000hrs	Projector - 5 years Lamp - 5 years / 1,000hrs	5 years / 12,000hrs








Model	EB-685W	EB-720	EB-725W	EB-735F	EB-685Wi	EB-695Wi
						
Resolution	WXGA (1280 x 800)	XGA (1024 x 768)	WXGA (1280 x 800)	Full HD (1920 x 1080)	WXGA (1280 x 800)	WXGA (1280 x 800)
Native aspect	16:10	4:3	16:10	16:9	16:10	16:10
Colour Light Output (lumens) normal / eco	3,500 / 2,900	3,800 / 2,660	4,000 / 2,800	3,600 / 2,500	3,500 / 2,900	3,500 / 2,900
Contrast ratio	14,000:1	2,500,000:1	2,500,000:1	2,500,000:1	14,000:1	14,000:1
Lightsource	Lamp	Laser	Laser	Laser	Lamp	Lamp
Lightsource life (hours) normal / eco / eco2	5,000 / 10,000 / 9,000	20,000 / 30,000 / N/A	20,000 / 30,000 / N/A	20,000 / 30,000 / N/A	5,000 / 10,000 / 9,000	5,000 / 10,000 / 9,000
Throw ratio in native aspect	0.28:1	0.32 - 0.43:1	0.28 - 0.37:1	0.26 - 0.36:1	0.28:1	0.28:1
Scalable image size (diagonal)	60 - 100"	65 - 110"	65 - 120"	65 - 120" 16:9 aspect 60 - 110" 16:6 aspect	60 - 100"	60 - 100"
Zoom	Digital x1.35	Digital x1.35	Digital x1.35	Digital x1.35	Digital x1.35	Digital x1.35
Vertical keystone	Manual ±3°	Manual ±3°	Manual ±3°	Manual ±3°	Manual ±3°	Manual ±3°
Horizontal keystone	Manual ±3°	Manual ±3°	Manual ±3°	Manual ±3°	Manual ±3°	Manual ±3°
Lens shift	N/A	N/A	N/A	N/A	N/A	N/A
Speaker output	16W	16W	16W	16W	16W	16W
Connectivity	VGA in, VGA out (switchable), HDMI x3, Composite RCA, S-Video, USB Type A x2, USB Type B, MHL (via HDMI 1), RS-232C	VGA in x2, VGA out, HDMI x3, Composite, USB Type A x2, USB Type B, RS-232C, Screen Mirroring (Miracast), Wireless LAN	VGA in x2, VGA out, HDMI x3, Composite, USB Type A x2, USB Type B, RS-232C, Screen Mirroring (Miracast), Wireless LAN	VGA in x2, VGA out, HDMI x3, Composite, USB Type A x2, USB Type B, RS-232C, Screen Mirroring (Miracast), Wireless LAN	VGA in x2, VGA out (switchable), HDMI x3, Composite RCA, S-Video, USB Type A, USB Type B, MHL (via HDMI 1), RS-232C, Sync in, Sync out	VGA in x2, VGA out (switchable), HDMI x3, Composite RCA, S-Video, USB Type A, USB Type B, MHL (via HDMI 1), RS-232C, Sync in, Sync out
Audio connectivity	Stereo mini in x3, Microphone stereo mini in, Stereo mini out	Stereo mini in x3, Microphone stereo mini in, Stereo mini out	Stereo mini in x3, Microphone stereo mini in, Stereo mini out	Stereo mini in x3, Microphone stereo mini in, Stereo mini out	Stereo mini in x3, Microphone stereo mini in, Stereo mini out	Stereo mini in x3, Microphone stereo mini in, Stereo mini out
Networking	LAN (RJ45) and optional wireless LAN unit	LAN (RJ45) and wireless LAN unit	LAN (RJ45) and wireless LAN unit	LAN (RJ45) and wireless LAN unit	LAN (RJ45) and optional wireless LAN unit	LAN (RJ45) and optional wireless LAN unit
Epson software solutions	Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Management	Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Management	Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Management	Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Management	Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, various collaboration software tools, Epson Projector Management	Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, various collaboration software tools, Epson Projector Management
Other features	Home screen, Multi-screen interactivity, Auto source search, A/V mute, Split screen up to 2 sources, 3-in-1 USB display, Copy OSD settings, Auto lamp dimming, PC-free presentation, Padlock, Security cable hole, Kensington lock	Optional mount, Stream and share features, Screen sharing function (client), A/V mute, Copy OSD settings, Quick corner correction, PC-free presentation, Split screen up to 4 sources, Auto source search, Padlock, Security cable hole, Kensington lock, Wireless LAN unit lock, Password protection	Optional mount, Stream and share features, Screen sharing function (client), A/V mute, Copy OSD settings, Quick corner correction, PC-free presentation, Split screen up to 4 sources, Auto source search, Padlock, Security cable hole, Kensington lock, Wireless LAN unit lock, Password protection	Optional mount, 16:6 display, Stream and share features, Screen sharing function (client), A/V mute, Copy OSD settings, Quick corner correction, PC-free presentation, Split screen up to 4 sources, Auto source search, Padlock, Security cable hole, Kensington lock, Wireless LAN unit lock, Password protection	Home screen, Multi-screen interactivity, Auto source search, A/V mute, Split screen, 3-in-1 USB display, Copy OSD settings, Auto lamp dimming, Pen and touch interactivity, Auto calibration, PC-free presentation, Padlock, Security cable hole, Kensington lock	Home screen, Multi-screen interactivity, Auto source search, A/V mute, Split screen, 3-in-1 USB display, Copy OSD settings, Auto lamp dimming, Pen and touch interactivity, Auto calibration, PC-free presentation, Padlock, Security cable hole, Kensington lock
Noise (dB) normal / eco / eco2	35 / 30 / 29	36 / 26 / N/A	36 / 26 / N/A	36 / 26 / N/A	35 / 30 / 29	35 / 30 / 29
Weight (kg)	5.7	5.7	5.7	5.7	5.8	5.8
Dimensions exc. feet (W x D x H mm)	367 x 400 x 149	356 x 395 x 133	356 x 395 x 133	356 x 395 x 133	367 x 400 x 149	367 x 400 x 149
Power consumption normal / eco / eco2	354W / 309W / 309W	255W / 197W / N/A	255W / 197W / N/A	255W / 197W / N/A	354W / 309W / 309W	354W / 309W / 309W
Power consumption standby, comm. off	0.37W	0.5W	0.5W	0.5W	0.37W	0.37W
TCO Certified	Yes	Yes	Yes	Yes	Yes	Yes
Standard interchangeable lens included	N/A	N/A	N/A	N/A	N/A	N/A
Warranty	Projector - 5 years Lamp - 5 years / 1,000hrs	5 years / 12,000hrs	5 years / 12,000hrs	5 years / 12,000hrs	Projector - 5 years Lamp - 5 years / 1,000hrs	Projector - 5 years Lamp - 5 years / 1,000hrs







EB-725Wi	EB-735Fi	EB-1485Fi	EB-2250U	EB-L200W	EB-L200F	EB-L520U
						
WXGA (1280 x 800) 16:10 4,000 / 2,800 2,500,000:1 Laser 20,000 / 30,000 / N/A 0.28 - 0.37:1 65 - 100" Digital x1.35 Manual ±3° Manual ±3° N/A 16W VGA in x2, VGA out, HDMI x3, Composite, USB Type A x2, USB Type B x2, RS-232C, Sync in, Sync out, Touch unit control, Screen Mirroring (Miracast), Wireless LAN Stereo mini in x3, Microphone stereo mini in, Stereo mini out LAN (RJ45) and wireless LAN unit Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, various collaboration software tools, Epson Projector Management Pen interactivity and optional touch, Optional mount, Interactive home screen, Stream and share features, Screen sharing function (client), Whiteboard mode with document export support, Sliding split screen, split screen up to 4 sources, A/V mute, Copy OSD settings, Quick corner correction, PC-free presentation, Auto source search, Padlock, Security cable hole, Kensington lock, Wireless LAN unit lock, Password protection 36 / 26 / N/A 5.8 356 x 395 x 133 255W / 197W / N/A 0.5W Yes N/A 5 years / 12,000hrs	Full HD (1920 x 1080) 16:9 3,600 / 2,500 2,500,000:1 Laser 20,000 / 30,000 / N/A 0.26 - 0.36:1 65 - 100" 16:9 aspect 60 - 110" 16:6 aspect Digital x1.35 Manual ±3° Manual ±3° N/A 16W VGA in x2, VGA out, HDMI x3, Composite, USB Type A x2, USB Type B x2, RS-232C, Sync in, Sync out, Touch unit control, Screen Mirroring (Miracast), Wireless LAN Stereo mini in x3, Microphone stereo mini in, Stereo mini out LAN (RJ45) and wireless LAN unit Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, various collaboration software tools, Epson Projector Management Pen interactivity and optional touch, Optional mount, 16:6 display, Interactive home screen, Stream and share features, Screen sharing function (client), Whiteboard mode with document export support, Sliding split screen, split screen up to 4 sources, A/V mute, Copy OSD settings, Quick corner correction, Padlock, Security cable hole, Kensington lock, Wireless LAN unit lock, Password protection 36 / 26 / N/A 5.8 356 x 395 x 133 255W / 197W / N/A 0.5W Yes N/A 5 years / 12,000hrs	Full HD (1366 x 768 x 2) 16:9 5,000 / 3,500 2,500,000:1 Laser 20,000 / 30,000 / N/A 0.27 - 0.37:1 65 - 100" 16:9 aspect 61 - 120" 16:6 aspect Digital x1.35 Manual ±3° Manual ±3° N/A 2 x 8W VGA in, VGA out, HDMI x3, USB Type A x2, USB Type B, HDMI-out, RS-232C, Sync in, Sync out, Touch unit control, Screen Mirroring (Miracast), Wireless LAN, HDBaseT Stereo mini in x3, Microphone stereo mini in, Stereo mini out LAN (RJ45) and wireless LAN unit Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, various collaboration software tools, Epson Projector Management Constant brightness mode, 16:6 display, Interactive home screen, Stream and share features, DuoLink interactivity, Screen sharing function (server/client), Whiteboard mode with document export support, Multiple display via Daisy chain, Auto power on, Auto source search, A/V mute, Sliding split screen, split screen up to 4 sources, Copy OSD settings, Pen and touch interactivity, Auto calibration, DICOM SIM colour mode, HDBaseT external control pad, Set-up wizard 36 / 27 / N/A 9.5 458 x 209.5 x 375 366W / 262W / N/A 0.5W Yes N/A 5 years / 12,000hrs	WUXGA (1920 x 1200) 16:10 5,000 / 3,800 15,000:1 Lamp 5,000 / 10,000 / N/A 1.38 - 2.28:1 50 - 300" Optical x1.6 Automatic ±30° Automatic ±20° N/A 16W VGA in x2, VGA out, HDMI x2, Composite RCA, USB Type A, USB Type B, RS-232C, MHL (via HDMI 1) Stereo mini out, Stereo mini in (2x), RCA pair in LAN (RJ45) and optional wireless LAN unit Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Management Home Screen, Gesture Presenter, A/V mute, screen fit, Split screen, Auto power on, DICOM colour mode, DCDi by Faroudja, Schedule function, Focus help, Real time keystone correction, Quick corner, PC-free presentation, 3-in-1 USB display, Padlock, Security bar, Kensington lock 39 / 29 / N/A 4.6 377 x 291.5 x 110 405W / 323W / N/A 0.31W No N/A Projector - 5 years Lamp - 5 years / 1,000hrs	WXGA (1280 x 800) 16:10 4,200 / 2,940 2,500,000:1 Laser 20,000 / 30,000 / N/A 1.38 - 2.24:1 29 - 282" Optical x1.62 Automatic ±30° Manual ±30° N/A 16W VGA in (2x), VGA out, Composite in, HDMI in x2, USB 2.0 Type A, USB 2.0 Type B, RS-232C, RJ45, Wireless LAN, Screen Mirroring (Miracast) Stereo mini out, Stereo mini in (2x), RCA pair in, Microphone input LAN (RJ45) and wireless LAN unit Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Management A/V mute slide, Horizontal keystone slider, Quick corner correction, PC-free, Split screen - up to 4 sources, Auto source search, QR code function, Kensington lock, Padlock, Security cable hole, Wireless LAN security, Password protection, Optional carry case 37 / 28 / N/A 4.1 325 x 299 x 90 254W / 193W / N/A 0.5W Yes N/A 5 years / 12,000hrs	Full HD (1366 x 768 x 2) 16:9 4,500 / 3,150 2,500,000:1 Laser 20,000 / 30,000 / N/A 1.33 - 2.16:1 40 - 500" Optical x1.62 Automatic ±30° Manual ±30° N/A 16W VGA in x2, VGA out, HDMI in x2, Composite in, USB 2.0 Type A, USB 2.0 Type B, RS-232C, RJ45, Wireless LAN, Screen Mirroring (Miracast) Stereo mini out, Stereo mini in (2x), RCA pair in, Microphone input LAN (RJ45) and wireless LAN unit included Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Management A/V mute slide, Horizontal keystone slider, Quick corner correction, PC-free, Split screen - up to 4 sources, Auto source search, QR code function, Kensington lock, Padlock, Security cable hole, Wireless LAN security, Password protection, Optional carry case 37 / 28 / N/A 4.1 325 x 299 x 90 254W / 193W / N/A 0.5W Yes N/A 5 years / 12,000hrs	WUXGA (1920 x 1200) 16:10 5,200 / 3,640 Over 2,500,000:1 Laser 20,000 / 30,000 / N/A 1.35 - 2.20:1 50 - 500" Optical x1.6 Manual ±30° Manual ±30° N/A 10W VGA in x2, VGA out, HDMI in x2, HDBaseT, Miracast (when use ELPAP11), USB Type A, USB Type B, RS-232C, Ethernet, Wireless LAN a/n (5GHz) (optional) Stereo mini out, Stereo mini in (2x) LAN (RJ45) and optional wireless LAN unit Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Management, Epson Projector Content Manager A/V mute, Arc correction, Edge blending, PC Free, Quick corner, Screen share, Source function, Ultra-wide display (16:6), Home Screen, A/V mute, Split screen - up to 4 sources, Auto power on, Auto source search, Quick startup, Padlock, Security cable hole, Kensington lock, 360° installation, Wireless LAN unit lock 31 / 23 / N/A 7.7 440 x 304 x 122 293W / 233W / N/A 0.3W Yes N/A 3 years



Model	EB-L720U	EB-L530U	EB-L630U	EB-L730U	EB-L735U	EB-L630SU
						
Resolution	WUXGA (1920 x 1200)	WUXGA (1920 x 1200)	WUXGA (1920 x 1200)	WUXGA (1920 x 1200)	WUXGA (1920 x 1200)	WUXGA (1920 x 1200)
Native aspect	16:10	16:10	16:10	16:10	16:10	16:10
Colour Light Output (lumens) normal / eco	7,000 / 4,900	5,200 / 3,640	6,200 / 4,340	7,000 / 4,900	7,000 / 4,900	6,000 / 4,200
Contrast ratio	Over 2,500,000:1	2,500,000:1	2,500,000:1	2,500,000:1	2,500,000:1	2,500,000:1
Lightsource	Laser	Laser	Laser	Laser	Laser	Laser
Lightsource life (hours) normal / eco	20,000 / 30,000	20,000 / 30,000	20,000 / 30,000	20,000 / 30,000	20,000 / 30,000	20,000 / 30,000
Throw ratio in native aspect	1.35 - 2.20:1	1.35 - 2.20:1	1.35 - 2.20:1	1.35 - 2.20:1	1.35 - 2.20:1	0.8:1
Scalable image size (diagonal)	50 - 500"	50 - 500"	50 - 500"	50 - 500"	50 - 500"	50 - 200"
Zoom	Optical x1.6	Optical x1.6	Optical x1.6	Optical x1.6	Optical x1.6	Digital x1.35
Vertical keystone	Manual ±30°	Manual ±30°	Manual ±30°	Manual ±30°	Manual ±30°	Manual ±30°
Horizontal keystone	Manual ±30°	Manual ±30°	Manual ±30°	Manual ±30°	Manual ±30°	Manual ±30°
Lens shift	N/A	± 50% Vertical ± 20% Horizontal	± 50% Vertical ± 20% Horizontal	± 50% Vertical ± 20% Horizontal	± 50% Vertical ± 20% Horizontal	± 50% Vertical ± 20% Horizontal
Speaker output	10W	10W	10W	10W	10W	10W
Connectivity	VGA in x2, VGA out, HDMI in x2, HDBaseT, Miracast (when use ELPAP11), USB Type A, USB Type B, RS-232C, Ethernet, Wireless LAN a/n (5GHz) (optional)	HDMI in x2, HDMI out, HDBaseT, VGA in x2, VGA out, RS-232C, USB Type A x2, USB Type B, Screen Mirroring (Miracast)	HDMI in x2, HDMI out, HDBaseT, VGA in x2, VGA out, RS-232C, USB Type A x2, USB Type B, Screen Mirroring (Miracast)	HDMI in x2, HDMI out, HDBaseT, VGA in x2, VGA out, RS-232C, USB Type A x2, USB Type B, Screen Mirroring (Miracast)	HDMI in x2, HDMI out, HDBaseT, VGA in x2, VGA out, RS-232C, USB Type A x2, USB Type B, Screen Mirroring (Miracast)	HDMI in x2, HDMI out, HDBaseT, VGA in x2, VGA out, RS-232C, USB Type A x2, USB Type B, Screen Mirroring (Miracast)
Audio connectivity	Stereo mini in x2, Stereo mini out	Stereo mini in x2, Stereo mini out	Stereo mini in x2, Stereo mini out	Stereo mini in x2, Stereo mini out	Stereo mini in x2, Stereo mini out	Stereo mini in x2, Stereo mini out
Networking	LAN (RJ45) and optional wireless LAN unit	LAN (RJ45), built-in wireless and optional wireless LAN unit	LAN (RJ45), built-in wireless and optional wireless LAN unit	LAN (RJ45), built-in wireless and optional wireless LAN unit	LAN (RJ45), built-in wireless and optional wireless LAN unit	LAN (RJ45), built-in wireless and optional wireless LAN unit
Epson software solutions	Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Management, Epson Projector Content Manager	Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Professional Tool, Epson Projector Management, Epson Projector Content Manager, Epson Creative Projection	Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Professional Tool, Epson Projector Management, Epson Projector Content Manager, Epson Creative Projection	Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Professional Tool, Epson Projector Management, Epson Projector Content Manager, Epson Creative Projection	Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Professional Tool, Epson Projector Management, Epson Projector Content Manager, Epson Creative Projection	Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Professional Tool, Epson Projector Management, Epson Projector Content Manager, Epson Creative Projection
Other features	A/V mute, Arc correction, Edge blending, PC Free, Quick corner, Screen share, Source function, Ultra-wide display (16:6), Home Screen, A/V mute, Split screen - up to 4 sources, Auto power on, Auto source search, Quick startup, Padlock, Security cable hole, Kensington lock, 360° installation, Cable cover included, Wireless LAN unit lock	A/V mute, USB content playback for source-free signage, Edge blending, Daisy chain multi-projection, Point and Arc correction, Schedule function, Split screen, Auto source search, Copy OSD settings, Padlock, Security cable hole, Kensington lock, 360° installation, Cable cover included	A/V mute, USB content playback for source-free signage, Edge blending, Daisy chain multi-projection, Point and Arc correction, Schedule function, Split screen, Auto source search, Copy OSD settings, Padlock, Security cable hole, Kensington lock, 360° installation, Cable cover included	A/V mute, USB content playback for source-free signage, Edge blending, Daisy chain multi-projection, Point and Arc correction, Schedule function, Split screen, Auto source search, Copy OSD settings, Padlock, Security cable hole, Kensington lock, 360° installation, Cable cover included	A/V mute, USB content playback for source-free signage, Edge blending, Daisy chain multi-projection, Point and Arc correction, Schedule function, Split screen, Auto source search, Copy OSD settings, Padlock, Security cable hole, Kensington lock, 360° installation, Cable cover included	A/V mute, USB content playback for source-free signage, Edge blending, Daisy chain multi-projection, Point and Arc correction, Schedule function, Split screen, Auto source search, Copy OSD settings, Padlock, Security cable hole, Kensington lock, 360° installation, Cable cover included
Noise (dB) normal / eco	39 / 27	31 / 23	38 / 27	38 / 27	38 / 27	38 / 27
Weight (kg)	7.8	8.2	8.4	8.4	8.4	8.4
Dimensions exc. feet (W x D x H mm)	440 x 304 x 122	440 x 304 x 122	440 x 304 x 122	440 x 304 x 122	440 x 304 x 122	440 x 304 x 122
Power consumption normal / eco	345W / 258W	293W / 223W	345W / 258W	345W / 258W	345W / 258W	345W / 258W
Power consumption standby, comm. off	0.3W	0.3W	0.3W	0.3W	0.3W	0.3W
TCO Certified	Yes	Yes	Yes	Yes	Yes	No
Standard interchangeable lens included	N/A	N/A	N/A	N/A	N/A	N/A
Warranty	3 years	3 years	3 years	3 years	3 years	3 years

EB-L635SU	EB-PU1006W	EB-PU1007W	EB-PU1007B	EB-PU1008W	EB-PU1008B	EB-PU2010W
						
WUXGA (1920 x 1200) 16:10 6,000 / 4,200 2,500,000:1 Laser 20,000 / 30,000 0.8:1 50 - 200"	WUXGA (1920 x 1200) 16:10 6,000 / 4,200 2,500,000:1 Laser 20,000 / 30,000 1.44 - 2.32:1 50 - 1,000"	WUXGA (1920 x 1200) 16:10 7,000 / 4,900 2,500,000:1 Laser 20,000 / 30,000 1.44 - 2.32:1 50 - 1,000"	WUXGA (1920 x 1200) 16:10 7,000 / 4,900 2,500,000:1 Laser 20,000 / 30,000 1.44 - 2.32:1 50 - 1,000"	WUXGA (1920 x 1200) 16:10 8,500 / 5,950 2,500,000:1 Laser 20,000 / 30,000 1.44 - 2.32:1 50 - 1,000"	WUXGA (1920 x 1200) 16:10 8,500 / 5,950 2,500,000:1 Laser 20,000 / 30,000 1.44 - 2.32:1 50 - 1,000"	WUXGA (1920 x 1200) 16:10 10,000 / 7,000 2,500,000:1 Laser 20,000 / 30,000 1.57 - 2.56:1 60 - 1,000"
Digital x1.35 Manual ±30° Manual ±30° ± 50% Vertical ± 20% Horizontal 10W HDMI in x2, HDMI out, HDBaseT, VGA in x2, VGA out, RS-232C, USB Type A x2, USB Type B, Screen Mirroring (Miracast)	Optical x1.6 Manual ±45° Manual ±30° ± 67% Vertical ± 30% Horizontal N/A HDMI in (HDCP 2.3), DVI in, HDBaseT, VGA in, RS-232C, USB Type A, USB Type B (Service only), Remote, NFC	Optical x1.6 Manual ±45° Manual ±30° ± 67% Vertical ± 30% Horizontal N/A HDMI in (HDCP 2.3), DVI in, HDBaseT, VGA in, RS-232C, USB Type A, USB Type B (Service only), Remote, NFC	Optical x1.6 Manual ±45° Manual ±30° ± 67% Vertical ± 30% Horizontal N/A HDMI in (HDCP 2.3), DVI in, HDBaseT, VGA in, RS-232C, USB Type A, USB Type B (Service only), Remote, NFC	Optical x1.6 Manual ±45° Manual ±30° ± 67% Vertical ± 30% Horizontal N/A HDMI in (HDCP 2.3), DVI in, HDBaseT, VGA in, RS-232C, USB Type A, USB Type B (Service only), Remote, NFC	Optical x1.6 Manual ±45° Manual ±30° ± 67% Vertical ± 30% Horizontal N/A HDMI in (HDCP 2.3), DVI in, HDBaseT, VGA in, RS-232C, USB Type A, USB Type B (Service only), Remote, NFC	Optical x1.6 Manual ±45° Manual ±30° ± 60% Vertical ± 18% Horizontal N/A HDMI in (HDCP 2.3), DVI in, HDBaseT, SDI in, SDI out, VGA in, RS-232C, USB Type A, USB Type B (Service only), Remote, NFC
Stereo mini in x2, Stereo mini out LAN (RJ45), built-in wireless and optional wireless LAN unit	Stereo mini out LAN (RJ45) and optional wireless LAN unit	Stereo mini out LAN (RJ45) and optional wireless LAN unit	Stereo mini out LAN (RJ45) and optional wireless LAN unit	Stereo mini out LAN (RJ45) and optional wireless LAN unit	Stereo mini out LAN (RJ45) and optional wireless LAN unit	Stereo mini out LAN (RJ45) and optional wireless LAN unit
Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Professional Tool, Epson Projector Management, Epson Projector Content Manager, Epson Creative Projection	Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Professional Tool, Epson Projector Management, Epson Projector Content Manager, Epson Creative Projection, Epson Projector Config Tool	Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Professional Tool, Epson Projector Management, Epson Projector Content Manager, Epson Creative Projection, Epson Projector Config Tool	Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Professional Tool, Epson Projector Management, Epson Projector Content Manager, Epson Creative Projection, Epson Projector Config Tool	Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Professional Tool, Epson Projector Management, Epson Projector Content Manager, Epson Creative Projection, Epson Projector Config Tool	Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Professional Tool, Epson Projector Management, Epson Projector Content Manager, Epson Creative Projection, Epson Projector Config Tool	Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Professional Tool, Epson Projector Management, Epson Projector Content Manager, Epson Creative Projection, Epson Projector Config Tool
A/V mute, USB content playback for source-free signage, Edge blending, Daisy chain multi-projection, Point and Arc correction, Schedule function, Split screen, Auto source search, Copy OSD settings, Padlock, Security cable hole, Kensington lock, 360° installation, Cable cover included	4K enhancement, HDR support, Powered zoom, Focus and lens shift, Lens memory, Interchangeable lens options including zero offset UST lens, Optional camera, Portrait projection, A/V mute, USB content playback for source-free signage, Edge blending, Point correction, Curved surface and corner wall correction, 360° installation, Cable cover included	4K enhancement, HDR support, Powered zoom, Focus and lens shift, Lens memory, Interchangeable lens options including zero offset UST lens, Optional camera, Portrait projection, A/V mute, USB content playback for source-free signage, Edge blending, Point correction, Curved surface and corner wall correction, 360° installation, Cable cover included	4K enhancement, HDR support, Powered zoom, Focus and lens shift, Lens memory, Interchangeable lens options including zero offset UST lens, Optional camera, Portrait projection, A/V mute, USB content playback for source-free signage, Edge blending, Point correction, Curved surface and corner wall correction, 360° installation, Cable cover included	4K enhancement, HDR support, Powered zoom, Focus and lens shift, Lens memory, Interchangeable lens options including zero offset UST lens, Optional camera, Portrait projection, A/V mute, USB content playback for source-free signage, Edge blending, Point correction, Curved surface and corner wall correction, 360° installation, Cable cover included	4K enhancement, HDR support, Powered zoom, Focus and lens shift, Lens memory, Interchangeable lens options including zero offset UST lens, Optional camera, Portrait projection, A/V mute, USB content playback for source-free signage, Edge blending, Point correction, Curved surface and corner wall correction, 360° installation, Cable cover included	4K enhancement, HDR support, Powered zoom, Focus and lens shift, Lens memory, Interchangeable lens options including zero offset UST lens, Optional camera, Daisy chain multi-projection, Portrait projection, A/V mute, USB content playback for source-free signage, Edge blending, Point correction, Curved surface and corner wall correction, 360° installation, Cable cover included
38 / 27	30 / 28	33 / 29	33 / 29	35 / 30	35 / 30	37 / 30
8.4	15.4	16.3	16.3	16.3	16.3	16.8
440 x 304 x 122	545 x 436 x 164	545 x 436 x 164	545 x 436 x 164	545 x 436 x 164	545 x 436 x 164	545 x 436 x 164
345W / 258W	367W / 310W	431W / 366W	431W / 366W	535W / 452W	535W / 452W	535W / 452W
0.3W	0.5W	0.5W	0.5W	0.5W	0.5W	0.5W
No	No	No	No	No	No	No
N/A	N/A	N/A	N/A	N/A	N/A	N/A
3 years	3 years	3 years	3 years	3 years	3 years	3 years

Model	EB-PU2010B	EB-L1500UH	EB-L1505UH	EB-L1715S	EB-L1750U	EB-L1755U
						
Resolution	WUXGA (1920 x 1200)	WUXGA (1920 x 1200)	WUXGA (1920 x 1200)	SXGA+ (1400 x 1050)	WUXGA (1920 x 1200)	WUXGA (1920 x 1200)
Native aspect	16:10	16:10	16:10	4:3	16:10	16:10
Colour Light Output (lumens) normal / eco	10,000 / 7,000	12,000 / 8,400	12,000 / 8,400	15,000 / 10,500	15,000 / 10,500	15,000 / 10,500
Contrast ratio	2,500,000:1	2,500,000:1	2,500,000:1	Over 2,500,000:1	2,500,000:1	2,500,000:1
Lightsource	Laser	Laser	Laser	Laser	Laser	Laser
Lightsource life (hours) normal / eco	20,000 / 30,000	20,000 / 30,000	20,000 / 30,000	20,000 / 30,000	20,000 / 30,000	20,000 / 30,000
Throw ratio in native aspect	1.57 - 2.56:1	1.57 - 2.56:1	1.57 - 2.56:1	1.35 - 2.20:1	1.57 - 2.56:1	1.57 - 2.56:1
Scalable image size (diagonal)	60 - 1,000"	60 - 500"	60 - 500"	50 - 500"	60 - 500"	60 - 500"
Zoom	Optical x1.6	Optical x1.6	Optical x1.6	Optical x1.6	Optical x1.6	Optical x1.6
Vertical keystone	Manual ±45°	Manual ±45°	Manual ±45°	Manual ±45°	Manual ±45°	Manual ±45°
Horizontal keystone	Manual ±30°	Manual ±30°	Manual ±30°	Manual ±30°	Manual ±30°	Manual ±30°
Lens shift	± 60% Vertical ± 18% Horizontal	± 60% Vertical ± 18% Horizontal	± 60% Vertical ± 18% Horizontal	± 55% Vertical ± 19% Horizontal	± 60% Vertical ± 18% Horizontal	± 60% Vertical ± 18% Horizontal
Speaker output	N/A	N/A	N/A	10W	N/A	N/A
Connectivity	HDMI in (HDCP 2.3), DVI in, HDBaseT, SDI in, SDI out, VGA in, RS-232C, USB Type A, USB Type B (Service only), Remote, NFC	HDBaseT, BNC in, HDMI in, DVI in, VGA out, VGA in, RS-232C, HD-SDI	HDBaseT, BNC in, HDMI in, DVI in, VGA out, VGA in, RS-232C, HD-SDI	HDBaseT, BNC in, HDMI in, DVI in, VGA out, VGA in, RS-232C	HDBaseT, BNC in, HDMI in, DVI in, VGA out, VGA in, RS-232C, HD-SDI	HDBaseT, BNC in, HDMI in, DVI in, VGA out, VGA in, RS-232C, HD-SDI
Audio connectivity	Stereo mini out	Stereo mini in x3, Stereo mini out	Stereo mini in x3, Stereo mini out	Stereo mini in x3, Stereo mini out	Stereo mini in x3, Stereo mini out	Stereo mini in x3, Stereo mini out
Networking	LAN (RJ45) and optional wireless LAN unit	LAN (RJ45) and optional wireless LAN unit	LAN (RJ45) and optional wireless LAN unit	LAN (RJ45) and optional wireless LAN unit	LAN (RJ45) and optional wireless LAN unit	LAN (RJ45) and optional wireless LAN unit
Epson software solutions	Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Professional Tool, Epson Projector Management, Epson Projector Content Manager, Epson Creative Projection, Epson Projector Config Tool	Epson Projector Management, Epson iProjection (Windows/Mac), Epson iProjection App for iOS and Android, Web control, Epson Projector Professional Tool	Epson Projector Management, Epson iProjection (Windows/Mac), Epson iProjection App for iOS and Android, Web control, Epson Projector Professional Tool	Epson Projector Management, Epson iProjection (Windows/Mac), Epson iProjection App for iOS and Android, Web control, Epson Projector Professional Tool	Epson Projector Management, Epson iProjection (Windows/Mac), Epson iProjection App for iOS and Android, Web control, Epson Projector Professional Tool	Epson Projector Management, Epson iProjection (Windows/Mac), Epson iProjection App for iOS and Android, Web control, Epson Projector Professional Tool
Other features	4K enhancement, HDR support, Powered zoom, Focus and lens shift, Lens memory, Interchangeable lens options including zero offset UST lens, Optional camera, Daisy chain multi-projection, Portrait projection, A/V mute, USB content playback for source-free signage, Edge blending, Point correction, Curved surface and corner wall correction, 360° installation, Cable cover included	Interchangeable lens options, Powered zoom, Focus and lens shift, Split screen, Point correction, Curved surface and corner wall correction, Lens memory, Integrated camera for colour calibration, 4K enhancement, 360° installation, Edge blending, Portrait projection	Interchangeable lens options, Powered zoom, Focus and lens shift, Split screen, Point correction, Curved surface and corner wall correction, Lens memory, Integrated camera for colour calibration, 4K enhancement, 360° installation, Edge blending, Portrait projection	Interchangeable lens options including zero offset UST lens, Powered zoom, focus and lens shift, Split screen, Point correction, Curved surface and corner wall correction, Lens Memory, Integrated camera for colour calibration and diagnostic image capture, 360° installation, Edge blending, Portrait projection	Interchangeable lens options including zero offset UST lens, Powered zoom, focus and lens shift, Split screen, Point correction, Curved surface and corner wall correction, Lens Memory, Integrated camera for colour calibration and diagnostic image capture, 4K enhancement, 360° installation, Edge blending, Portrait projection	Interchangeable lens options including zero offset UST lens, Powered zoom, focus and lens shift, Split screen, Point correction, Curved surface and corner wall correction, Lens Memory, Integrated camera for colour calibration and diagnostic image capture, 4K enhancement, 360° installation, Edge blending, Portrait projection
Noise (dB) normal / eco	37 / 30	37 / 30	37 / 30	40 / 32	40 / 32	40 / 32
Weight (kg)	16.8	23.7	23.7	24.0	24.1	24.1
Dimensions exc. feet (W x D x H mm)	545 x 436 x 164	586 x 492 x 211	586 x 492 x 211	586 x 492 x 211	586 x 492 x 211	586 x 492 x 211
Power consumption normal / eco	535W / 452W	908W / 597W	908W / 597W	1024W / 647W	1024W / 647W	1024W / 647W
Power consumption standby, comm. off	0.5W	0.3W	0.3W	0.3W	0.3W	0.3W
TCO Certified	No	No	No	No	No	No
Standard interchangeable lens included	N/A	ELPLM15	ELPLM15	ELPLM15	ELPLM15	ELPLM15
Warranty	3 years	5 years / 20,000hrs carry-in	5 years / 20,000hrs carry-in	5 years / 20,000hrs carry-in	5 years / 20,000hrs carry-in	5 years / 20,000hrs carry-in

EB-L20000U	EB-L30000U	EB-U50	EB-W70	EB-W75	EV-110	EV-115
						
WUXGA (1920 x 1200) 16:10 20,000 / 14,000	WUXGA (1920 x 1200) 16:10 30,000 / 21,000	WUXGA (1920 x 1200) 16:10 3,700 / 2,400	WXGA (1280 x 800) 16:10 2,000 / 1,000	WXGA (1280 x 800) 16:10 2,000 / 1,000	WXGA (1280 x 800) 16:10 2,200 / 1,100	WXGA (1280 x 800) 16:10 2,200 / 1,100
2,500,000:1 Laser 20,000 / 30,000	2,500,000:1 Laser 20,000 / 30,000	16,000:1 Lamp 10,000 / 17,000	2,000,000:1 Laser 12,000 / 20,000	2,000,000:1 Laser 12,000 / 20,000	2,500,000:1 Laser 20,000 / 30,000	2,500,000:1 Laser 20,000 / 30,000
1.57 - 2.56:1	1.74 - 2.35:1	1.38 - 1.68:1	1.04 - 1.4:1	1.04 - 1.4:1	1.38 - 2.19:1	1.38 - 2.19:1
60 - 1,000"	100 - 1,000"	30 - 300"	30 - 150"	30 - 150"	30 - 150"	30 - 150"
Optical x1.6 Manual ±45° Manual ±30° ± 60% Vertical ± 18% Horizontal N/A	Optical x1.4 Manual ±45° Manual ±30° ± 65% Vertical ± 30% Horizontal N/A	Optical x1.2 Automatic ±30° Manual ±30° N/A 5W	Digital x1.35 Manual ±45° Manual ±40° N/A 5W	Digital x1.35 Manual ±45° Manual ±40° N/A 5W	Optical x1.6 Manual ±45° Manual ±40° N/A	Optical x1.6 Manual ±45° Manual ±40° N/A
VGA in, VGA out, DVI in, BNC in, HDBaseT, 3G-SDI, HDMI (HDCP 2.2)	VGA in, VGA out, DVI in, BNC in, HDBaseT, HD-SDI, HDMI (HDCP 2.2)	VGA in, VGA out, HDMI x 2, USB Type A (for 1,200mA power supply), USB Type B (for firmware updates), RS-232C	HDMI in, USB Type A (2A power supply)	HDMI in, USB Type A (2A power supply)	SD card, HDMI in, USB Type A (for GPI function or 5V/2A power supply), USB Type B (for firmware updates)	SD card, HDMI in, USB Type A (for GPI function or 5V/2A power supply), USB Type B (for firmware updates)
N/A	N/A	Stereo mini in x2, Stereo mini out	Stereo mini out	Stereo mini out	Stereo mini out, Bluetooth	Stereo mini out, Bluetooth
LAN (RJ45) and wireless LAN	LAN (RJ45) and optional wireless LAN unit	LAN (RJ45) and wireless LAN	N/A	N/A	LAN (RJ45) and wireless LAN	LAN (RJ45) and wireless LAN
Epson Projector Management, Epson iProjection (Windows/Mac), Epson iProjection App for iOS and Android, Epson Projector Professional Tool	Epson Projector Management, Epson iProjection (Windows/Mac), Epson iProjection App for iOS and Android, Epson Projector Professional Tool	Epson iProjection (Windows/Mac), Epson iProjection App for iOS and Android, Epson Projector Management, Epson Projector Content Manager	N/A	N/A	Epson iProjection (Windows/Mac), Epson iProjection App for iOS and Android, Epson Projector Management, Epson Projector Content Manager, Epson Creative Projection	Epson iProjection (Windows/Mac), Epson iProjection App for iOS and Android, Epson Projector Management, Epson Projector Content Manager, Epson Creative Projection
Fully sealed optical system, Interchangeable lens options, Powered zoom, Focus and lens shift, Lens memory, Integrated camera for colour calibration, 360° installation, Edge blending, Portrait projection, Dual link DisplayPort input board, 900mA DC Output. Also available in white (EB-L20002U)	Fully sealed optical system, Interchangeable lens options, Powered zoom, Focus and lens shift, Lens memory, Integrated camera for colour calibration, 4K enhancement, 360° installation, Edge blending, Portrait projection, Epson Projector Professional Tool. Also available in white (EB-L30002U)	Home screen, Schedule function, Auto source search, A/V mute, USB playback for source free signage, Optional lighting track mount and ceiling/floor stand	360° installation, A/V mute, Kensington lock, Optional lighting track mount and ceiling/floor stand	360° installation, A/V mute, Kensington lock, Optional lighting track mount and ceiling/floor stand	Constant brightness mode, Home screen, Schedule function, Auto source search, A/V mute, SD card playback for source free signage, Optional lighting track mount and floor stand, Edge blending, 360° installation, Built-in media player, GPI function	Constant brightness mode, Home screen, Schedule function, Auto source search, A/V mute, SD card playback for source free signage, Optional lighting track mount and floor stand, Edge blending, 360° installation, Built-in media player, GPI function
45 / 38	49 / 41	37 / 28	29 / 26	29 / 26	34 / 22	34 / 22
49.6 620 x 790 x 359	63.8 790 x 710 x 299	3.1 364 x 248 x 95	2.7 210 x 227 x 88	2.7 210 x 227 x 88	5.0 Projection unit 175 x 260 x 175 Power supply 361 x 110 x 65	5.0 Projection unit 175 x 260 x 175 Power supply 361 x 110 x 65
1,860W / 1,123W	2,325W / 1,511W	285W / 218W	172W / 115W	172W / 115W	149W / 122W	149W / 122W
0.5W	0.5W	0.3W	0.4W	0.4W	0.4W	0.4W
No N/A	No N/A	No N/A	No N/A	No N/A	No N/A	No N/A
5 years / 20,000hrs carry-in	5 years / 20,000hrs carry-in	Projector - 3 years Lamp - 1 year / 1,000hrs	2 years / 7,500hrs	2 years / 7,500hrs	5 years / 12,000hrs	5 years / 12,000hrs

Model	EB-L250F	EB-L255F	EB-750F	EB-755F	EB-800F	EB-805F
						
Resolution	Full HD (1920 x 1080)	Full HD (1920 x 1080)	Full HD (1920 x 1080)	Full HD (1920 x 1080)	Full HD (1366 x 768 x 2)	Full HD (1366 x 768 x 2)
Native aspect	16:9	16:9	16:9	16:9	16:9	16:9
Colour Light Output (lumens) normal / eco	4,500 / 3,150	4,500 / 3,150	3,600 / 2,500	3,600 / 2,500	5,000 / 3,500	5,000 / 3,500
Contrast ratio	2,500,000:1	2,500,000:1	2,500,000:1	2,500,000:1	2,500,000:1	2,500,000:1
Lightsource	Laser	Laser	Laser	Laser	Laser	Laser
Lightsource life (hours) normal / eco	20,000 / 30,000	20,000 / 30,000	20,000 / 30,000	20,000 / 30,000	20,000 / 30,000	20,000 / 30,000
Throw ratio in native aspect	1.33 - 2.16:1	1.33 - 2.16:1	0.26 - 0.36:1	0.26 - 0.36:1	0.27 - 0.37:1	0.27 - 0.37:1
Scalable image size (diagonal)	40 - 500"	40 - 500"	65 - 120" 16:9 aspect 60 - 110" 16:6 aspect	65 - 120" 16:9 aspect 60 - 110" 16:6 aspect	65 - 130" 16:9 aspect 61 - 120" 16:6 aspect	65 - 130" 16:9 aspect 61 - 120" 16:6 aspect
Zoom	Optical x1.62	Optical x1.62	Digital x1.35	Digital x1.35	Digital x1.35	Digital x1.35
Vertical keystone	Manual ±30°	Manual ±30°	Manual ±3°	Manual ±3°	Manual ±3°	Manual ±3°
Horizontal keystone	Manual ±30°	Manual ±30°	Manual ±3°	Manual ±3°	Manual ±3°	Manual ±3°
Lens shift	N/A	N/A	N/A	N/A	N/A	N/A
Speaker output	16W	16W	16W	16W	2x 8W	2x 8W
Connectivity	VGA in x2, VGA out, HDMI in x2, Composite in, RS-232C, USB Type A, USB Type B, Screen Mirroring (Miracast)	VGA in x2, VGA out, HDMI in x2, Composite in, RS-232C, USB Type A, USB Type B, Screen Mirroring (Miracast)	VGA in x2, VGA out, HDMI in x3, Composite in, RS-232C, USB Type A x2, USB Type B, Screen Mirroring (Miracast)	VGA in x2, VGA out, HDMI in x3, Composite in, RS-232C, USB Type A x2, USB Type B, Screen Mirroring (Miracast)	VGA in x2, VGA out, HDMI in x3, HDMI out, Composite in, HDBaseT, RS-232, USB Type A x2, USB Type B	VGA in x2, VGA out, HDMI in x3, HDMI out, Composite in, HDBaseT, RS-232, USB Type A x2, USB Type B
Audio connectivity	Stereo mini in x2, Stereo mini out	Stereo mini in x2, Stereo mini out	Stereo mini in x3, Stereo mini out	Stereo mini in x3, Stereo mini out	Stereo mini in x2, Stereo mini out	Stereo mini in x2, Stereo mini out
Networking	LAN (RJ45), built-in wireless and optional wireless LAN unit	LAN (RJ45), built-in wireless and optional wireless LAN unit	LAN (RJ45), built-in wireless and optional wireless LAN unit	LAN (RJ45), built-in wireless and optional wireless LAN unit	LAN (RJ45) and optional wireless LAN unit	LAN (RJ45) and optional wireless LAN unit
Epson software solutions	Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Management, Epson Projector Content Manager, Epson Creative Projection	Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Management, Epson Projector Content Manager, Epson Creative Projection	Epson iProjection (Windows/ Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Management, Epson Projector Content Manager, Epson Creative Projection	Epson iProjection (Windows/ Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Management, Epson Projector Content Manager, Epson Creative Projection	Epson iProjection (Windows/ Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Management, Epson Projector Content Manager, Epson Creative Projection	Epson iProjection (Windows/ Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Management, Epson Projector Content Manager, Epson Creative Projection
Other features	A/V mute, USB content playback for source-free signage, Edge blending, Point and Arc correction, Schedule function, Auto source search, Copy OSD settings, Padlock, Security cable hole, Kensington lock, 360° installation, Optional lighting track mount and ceiling/floor stand	A/V mute, USB content playback for source-free signage, Edge blending, Point and Arc correction, Schedule function, Auto source search, Copy OSD settings, Padlock, Security cable hole, Kensington lock, 360° installation, Optional lighting track mount and ceiling/floor stand	16:6 display, A/V mute, USB content playback for source-free signage, Edge blending, Point and Arc correction, Schedule function, Auto source search, Copy OSD settings, DICOM colour mode, 360° installation, Optional wall mount	16:6 display, A/V mute, USB content playback for source-free signage, Edge blending, Point and Arc correction, Schedule function, Auto source search, Copy OSD settings, DICOM colour mode, 360° installation, Optional wall mount	16:6 display, Multi-projection via daisy chain, A/V mute, USB content playback for source-free signage, Edge blending, Point and Arc correction, Schedule function, Auto source search, Copy OSD settings, DICOM colour mode, Padlock, Security cable hole, Kensington lock, 360° installation, Optional wall mount	16:6 display, Multi-projection via daisy chain, A/V mute, USB content playback for source-free signage, Edge blending, Point and Arc correction, Schedule function, Auto source search, Copy OSD settings, DICOM colour mode, Padlock, Security cable hole, Kensington lock, 360° installation, Optional wall mount
Noise (dB) normal / eco	37 / 28	37 / 28	36 / 26	36 / 26	36 / 27	36 / 27
Weight (kg)	4.3	4.3	5.7	5.7	9.2	9.2
Dimensions exc. feet (W x D x H mm)	325 x 299 x 90	325 x 299 x 90	356 x 395 x 133	356 x 395 x 133	458 x 210 x 375	458 x 210 x 375
Power consumption normal / eco	254W / 193W	254W / 193W	255W / 197W	255W / 197W	366W / 262W	366W / 262W
Power consumption standby, comm. off	0.5W	0.5W	0.5W	0.5W	0.5W	0.5W
TCO Certified	No	No	No	No	Yes	Yes
Standard interchangeable lens included	N/A	N/A	N/A	N/A	N/A	N/A
Warranty	5 years / 12,000hrs	5 years / 12,000hrs	5 years / 12,000hrs	5 years / 12,000hrs	5 years / 12,000hrs	5 years / 12,000hrs

Model	ELPWP10	ELPWP20
		
Compatible displays	EB-1480Fi, EB-1485Fi, EB-L200F, EB-L200W, EB-L200SW, EB-L200SX, EB-L250F, EB-L255F, EB-720, EB-725W, EB-725Wi, EB-735F, EB-735Fi, EB-750F, EB-755F, EB-L520U, EB-L530U, EB-L630U, EB-L630SU, EB-L635SU, EB-L720U, EB-L730U and EB-L735U	All HDMI displays
Receiver		
Inputs	2x HDMI (HDCP2.3, CEC), Miracast R2, Miracast (display dependent), USB-A, Mini-USB-B (for service use), iProjection	2x HDMI (HDCP2.3, CEC), Miracast R2, Miracast, USB-A, Mini-USB-B (for service use), iProjection
Compatible with Epson Document Cameras	Yes	Yes
Connect via network infrastructure	Display dependent	Yes (RJ45)
Frame rate (max)	18 fps	18 fps
Number of sources simultaneously displayed	1 to 4	1 to 4
Max. number of sources simultaneously connected (including transmitters)	6	6
Number of transmitters included	2	2
Screen sharing (Miracast R2)	Yes - Display dependent	Yes
Auto power on display	Yes (CEC)	Yes (CEC)
Video output	HDMI (HDCP2.3, CEC, 1080p)	HDMI (HDCP2.3, CEC, 1080p)
Audio output	Stereo mini	Stereo mini
Noise level	Fanless	Fanless
Transmitter cradle included	Yes (capacity: 6)	Yes (capacity: 6)
Warranty	3 years	3 years
Transmitters		
Max. supported resolution	WUXGA (1920x1200)	WUXGA (1920x1200)
Compatible operating systems	Windows 8.1 or higher, MacOS 10.13-11.0	Windows 8.1 or higher, MacOS 10.13-11.0
Source device ports	USB-A, USB-C	USB-A, USB-C
Epson Wireless Presentation app (Windows and Mac)	Built into the transmitters	Built into the transmitters
Connection type - transmitter	Peer to peer WiFi	Peer to peer WiFi
Maximum range	10m	10m
Wireless transmission protocols	WiFi 5 (802.11a/b/g/n/ac)	WiFi 5 (802.11a/b/g/n/ac)
User selectable WiFi channel	Yes	Yes
User selectable transmitter bandwidth options	High quality (25Mbps), Standard quality (15Mbps), Low quality (7Mbps)	High quality (25Mbps), Standard quality (15Mbps), Low quality (7Mbps)
Pairing methods	Via PC using Configuration Tool or connecting transmitter to receiver for approx 3 seconds	Via PC using Configuration Tool or connecting transmitter to receiver for approx 3 seconds
Easy to disinfect the transmitters	Yes	Yes
Warranty	3 years	3 years
Security		
Authentication	Simple AP: WPA2-Personal Infrastructure: WPA2/WPA3-Personal, WPA2/WPA3-Enterprise	Simple AP: WPA2-Personal Infrastructure: WPA2/WPA3-Personal, WPA2/WPA3-Enterprise
Transmission encryption	RSA AES-128-bit with new public key each session	RSA AES-128-bit with new public key each session
Transmitter application requirements - Installation	No (app runs directly from transmitter)	No (app runs directly from transmitter)
Transmitter application requirements - Administrator privileges	No	No
Transmitter security	Transmitter storage is read only	Transmitter storage is read only
iProjection		
Connection type	Either via infrastructure network or simple connection (direct WiFi)	Either via infrastructure network or simple connection (direct WiFi)
Source device (iProjection) operating systems	Windows, MacOS, iOS, Android, Chromebook	Windows, MacOS, iOS, Android, Chromebook
Moderator function compatible	Yes	Yes
Software		
iProjection	Download from Epson website (Windows / Mac) or the relevant app store (iOS, Android and Chromebook)	Download from Epson website (Windows / Mac) or the relevant app store (iOS, Android and Chromebook)
Epson Wireless Presentation app (Windows and Mac)	Built into the transmitters	Built into the transmitters
Options		
Additional transmitters	ELPWT01 - Wireless Transmitter	ELPWT01 - Wireless Transmitter
What's in the box		
	Wireless Transmitter (ELPWT01) x2, Wireless Transmitter tray, Wireless LAN unit (ELPAP11), user guide, safety and support guide, quick start guide, regulatory compliance information	Wireless Transmitter (ELPWT01) x2, Wireless Transmitter tray, HDMI cable (1.8m), user guide, safety and support guide, quick start guide, regulatory compliance information, wireless receiver (ELPBU01), AC power adapter for Wireless Receiver, power cable for Wireless Receiver, remote control for Wireless Receiver, batteries for remote control, AC power adapter holder, wall mount unit for Wireless Receiver

Better Products for a Better Future™



A12892_Business_Display_Solutions_1EN-GB_10/21

1 2001 to 2020, 500-lumen and above, excluding screenless TVs, Futuresource Consulting – Quarterly Projector Market Insights – Worldwide Analyzer CY20Q4.

2 Networking not available on all products, please check product specifications for details.

3 Colour brightness (colour light output) in brightest mode, measured by a third-party lab in accordance with IDMS 15.4. Colour brightness will vary depending on usage conditions. Top-selling Epson 3LCD projectors versus top-selling 1-chip DLP projectors based on NPD sales data for October 2019 through September 2020.

4 Epson achieved certification by TCO Certified for selected families of projectors. TCO Certified is the world's most comprehensive sustainability certification for IT products, which must meet life cycle criteria for social and environmental sustainability. For more information, please visit <https://tcocertified.com>

For more information please contact:

Home users: 0343 90 37766
Business users*: 0871 42 37766
Republic of Ireland: 01 436 7742



EpsonUK



@EpsonUK



@EpsonUK



epson-uk-ltd

Or visit us at www.epson.co.uk/contactus

* 10p per minute plus network extras.

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners. Product information is subject to change without prior notice.

EPSON®