Switch to bigger collaborative spaces



Market leading displays

Epson, the market leader in projectors since 2001¹, offers display solutions with a superior viewing experience compared to flat panel screens, helping to increase audience engagement.

Introducing a wide range of innovative features for enhanced image quality, reliability and flexibility, Epson solutions are the clear choice.

Large, scalable displays to create agile working environments in a variety of spaces. Enjoy hassle-free connectivity for users and seamless connectivity to existing IT infrastructures.







Ultimate displays for hybrid working

Large displays provide a bigger space for remote attendees or learners to truly collaborate with colleagues or classmates in real time. Everyone feels included and represented whether at home or in the office or classroom.



Great content at the right size

The correct display size for your room maximises audience engagement. Unlike fixed flat panel displays, Epson's scalable solutions project incredible quality displays up to 500". Project images in up to Full HD with rich colours and brightness up to three times that of 1-chip DLP projectors³.



Unrestricted viewing experiences

A relaxed viewing environment helps the audience concentrate on the information presented. Epson display solutions avoid the glare, blind spots and fingerprints associated with screens and can be viewed without obstruction from anywhere in the room, creating equal opportunities and engagement for all.



Hassle-free connectivity

Epson display solutions offer both wired and wireless connectivity, and our iProjection App makes it easy for people to stream and share from their own devices².



An end to maintenance cycles

Epson's fit-and-forget display solutions combine performance with reliability, meaning lower costs, longer life cycles and impressive warranties of up to five years. You can count on up to 17,000 hours life for lamps and up to 30,000 hours for laser light sources.



A sustainable IT choice with TCO Certified

Unlike flat panels, many of our business projectors are TCO Certified⁴. This is independent affirmation that Epson is making responsible choices and reaching sustainability standards that are recognised across the globe.

Why choose an Epson display?

When choosing the right display solution for your business, you'll soon discover Epson displays hold many advantages over flat panels.

Easier on the eye

Flat panels can appear pixelated when you view them close-up for long periods, causing tired eyes. Epson projectors are less pixelated and selected models feature automatic light adjustment, making for a comfortable experience.

Unrestricted viewing

Unlike flat panels, Epson projectors have no blind spots or restricted viewing angles, making it easier to see content even from the sides of a room. There are no visible finger marks left on the screen, and when using Epson displays with anti-bacterial whiteboard surfaces, it eradicates any breeding ground for bacteria and viruses.

Scalable displays

Thanks to scalability and flexibility, Epson projectors suit rooms and audiences of every size. Their ability to deliver large-scale, data-heavy content makes it more comfortable and engaging for the audience to view. With Epson projectors, you have the flexibility to scale a display up to 500", in multiple aspects ratios. You can also connect multiple projectors to create one large seamless display.

Mobile presenting

With most of our projectors, you aren't restricted to one room, one venue, one setting. They're lightweight, portable and easy to set up.

Easy and cost-effective to install

Flat panels are heavy, require strong walls and a lot more physical exertion to install. Connecting Epson projectors to your business couldn't be easier. Simple to install, they're also fully compatible with most industry-standard image software and collaboration tools.

Enterprise security with peace of mind

Thanks to Epson enterprise security, our projectors operate in a network that can't be accessed wirelessly without a password. Also, any saved data and annotations made on our interactive displays can be encrypted and password protected.



Make the sustainable choice

Unlike flat panels, many Epson business projectors are TCO Certified⁴, meeting the world's most comprehensive sustainability certification for IT products. To achieve that, we set the highest standards in our supply chains and factories, and offer environmentally responsible take-back and recycling schemes. This helps your organisation to meet your own social responsibility goals.




True colours, beautiful detail

Epson's 3LCD technology produces high-resolution images with rich, life-like colours at levels of brightness that make presentations clear and engaging, even in well-lit environments.

Images are up to three times brighter than 1-chip DLP projectors³ and achieve levels of quality, versatility and creative freedom greater than flat panel displays.









High brightness

Inspire and engage audiences by bringing subjects to life with the brightest, most colourful images. With equally high White and Colour Light Output, whatever the subject, you can count on that level of brightness for all content across the entire screen.



Higher contrast, amazing clarity

Project every detail even on the biggest screens with high contrast ratios up to 2,500,000:1. This means that the brightest white is 2,500,000 times brighter than the darkest black, bringing content to life.




Full HD for total clarity

Reproduce every detail to add clarity to any scenario with resolutions up to Full HD. Create sharper text and high definition images that are easier on the eye and get your message across more effectively.



Agile collaborative spaces

Transform your workspace with large, scalable displays. Epson's easy-to-use display solutions are designed to enrich collaborative and agile working environments. They boost engagement, and promote greater knowledge sharing with students, colleagues, clients and conference delegates using the latest and most versatile connectivity options.



Flexible display options and sizes

Deliver impactful sessions with a choice of display options and sizes* at one fixed cost:

Up to 100" (16:10 standalone)

Up to 100" (16:9 standalone)

Up to 120" (16:6 standalone)

Up to 155" DuoLink interactivity (EB-1485Fi only), which combines two interactive displays using edge blending.

Collaborate and connect

Create agile working environments and share content quickly and simply with easy-to-use, intuitive on-screen interfaces and optional pen or finger touch on the interactive models.

Wirelessly connect any mobile device with Epson iProjection App or Screen Mirroring (Miracast) functionality*. Compatible with Windows, MacOS, iOS, Android and Chromebooks, iProjection is free to download and allows you to display content from multiple devices and platforms whilst retaining control over what is displayed and when.

Optimise meeting interactions

Combine up to four sources, such as video conference systems from multiple video sources and presentations, by creating a sliding split screen*.

Fit and forget laser technology*

Use for up to 30,000 hours (Eco mode) without any maintenance, with the additional peace of mind of a five-year warranty.



Interactive displays

Laser: EB-725Wi, EB-735Fi,

EB-1485Fi

Lamp: EB-685Wi, EB-695Wi

Non-interactive displays

Laser: EB-L200SX, EB-L200SW, EB-720, EB-725W, EB-735F

Lamp: EB-530, EB-535W,

EB-685W

The above laser models are compatible with the ELPWP10





EB-1485Fi

Multiple display options and sizes up to 155" (with DuoLink interactivity)

5,000lm, Full HD (1366 x 768 x 2) resolution, 16:6 wide display

Touch and dual pen interactivity

Built-in digital whiteboard

Multiple connectivity options including HDMI out and HDBaseT

Built-in wireless and Screen Mirroring (Miracast)

Split-screen interactivity

Built-in OPS slot for a mini PC

Five year warranty

^{*} Not available on all products, please check product specifications for details.

Versatile, scalable display solutions

Bring presentations for audiences of any size to life with our mainstream business displays. Versatile connectivity and installation options mean, whatever your budget, there is a display to suit your needs.

Bright, scalable and affordable

EB-992F

Full HD resolution – 1080p
Flexible installation or move between rooms
Up to 300" scalable display
Built-in wireless and Screen Mirroring (Miracast)
Up to 17,000 hours lamp life (in Eco mode)

Other models in range EB-E20, EB-X49, EB-W49, EB-982W, EB-FH52



Portable, slim and lightweight for truly mobile presenting

EB-1795F

1.8kg

Full HD resolution - 1080p


Up to 300" scalable display

Built-in wireless and Screen Mirroring (Miracast)

Up to 7,000 hours lamp life (in Eco mode)

Other models in range EB-1780W





Compact displays with flexible connectivity either mounted or mobile

EB-2250U

Full HD resolution – WUXGA
Up to 300" scalable display
Optional wireless
Up to 10,000 hours lamp life (in Eco mode)



Smart fit and forget creative laser solutions

EB-L730U

Full HD resolution - WUXGA
Up to 500" scalable display
Built-in wireless and Screen Mirroring (Miracast)
Up to 30,000 hours light source life (in Eco mode)

Other models in the range EB-L200F, EB-L200W, EB-L520U, EB-L530U, EB-L630SU, EB-L635SU, EB-L720U, EB-L735U











Create the right impression

Make your workplace more inviting to visitors and employees with Epson's lighting and signage solutions. Display up-to-the-minute information to reflect promotional and seasonal messaging.

Flexible mounting options mean projectors can be mounted out of sight and reach on ceilings, walls and lighting tracks for dynamic, impactful signage that doesn't clutter your environment. And, with a maintenance-free life of up to 20,000 hours, these laser light-source products are the ideal solution for displaying engaging messaging.



EB-800 Series

EB-800F, EB-805F



5,000lm with Full HD 1080p resolution
Ultra-short-throw with edge blending support

Scalable and affordable informative signage display solution

Other models in the range EB-750F, EB-755F

EV-110 Series

EV-110, EV-115



2,200lm

Transform work spaces with experiential lighting and signage projection

Add information and entertainment to objects and surfaces, even glass

Other models in the range EB-W70, EB-W75, EB-U50, EB-L250F, EB-L255F

Premium solutions for large audiences

Take your visual creativity to the next level with our breathtaking laser installation projectors.

Create superb projections with Epson's range of installation projectors in up to 30,000lm brightness. Transform larger spaces, auditoriums and even buildings with creative display and mapping solutions using Epson laser installation projectors.



EB-PU1000 Series

EB-PU1006W, EB-PU1007W, EB-PU1007B, EB-PU1008W, EB-PU1008B, EB-PU2010W, EB-PU2010B



Superb image quality

Enjoy the improved texture and exceptional sharpness, clarity and detail of laser projectors with 4K enhancement technology.

Flexibility

A wide choice of interchangeable lenses makes finding the perfect solution for a new or upgraded projection set-up easy. Even short projection distances can be achieved with the optional ultra-short-throw, zero-offset lenses. Motorised optics, advanced geometric correction and 360 degree projection facilitate fast and flexible installation, while portrait projection and edge-blending offer even wider scope for creating stunning, seamless displays in large environments.

Better connections

Integrate easily into almost any IT set-up with advanced connectivity features. Offering HDMI, HDBaseT and RJ45 support across the range, it is easy to connect and control your display. Advanced models in the range support SDI input and interchangeable interface boards.

High reliability

The inorganic phosphor wheel offers superior light- and heat-resistance and excellent reliability, resulting in a light source which is maintenance-free for up to 20,000 hours.

EB-L1000 Series

EB-L1500UH, EB-L1505UH, EB-L1715S, EB-L1750U, EB-L1755U



EB-L20000U



EB-L30000U





Epson's new wireless presentation systems make it easy for you to share your screen and increase your productivity.

Automatic start-up

Epson display solutions automatically turn on when the transmitter is plugged into a laptop.

Receiver functionality

The receiver functionality is integrated with Epson display solutions* reducing your initial costs (ELPWP10 only).


Intuitive design

It's simple enough that anyone can use it without special training. Multi-screen display and screen hiding are just as easy.

Smooth screen switching

Switching to the next presenter's screen is a breeze. No more interrupting meetings to fiddle with cables or moving to a seat where the cable can reach.

Achieve a wire free meeting room





ELPWP10

For Epson display solutions*



Transmitter x2







Tray for transmitters

Just plug the transmitter into your laptop

To connect, plug the transmitter into a USB port. No need to worry about wireless settings or cables. No special software to install, no prior preparation.



ELPWP20

For any HDMI display



Transmitter x2







Tray for transmitters

Click and share it's that easy

One click on the app's button and you are displaying on a big screen.



Share up to four screens on one screen

Enhance your productivity by comparing multiple documents on the big, easy-to-view screen.



ELPWT01

Additional transmitter



Bring content to life

Bring content into a new dimension by capturing and recording 3D objects and displaying them on the big screen. These compact high-resolution video cameras are easy to connect to your projector, whether you're at home or in the office.

Crisp detail

Capture and record pictures and objects in Full HD using the high-resolution 2-megapixel camera. The optical and digital zoom provides ultra-sharp detail and magnification. Rely on smooth video with no motion blur thanks to a high frame rate of 30 frames per second.

Large, real life image capture

Enjoy full flexibility from any angle by rotating the camera and amplifying content. Easily capture larger materials up to A3 in size – from full A4 textbook spreads to large 3D objects – without having to reposition them.





Easy operation, simple control

Access camera controls easily on-screen for hassle-free presenting without having to move between PC, projector and camera.



A versatile presenting partner

Recordings of images, clips, screen pictures and annotations from another device can be saved and viewed using the SD card slot and reader.



Microscope attachment included

Included as standard on ELPDC13 and ELPDC21.



Visualisers

ELPDC07, ELPDC13, ELPDC21 Supplied with carry case.









Create the perfect solution

Every environment and every presentation is different, so we offer a wide range of solutions to create your perfect projector package, including lamps, ceiling mounts, screens and lenses.



Epson genuine lamps

Guarantee the best, brightest and most consistent images for longer with genuine Epson lamps. They guarantee the best image quality, maximise reliability, minimise maintenance and ensure ongoing comprehensive warranty cover.



Ceiling mounts

Fit your projector perfectly to your venue and ensure flexibility, safety and security with tailor-made mounts.



2.4GHz wireless LAN adapter ELPAP10

2.4/5GHz wireless LAN adapter ELPAP11

Make fast, secure, wireless presentations with this USB adapter. Selected product compatibility.



Active speakers ELPSP02

Add powerful audio to any meeting space solution with compact speakers.



Control and connection box ELPCB03

Benefit from greater device connectivity, ease of use and neat cable management. This convenient, wall-mounted box boasts a direct source button for 3x HDMI connectivity and split screen support.



Wireless presentation system ELPWP10

Intuitive, low-cost wireless presentation system that improves collaboration by displaying content from up to four devices on a large display.

Expand possibilities

We have built innovative relationships with leading technology companies to enhance the presenting experience even further. From wireless presenting and remote conferencing to whiteboard software, digital content and device control, we make sure that every element adds value and has guaranteed compatibility. This ensures you have the most up-to-date systems, now and in the future.



Crestron

Crestron automation and control solutions allow you to control entire environments with the push of a button, integrating systems such as AV, lighting, shading, security, BMS and HVAC. Monitor, manage and control everything from one platform.



Extron

Extron designs advanced technologies that create impressive-looking images, high-quality sound, and systems that are easy to control and work reliably. Extron's asset management tools help technology professionals manage large numbers of audio/visual systems.



Smit Visual

Smit Visual is a leading Dutch manufacturer of visual supplies, such as whiteboards and projection boards.



Mozaik Education

Mozaik offers market leading interactive educational K-12 content (3D scenes, videos, apps, games, etc) for all subjects with built-in white-boarding functions, LMS, homework and classroom management features.




TeamMate

TeamMate is a leading manufacturer of contemporary and innovative audio/visual and collaborative furniture solutions for education, corporate and retail spaces.

Enhance your projector's capabilities

Inspiring presentations and innovative solutions go hand-in-hand. That's why we have developed a dynamic portfolio of advanced display tools. Epson solutions will optimise your business productivity and give you a platform to deliver your best work and ideas.

As the world's leading projector manufacturer¹, we enable you to present the way you want, where you want, easily and effectively. To discover just how much more flexible your current Epson display solution could be, visit www.epson.eu/epson-projector-software.



Stream, share and collaborate

Wirelessly stream and share

iProjection for PC / Mac

Wireless Screen Mirroring solution that utilises the built-in Wi-Fi connection of the presenter's device to stream and share content to the projector. Up to 50 devices can be connected to the same projector and up to four can present their content at the same time. The built-in moderator mode allows one user to take control of incoming content from the connected devices.

iProjection App for iOS / Android

Feature-rich BYOD solution for smartphones and tablets allows users to stream and share content, annotate and even control the projector, all directly from their devices. There is also a multi device mode for group collaboration. The built-in moderator mode allows one user to take control of incoming content from the connected devices.

iProjection App for Chromebooks

Supports fully mirrored display of all your Chromebook content including Google Docs, Slides, Sheets and Chrome browser.

Screen Mirroring (Miracast)

Industry-wide standard that enables Screen Mirroring from compatible smartphones, tablets and PCs to enhance BYOD flexibility and provide the freedom of wireless connectivity.

Interactivity and collaboration

GoBoard Education software

Our new solution offers an advanced whiteboard with built in online functionality, integration with many common VC applications and wireless connectivity with multiple device types.

www.epson.eu/goboard

Easy Interactive Tools

Gives you annotation and drawing capability on projected images or a whiteboard. You can also perform simple control of your document camera and projector.



Some software solutions may be restricted to selected models only. Please refer to product specifications.

Projector management solutions

Monitoring and control

Epson Projector Management

The free-to-download centralised management utility lets IT, facilities and network managers efficiently monitor, control and manage their display solution fleet. The software is also compatible with PJLink certified devices.


Functions include operation status, error reporting and input source switching. The scheduling feature can power down all the projectors in a building, while error monitoring helps avoid delays and downtime.

Epson Professional Projector Tool

Simplify multi-projector installations with intuitive geometry corrections such as edge-blending and adjustment for curved surfaces, plus colour-matching and brightness controls.

Epson Projector Configuration Tool

This free application for smart devices makes setting up and configuring multiple projectors easy. Simply register the projector's data using NFC connectivity, read and edit the settings in the app and then upload the settings to a fleet of projectors without even needing to power the projectors on.



Content management

Epson Projector Content Manager

Add images and videos to playlists, and save them on an external storage device (SD card or USB drive). Insert the storage device into the projector to easily project your playlist content without using a cable connection. Add custom shape filters, overlay effects and scheduling.

Epson Creative Projection

Create custom content on your smartphone or tablet, with ease. Enliven rooms and product displays by combining your photos and movies with the app's built-in templates and stamps.

Utilities

Display size calculator

Work out the ideal display size for your room based on room dimensions, layout and number of seats.

www.epson.eu/display-size-matters

Throw distance calculator

Easily work out image sizes and projection distance dimensions across our entire projector range. Simply select your desired screen size or the projection distance, and the smart online tool will automatically calculate all the necessary installation dimensions.

www.epson.eu/distancecalculator



| Model | EB-1780W | EB-1795F | EB-FH52 | EB-E20 | EB-X49 | EB-W49 |
|--|---|--|--|--|---|---|
| | | Company of the Compan | | - 3 x | - 3 - | 1990 3 5 |
| Resolution | WXGA (1280 x 800) | Full HD (1920 x 1080) | Full HD (1920 x 1080) | XGA (1024 x 768) | XGA (1024 x 768) | WXGA (1280 x 800) |
| Native aspect | 16:10 | 16:9 | 16:9 | 4:3 | 4:3 | 16:10 |
| Colour Light Output (lumens) normal / eco | 3,000 / 1,900 | 3,200 / 1,900 | 4,000 / 2,400 | 3,400 / 2,200 | 3,600 / 2,400 | 3,800 / 2,600 |
| Contrast ratio | 10,000:1 | 10,000:1 | 16,000:1 | 15,000:1 | 16,000:1 | 16,000:1 |
| Lightsource life | Lamp 4,000 / 7,000 | Lamp 4,000 / 7,000 | Lamp 5,500 / 12,000 | Lamp 6,000 / 12,000 | Lamp 6,000 / 12,000 | Lamp 8,000 / 17,000 |
| (hours) normal / eco Throw ratio in native | 1.0 - 1.26:1 | 1.02 - 1.23:1 | 1.32 - 2.14:1 | 1.44 - 1.95:1 | 1.48 - 1.77:1 | 1.30 - 1.56:1 |
| aspect Scalable image size (diagonal) | 30 - 300" | 30 - 300" | 30 - 300" | 30 - 350" | 30 - 300" | 33 - 320" |
| Zoom | Optical x1.2 | Optical x1.2 | Optical x1.6 | Digital x1.35 | Optical x1.2 | Optical x1.2 |
| Vertical keystone Horizontal keystone | Automatic ±30° Manual ±30° | Automatic ±30° Automatic ±20° | Automatic ±30° Manual ±30° | Manual ±30° Manual ±30° | Automatic ±30° Manual ±30° | Automatic ±30° Manual ±30° |
| Lens shift | N/A | N/A | N/A | N/A | N/A | N/A |
| Speaker output | 1W | 1W | 16W | 5W | 5W | 5W |
| Connectivity | VGA in, Composite RCA, USB Type B, USB Type A, HDMI | VGA in, Composite RCA, USB Type B, USB Type A, HDMI, Screen Mirroring (Miracast) | VGA in, HDMI in x2, Composite in, USB 2.0 Type A, USB 2.0 Type B, Wireless LAN, Screen Mirroring (Miracast) | VGA in x2, VGA out, HDMI in, Composite in, USB 2.0 Type B, RS-232C | VGA in x2, VGA out, HDMI in, Composite in, USB 2.0 Type A, USB 2.0 Type B, RS-232C, RJ45, Wireless LAN (optional) | VGA in x2, VGA out, HDMI in x2, Composite in, USB 2.0 Type A, USB 2.0 Type B, RS-232C, RJ45, Wireless LAN (optional) |
| Audio connectivity | Stereo mini in | Stereo mini in | RCA pair in | Stereo mini out, Stereo mini in (2x), RCA pair in | Stereo mini out, Stereo mini in (2x), RCA pair in | Stereo mini out, Stereo mini in (2x), RCA pair in |
| Networking | Wireless LAN | Wireless LAN | Wireless LAN unit | N/A | LAN (RJ45) and optional wireless LAN unit | LAN (RJ45) and optional wireless LAN unit |
| Epson software solutions | Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook | Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook | Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Management | N/A | Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Management | Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Management |
| Other features | 3-in-1 USB display, AV mute slide, DICOM SIM colour mode, Split screen, PC-free presentation, Kensington lock, Wireless LAN security, Password protection, Carry case | 3-in-1 USB display, AV mute slide, DICOM SIM colour mode, Split screen, PC-free presentation, Auto screen fit and Auto focus, Real time keystone correction, Gesture Presenter, NFC, Kensington lock, Wireless LAN security, Password protection, Carry case | AV mute slide, Horizontal keystone slider, Quick comer correction, Split screen, Auto source search, QR code function, Kensington lock, Padlock, Security cable hole, Stream and share features, Password protection, Carry case | AV mute slide, Horizontal keystone slider, Quick corner correction, Split screen, Auto source search, Kensington lock, Padlock, Security cable hole, Password protection, Optional carry case | AV mute slide, Horizontal keystone slider, Quick corner correction, Split screen, Auto source search, QR code function, Kensington lock, Padlock, Security cable hole, Password protection, Optional carry case | AV mute slide, Horizontal keystone slider, Quick corner correction, Split screen, Auto source search, QR code function, Kensington lock, Padlock, Security cable hole, Password protection, Optional carry case |
| Noise (dB) normal / eco | 39 / 30 | 39 / 30 | 37 / 28 | 37 / 28 | 37 / 28 | 37 / 28 |
| Weight (kg) | 1.8 | 1.8 | 3.1 | 2.7 | 2.7 | 2.7 |
| Dimensions exc. feet (W x D x H mm) | 292 x 213 x 44 | 292 x 213 x 44 | 309 x 282 x 90 | 302 x 249 x 87 | 302 x 249 x 87 | 302 x 249 x 87 |
| Power consumption normal / eco | 277W / 200W | 295W / 208W | 327W / 225W | 327W / 225W | 327W / 225W | 327W / 225W |
| Power consumption standby, comm. off | 0.34W | 0.34W | 0.3W | 0.3W | 0.3W | 0.3W |
| TCO Certified | Yes | Yes | No | No | No | No |
| Standard interchangeable lens included | N/A | N/A | N/A | N/A | N/A | N/A |
| Warranty | Projector - 5 years Lamp - 5 years / 1,000hrs | Projector - 5 years Lamp - 5 years / 1,000hrs | Projector - 3 years Lamp - 3 years / 1,000hrs | Projector - 3 years Lamp - 3 years / 1,000hrs | Projector - 3 years Lamp - 3 years / 1,000hrs | Projector - 3 years Lamp - 3 years / 1,000hrs |

| EB-982W | EB-992F | EB-530 | EB-L200SX | EB-535W | EB-L200SW |
|---|--|--|---|--|--|
| | from & | 175 | | | |
| WXGA (1280 x 800) | Full HD (1920 x 1080) | XGA (1024 x 768) | XGA (1024 x 768) | WXGA (1280 x 800) | WXGA (1280 x 800) |
| 16:10 4,200 / 2,600 | 16:9 4,000 / 2,400 | 4:3 3,200 / 1,800 | 4:3 3,600 / 2,520 | 16:10 3,400 / 1,900 | 16:10 3,800 / 2,660 |
| 16,000:1 Lamp | 16,000:1 Lamp | 16,000:1 Lamp | 2,500,000:1 Laser | 16,000:1 Lamp | 2,500,000:1 Laser |
| 6,500 / 17,000 | 6,500 / 17,000 | 5,000 / 10,000 | 20,000 / 30,000 | 5,000 / 10,000 | 20,000 / 30,000 |
| 1.38 - 2.24:1 | 1.32 - 2.14:1 | 0.55:1 | 0.55-0.74:1 | 0.48:1 | 0.48-0.65:1 |
| 29 - 280" | 30 - 300" | 50 - 108" | 50 -112" | 53 - 116" | 53 - 120" |
| Optical x1.6 Automatic ±30° Manual ±30° | Optical x1.6 Automatic ±30° Manual ±30° | Digital x1.35 Manual ±15° Manual ±15° | Digital x1.35 Manual ±15° Manual ±15° | Digital x1.35 Manual ±15° Manual ±15° | Digital x1.35 Manual ±15° Manual ±15° |
| N/A 16W | N/A 16W | N/A 16W | N/A 16W | N/A 16W | N/A 16W |
| VGA in x2, VGA out, HDMI in x2, Composite in, USB 2.0 Type A, USB 2.0 Type B, RS-232C, RJ45, Wireless LAN (optional) | VGA in x2, VGA out, HDMI in x2, Composite in, Wireless LAN, Screen Mirroring (Miracast), USB 2.0 Type A, USB 2.0 Type B, RS-232C, RJ45 | VGA in x2, VGA out, Composite RCA, S-Video, USB Type B, USB Type A, HDMI, RS-232C | VGA in x2, VGA out, HDMI x2, USB Type A, USB Type B, RS-232C, Screen Mirroring (Miracast), Wireless LAN | VGA in x2, VGA out, Composite RCA, S-Video, USB Type B, USB Type A, HDMI, RS-232C | VGA in x2, VGA out, HDMI x2, USB Type A, USB Type B, Composite RCA, RS-232C, Screen Mirroring (Miracast), Wireless LAN |
| Stereo mini out, Stereo mini in (2x), RCA pair in, Microphone input | Stereo mini out, Stereo mini in (2x), RCA pair in, Microphone input | Stereo mini out, Stereo mini in (2x), RCA pair in, Microphone input | Stereo mini in x2, Microphone stereo mini in, Stereo mini out, RCA pair in | Stereo mini out, Stereo mini in (2x), RCA pair in, Microphone input | Stereo mini in x2, Microphone stereo mini in, Stereo mini out, RCA pair in |
| LAN (RJ45) and optional wireless LAN unit | LAN (RJ45) and Wireless LAN unit | LAN (RJ45) and optional wireless LAN unit | LAN (RJ45) and wireless LAN unit | LAN (RJ45) and optional wireless LAN unit | LAN (RJ45) and wireless LAN unit |
| Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Management | Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Management | Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Management | Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Management | Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Management | Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Management |
| AV mute slide, Horizontal keystone slider, Quick corner correction, Split screen, Auto source search, QR code function, Kensington lock, Padlock, Security cable hole, Password protection, Optional carry case | AV mute slide, Horizontal keystone slider, Quick corner correction, Split screen, Auto source search, QR code function, Kensington lock, Padlock, Security cable hole, Stream and share features, Password protection, Optional carry case | 3-in-1 USB display, Copy OSD settings, PC-free presentation, Padlock, Security cable hole, Kensington lock, Optional carry case | Stream and share features, AV mute, Copy OSD settings, Quick corner correction, PC-free presentation, Padlock, Security cable hole, Kensington lock, Wireless LAN unit lock, Password protection, Optional carry case, Optional wall mount or ceiling mount | 3-in-1 USB display, Copy OSD settings, PC-free presentation, Padlock, Security cable hole, Kensington lock, Optional carry case | Stream and share features, A/V mute, Copy OSD settings, Quick corner correction, PC-free presentation, Padlock, Security cable hole, Kensington lock, Wireless LAN unit lock, Password protection, optional carry case, Optional wall mount or ceiling mount |
| 37 / 28 | 37 / 28 | 37 / 29 | 37 / 28 | 37 / 29 | 37 / 28 |
| 3.1 309 x 282 x 90 | 3.1 309 x 282 x 90 | 3.7 345 x 315 x 94 | 4.5 325 x 337 x 90 | 3.7 345 x 315 x 94 | 4.5 325 x 337 x 90 |
| 309 x 282 x 90 327W / 225W | 327W / 225W | 298W / 221W | 254W / 193W | 298W / 221W | 254W / 193W |
| 0.3W | 0.3W | 0.28W | 0.5W | 0.28W | 0.5W |
| No | No | No | Yes | No | Yes |
| N/A | N/A | N/A | N/A | N/A | N/A |
| Projector - 5 years | Projector - 5 years | Projector - 5 years | 5 years / 12,000hrs | Projector - 5 years | 5 years / 12,000hrs |
| Lamp - 5 years / 1,000hrs | Lamp - 5 years / 1,000hrs | Lamp - 5 years / 1,000hrs | _ jou. 0 , 12,0001110 | Lamp - 5 years / 1,000hrs | 2 30007 12,0001110 |

| Model | EB-685W | EB-720 | EB-725W | EB-735F | EB-685Wi | EB-695Wi |
|--|---|--|--|--|---|---|
| | <u>§</u> Ⅲ | - | | | 2 mm | 2 |
| Resolution | WXGA (1280 x 800) | XGA (1024 x 768) | WXGA (1280 x 800) | Full HD (1920 x 1080) | WXGA (1280 x 800) | WXGA (1280 x 800) |
| Native aspect Colour Light Output | 16:10 3,500 / 2,900 | 4:3 3,800 / 2,660 | 16:10 4,000 / 2,800 | 16:9 3,600 / 2,500 | 16:10 3,500 / 2,900 | 16:10 3,500 / 2,900 |
| (lumens) normal / eco | 14,000:1 | 2,500,000:1 | 2,500,000:1 | 2,500,000:1 | 14,000:1 | 14,000:1 |
| Lightsource | Lamp | Laser | Laser | Laser | Lamp | Lamp |
| Lightsource life (hours) normal / eco / eco2 | 5,000 / 10,000 / 9,000 | 20,000 / 30,000 / N/A | 20,000 / 30,000 / N/A | 20,000 / 30,000 / N/A | 5,000 / 10,000 / 9,000 | 5,000 / 10,000 / 9,000 |
| Throw ratio in native aspect | 0.28:1 | 0.32 - 0.43:1 | 0.28 - 0.37:1 | 0.26 - 0.36:1 | 0.28:1 | 0.28:1 |
| Scalable image size (diagonal) | 60 - 100" | 65 - 110" | 65 - 120" | 65 - 120" 16:9 aspect 60 - 110" 16:6 aspect | 60 - 100" | 60 - 100" |
| Zoom | Digital x1.35 | Digital x1.35 | Digital x1.35 | Digital x1.35 | Digital x1.35 | Digital x1.35 |
| Vertical keystone Horizontal keystone | Manual ±3° Manual ±3° | Manual ±3° Manual ±3° | Manual ±3° Manual ±3° | Manual ±3° Manual ±3° | Manual ±3° Manual ±3° | Manual ±3° Manual ±3° |
| Lens shift | N/A | N/A | N/A | N/A | N/A | N/A |
| Speaker output | 16W | 16W | 16W | 16W | 16W | 16W |
| Connectivity | VGA in, VGA out (switchable), HDMI x3, Composite RCA, S-Video, USB Type A x2, USB Type B, MHL (via HDMI 1), RS-232C | VGA in x2, VGA out, HDMI x3, Composite, USB Type A x2, USB Type B, RS-232C, Screen Mirroring (Miracast), Wireless LAN | VGA in x2, VGA out, HDMI x3, Composite, USB Type A x2, USB Type B, RS-232C, Screen Mirroring (Miracast), Wireless LAN | VGA in x2, VGA out, HDMI x3, Composite, USB Type A x2, USB Type B, RS-232C, Screen Mirroring (Miracast), Wireless LAN | VGA in x2, VGA out (switchable), HDMI x3, Composite RCA, S-Video, USB Type A, USB Type B, MHL (via HDMI 1), RS-232C, Sync in, Sync out | VGA in x2, VGA out (switchable), HDMI x3, Composite RCA, S-Video, USB Type A, USB Type B, MHL (via HDMI 1), RS-232C, Sync in, Sync out |
| Audio connectivity | Stereo mini in x3, Microphone stereo mini in, Stereo mini out | Stereo mini in x3, Microphone stereo mini in, Stereo mini out | Stereo mini in x3, Microphone stereo mini in, Stereo mini out | Stereo mini in x3, Microphone stereo mini in, Stereo mini out | Stereo mini in x3, Microphone stereo mini in, Stereo mini out | Stereo mini in x3, Microphone stereo mini in, Stereo mini out |
| Networking | LAN (RJ45) and optional wireless LAN unit | LAN (RJ45) and wireless LAN unit | LAN (RJ45) and wireless LAN unit | LAN (RJ45) and wireless LAN unit | LAN (RJ45) and optional wireless LAN unit | LAN (RJ45) and optional wireless LAN unit |
| Epson software solutions | Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Management | Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Management | Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Management | Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Management | Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, various collaboration software tools, Epson Projector Management | Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, various collaboration software tools, Epson Projector Management |
| Other features | Home screen, Multi- screen interactivity, Auto source search, AVV mute, Split screen up to 2 sources, 3-in-1 USB display, Copy OSD settings, Auto lamp dimming, PC-free presentation, Padlock, Security cable hole, Kensington lock | and share features, Screen sharing function | Optional mount, Stream and share features, Screen sharing function (client), AV mute, Copy OSD settings, Quick corner correction, PC-free presentation, Split screen up to 4 sources, Auto source search, Padlock, Security cable hole, Kensington lock, Wireless LAN unit lock, Password protection | Optional mount, 16:6 display, Stream and share features, Screen sharing function (client), AV mute, Copy OSD settings, Quick corner correction, PC-free presentation, Split screen up to 4 sources, Auto source search, Padlock, Security cable hole, Kensington lock, Wireless LAN unit lock, Password protection | Home screen, Multi- screen interactivity, Auto source search, AV mute, Split screen, 3-in-1 USB display, Copy OSD settings, Auto lamp dimming, Pen and touch interactivity, Auto calibration, PC-free presentation, Padlock, Security cable hole, Kensington lock | Home screen, Multi- screen interactivity, Auto source search, AV mute, Split screen, 3-in-1 USB display, Copy OSD settings, Auto lamp dimming, Pen and touch interactivity, Auto calibration, PC-free presentation, Padlock, Security cable hole, Kensington lock |
| Noise (dB) normal / eco / eco2 | 35 / 30 / 29 | 36 / 26 / N/A | 36 / 26 / N/A | 36 / 26 / N/A | 35 / 30 / 29 | 35 / 30 / 29 |
| Weight (kg) | 5.7 | 5.7 | 5.7 | 5.7 | 5.8 | 5.8 |
| Dimensions exc. feet (W x D x H mm) | 367 x 400 x 149 | 356 x 395 x 133 | 356 x 395 x 133 | 356 x 395 x 133 | 367 x 400 x 149 | 367 x 400 x 149 |
| Power consumption normal / eco / eco2 | 354W / 309W / 309W | 255W / 197W / N/A | 255W / 197W / N/A | 255W / 197W / N/A | 354W / 309W / 309W | 354W / 309W / 309W |
| Power consumption standby, comm. off | 0.37W | 0.5W | 0.5W | 0.5W | 0.37W | 0.37W |
| TCO Certified | Yes | Yes | Yes | Yes | Yes | Yes |
| Standard interchangeable lens included | N/A | N/A | N/A | N/A | N/A | N/A |
| Warranty | Projector - 5 years Lamp - 5 years / 1,000hrs | 5 years / 12,000hrs | 5 years / 12,000hrs | 5 years / 12,000hrs | Projector - 5 years Lamp - 5 years / 1,000hrs | Projector - 5 years Lamp - 5 years / 1,000hrs |

| EB-725Wi | EB-735Fi | EB-1485Fi | EB-2250U | EB-L200W | EB-L200F | EB-L520U |
|---|--|--|---|---|---|--|
| - | - | | - 02 | | | (I) Poo |
| WXGA (1280 x 800) 16:10 4,000 / 2,800 | Full HD (1920 x 1080) 16:9 3,600 / 2,500 | Full HD (1366 x 768 x 2) 16:9 5,000 / 3,500 | WUXGA (1920 x 1200) 16:10 5,000 / 3,800 | WXGA (1280 x 800) 16:10 4,200 / 2,940 | Full HD (1366 x 768 x 2) 16:9 4,500 / 3,150 | WUXGA (1920 x 1200) 16:10 5,200 / 3,640 |
| 2,500,000:1 | 2,500,000:1 | 2,500,000:1 | 15,000:1 | 2,500,000:1 | 2,500,000:1 | Over 2,500,000:1 |
| Laser 20,000 / 30,000 / N/A | Laser 20,000 / 30,000 / N/A | Laser 20,000 / 30,000 / N/A | Lamp 5,000 / 10,000 / N/A | Laser 20,000 / 30,000 / N/A | Laser 20,000 / 30,000 / N/A | Laser 20,000 / 30,000 / N/A |
| 0.28 - 0.37:1 | 0.26 - 0.36:1 | 0.27:1 | 1.38 - 2.28:1 | 1.38 - 2.24:1 | 1.33 - 2.16:1 | 1.35 - 2.20:1 |
| 65 - 100" | 65 - 100" 16:9 aspect 60 - 110" 16:6 aspect | 65 - 100" 16:9 aspect 61 - 120" 16:6 aspect | 50 - 300" | 29 - 282" | 40 - 500" | 50 - 500" |
| Digital x1.35 Manual ±3° Manual ±3° N/A | Digital x1.35 Manual ±3° Manual ±3° N/A | Digital x1.35 Manual ±3° Manual ±3 N/A | Optical x1.6 Automatic ±30° Automatic ±20° N/A | Optical x1.62 Automatic ±30° Manual ±30° N/A | Optical x1.62 Automatic ±30° Manual ±30° N/A | Optical x1.6 Manual ±30° Manual ±30° N/A |
| 16W | 16W | 2 x 8W | 16W | 16W | 16W | 10W |
| VGA in x2, VGA out, HDMI x3, Composite, USB Type A x2, USB Type B x2, RS-232C, Sync in, Sync out, Touch unit control, Screen Mirroring (Miracast), Wireless LAN | VGA in x2, VGA out, HDMI x3, Composite, USB Type A x2, USB Type B x2, RS-232C, Sync in, Sync out, Touch unit control, Screen Mirroring | VGA in, VGA out, HDMI x3, USB Type A x2, USB Type B, HDMI- out, RS-232C, Sync in, Sync out, Touch unit control, Screen Mirroring (Miracast), Wireless | VGA in x2, VGA out, HDMI x2, Composite RCA, USB Type A, USB Type B, RS-232C, MHL (via HDMI 1) | VGA in (2x), VGA out, Composite in, HDMI in x2, USB 2.0 Type A, | VGA in x2, VGA out, HDMI in x2, Composite in, USB 2.0 Type A, USB 2.0 Type B, RS-232C, RJ45, Wireless LAN, Screen Mirroring (Miracast) | VGA in x2, VGA out, HDMI in x2, HDBaseT, Miracast (when use ELPAP11), USB Type A, USB Type B, RS-232C, Ethernet, Wireless LAN a/n (5GHz) (optional) |
| Stereo mini in x3, Microphone stereo mini in, Stereo mini out | Stereo mini in x3, Microphone stereo mini in, Stereo mini out | Stereo mini in x3, Microphone stereo mini in, Stereo mini out | Stereo mini out, Stereo mini in (2x), RCA pair in | Stereo mini out, Stereo mini in (2x), RCA pair in, Microphone input | Stereo mini out, Stereo mini in (2x), RCA pair in, Microphone input | Stereo mini out, Stereo mini in (2x) |
| LAN (RJ45) and wireless LAN unit | LAN (RJ45) and wireless LAN unit | LAN (RJ45) and wireless LAN unit | LAN (RJ45) and optional wireless LAN unit | | LAN (RJ45) and wireless LAN unit included | LAN (RJ45) and optional wireless LAN unit |
| Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, various collaboration software tools, Epson Projector Management | Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, various collaboration software tools, Epson Projector Management | Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, various collaboration software tools, Epson Projector Management | Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Management | Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Management | Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Management | Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Management, Epson Projector Content Manager |
| Pen interactivity and optional touch, Optional mount, Interactive home screen, Stream and share features, Screen sharing function (client), Whiteboard mode with document export support, Sliding split screen, split screen up to 4 sources, AV mute, Copy OSD settings, Quick corner correction, PC-free presentation, Auto source search, Padlock, Security cable hole, Kensington lock, Wireless LAN unit lock, Password protection | Interactive home screen, Stream and share features, Screen sharing function (client), Whiteboard mode with document export support, Sliding split screen, split screen up to 4 sources, AV mute, Copy OSD settings, Quick corner correction, PC-free presentation, | Constant brightness mode, 16:6 display, Interactive home screen, Stream and share features, DuoLink interactivity, Screen sharing function (server/client), Whiteboard mode with document export support, Multiple display via Daisy chain, Auto power on, Auto source search, AV mute, Sliding split screen, split screen up to 4 sources, Copy OSD settings, Pen and touch interactivity, Auto calibration, DICOM SIM colour mode, HDBaseT external control pad, Set-up wizard | Home Screen, Gesture Presenter, AV mute, screen fit, Split screen, Auto power on, DICOM colour mode, DCDi by Faroudja, Schedule function, Focus help, Real time keystone correction, Quick corner, PC-free presentation, 3-in-1 USB display, Padlock, Security bar, Kensington lock | AV mute slide, Horizontal keystone slider, Quick corner correction, PC-free, Split screen - up to 4 sources, Auto source search, QR code function, Kensington lock, Padlock, Security cable hole, Wireless LAN security, Password protection, Optional carry case | AV mute slide, Horizontal keystone slider, Quick corner correction, PC-free, Split screen - up to 4 sources, Auto source search, QR code function, Kensington lock, Padlock, Security cable hole, Wireless LAN security, Password protection, Optional carry case | AVV mute, Arc correction, Edge blending, PC Free, Quick corner, Screen share, Source function, Ultra-wide display (16:6), Home Screen, AV mute, Split screen - up to 4 sources, Auto power on, Auto source search, Quick startup, Padlock, Security cable hole, Kensington lock, 360° installation, Wireless LAN unit lock |
| 36 / 26 / N/A | 36 / 26 / N/A | 36 / 27 / N/A | 39 / 29 / N/A | 37 / 28 / N/A | 37 / 28 / N/A | 31 / 23 / N/A |
| 5.8 | 5.8 | 9.7 | 4.6 | 4.1 | 4.1 | 7.7 |
| 356 x 395 x 133 | 356 x 395 x 133 | 458 x 209.5 x 375 | 377 x 291.5 x 110 | 325 x 299 x 90 | 325 x 299 x 90 | 440 x 122 x 304 |
| 255W / 197W / N/A | 255W / 197W / N/A | 366W / 262W / N/A | 405W / 323W / N/A | 254W / 193W / N/A | 254W / 193W / N/A | 293W / 233W / N/A |
| 0.5W | 0.5W | 0.5W | 0.31W | 0.5W | 0.5W | 0.3W |
| Yes N/A | Yes N/A | Yes N/A | No N/A | Yes N/A | Yes N/A | Yes N/A |
| | | | | | | |
| 5 years / 12,000hrs | 5 years / 12,000hrs | 5 years / 12,000hrs | Projector - 5 years Lamp - 5 years / 1,000hrs | 5 years / 12,000hrs | 5 years / 12,000hrs | 3 years |

| Model | EB-L720U | EB-L530U | EB-L630U | EB-L730U | EB-L735U | EB-L630SU |
|---|--|--|---|--|--|--|
| | | in the state of th | the second | 11111 111111 | | min . |
| Resolution Native aspect Colour Light Output | WUXGA (1920 x 1200) 16:10 7,000 / 4,900 | WUXGA (1920 x 1200) 16:10 5,200 / 3,640 | WUXGA (1920 x 1200) 16:10 6,200 / 4,340 | WUXGA (1920 x 1200) 16:10 7,000 / 4,900 | WUXGA (1920 x 1200) 16:10 7,000 / 4,900 | WUXGA (1920 x 1200) 16:10 6,000 / 4,200 |
| (lumens) normal / eco Contrast ratio Lightsource | Over 2,500,000:1 | 2,500,000:1 Laser | 2,500,000:1 Laser | 2,500,000:1 Laser | 2,500,000:1 Laser | 2,500,000:1 Laser |
| Lightsource life (hours) normal / eco | 20,000 / 30,000 | 20,000 / 30,000 | 20,000 / 30,000 | 20,000 / 30,000 | 20,000 / 30,000 | 20,000 / 30,000 |
| Throw ratio in native aspect Scalable image size | 1.35 - 2.20:1 50 - 500" | 1.35 - 2.20:1 50 - 500" | 1.35 - 2.20:1 50 - 500" | 1.35 - 2.20:1 50 - 500" | 1.35 - 2.20:1 50 - 500" | 0.8:1 50 - 200" |
| (diagonal) | | | | | | |
| Zoom Vertical keystone | Optical x1.6 Manual ±30° | Optical x1.6 Manual ±30° | Optical x1.6 Manual ±30° | Optical x1.6 Manual ±30° | Optical x1.6 Manual ±30° | Digital x1.35 Manual ±30° |
| Horizontal keystone Lens shift | Manual ±30° N/A | Manual ±30° ± 50% Vertical ± 20% Horizontal | Manual ±30° ± 50% Vertical ± 20% Horizontal | Manual ±30° ± 50% Vertical ± 20% Horizontal | Manual ±30° ± 50% Vertical ± 20% Horizontal | Manual ±30° ± 50% Vertical ± 20% Horizontal |
| Speaker output | 10W | 10W | 10W | 10W | 10W | 10W |
| Connectivity | VGA in x2, VGA out, HDMI in x2, HDBaseT, Miracast (when use ELPAP11), USB Type A, USB Type B, RS-232C, Ethernet, Wireless LAN a/n (5GHz) (optional) | HDMI in x2, HDMI out, HDBaseT, VGA in x2, VGA out, RS-232C, USB Type A x2, USB Type B, Screen Mirroring (Miracast) | HDMI in x2, HDMI out, HDBaseT, VGA in x2, VGA out, RS- 232C, USB Type A x2, USB Type B, Screen Mirroring (Miracast) | HDMI in x2, HDMI out, HDBaseT, VGA in x2, VGA out, RS- 232C, USB Type A x2, USB Type B, Screen Mirroring (Miracast) | HDMI in x2, HDMI out, HDBaseT, VGA in x2, VGA out, RS-232C, USB Type A x2, USB Type B, Screen Mirroring (Miracast) | HDMI in x2, HDMI out, HDBaseT, VGA in x2, VGA out, RS-232C, USB Type A x2, USB Type B, Screen Mirroring (Miracast) |
| Audio connectivity | Stereo mini in x2, Stereo mini out | Stereo mini in x2, Stereo mini out | Stereo mini in x2, Stereo mini out | Stereo mini in x2, Stereo mini out | Stereo mini in x2, Stereo mini out | Stereo mini in x2, Stereo mini out |
| Networking | LAN (RJ45) and optional wireless LAN unit | LAN (RJ45), built-in wireless and optional wireless LAN unit | LAN (RJ45), built-in wireless and optional wireless LAN unit | LAN (RJ45), built-in wireless and optional wireless LAN unit | LAN (RJ45), built-in wireless and optional wireless LAN unit | LAN (RJ45), built-in wireless and optional wireless LAN unit |
| Epson software solutions | Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Management, Epson Projector Content Manager | Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Professional Tool, Epson Projector Management, Epson Projector Content Manager, Epson Creative Projection | Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Professional Tool, Epson Projector Management, Epson Projector Content Manager, Epson Creative Projection | Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Professional Tool, Epson Projector Management, Epson Projector Content Manager, Epson Creative Projection | Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Professional Tool, Epson Projector Management, Epson Projector Content Manager, Epson Creative Projection | Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Professional Tool, Epson Projector Management, Epson Projector Content Manager, Epson Creative Projection |
| Other features | AVV mute, Arc correction, Edge blending, PC Free, Quick corner, Screen share, Source function, Ultra-wide display (16:6), Home Screen, AV mute, Split screen - up to 4 sources, Auto power on, Auto source search, Quick startup, Padlock, Security cable hole, Kensington lock, 360° installation, Wireless LAN unit lock | AV mute, USB content playback for source-free signage, Edge blending, Daisy chain multi-projection, Point and Arc correction, Schedule function, Split screen, Auto source search, Copy OSD settings, Padlock, Security cable hole, Kensington lock, 360° installation, Cable cover included | playback for source- free signage, Edge blending, Daisy chain multi-projection, Point and Arc correction, | AV mute, USB content playback for source-free signage, Edge blending, Daisy chain multi-projection, Point and Arc correction, Schedule function, Split screen, Auto source search, Copy OSD settings, Padlock, Security cable hole, Kensington lock, 360° installation, Cable cover included | AV mute, USB content playback for source-free signage, Edge blending, Daisy chain multi-projection, Point and Arc correction, Schedule function, Split screen, Auto source search, Copy OSD settings, Padlock, Security cable hole, Kensington lock, 360° installation, Cable cover included | AV mute, USB content playback for source-free signage, Edge blending, Daisy chain multi-projection, Point and Arc correction, Schedule function, Split screen, Auto source search, Copy OSD settings, Padlock, Security cable hole, Kensington lock, 360° installation, Cable cover included |
| Noise (dB) normal / eco | 39 / 27 | 31 / 23 | 38 / 27 | 38 / 27 | 38 / 27 | 38 / 27 |
| Weight (kg) | 7.8 | 8.2 | 8.4 | 8.4 | 8.4 | 8.4 |
| Dimensions exc. feet (W x D x H mm) Power consumption | 440 x 122 x 304 345W / 258W | 440 x 339 x 136 293W / 223W | 440 x 339 x 136 345W / 258W | 440 x 339 x 136 345W / 258W | 440 x 339 x 136 345W / 258W | 440 x 334 x 136 345W / 258W |
| normal / eco Power consumption | 0.3W | 0.3W | 0.3W | 0.3W | 0.3W | 0.3W |
| standby, comm. off | Yes | Yes | Yes | Yes | Yes | No |
| Standard interchangeable lens included | N/A | N/A | N/A | N/A | N/A | N/A |
| Warranty | 3 years | 3 years | 3 years | 3 years | 3 years | 3 years |

| EB-L635SU | EB-PU1006W | EB-PU1007W | EB-PU1007B | EB-PU1008W | EB-PU1008B | EB-PU2010W |
|---|--|--|--|--|---|--|
| | | | 1 | | 1 | |
| WUXGA (1920 x 1200) 16:10 6,000 / 4,200 | WUXGA (1920 x 1200) 16:10 6,000 / 4,200 | WUXGA (1920 x 1200) 16:10 7,000 / 4,900 | WUXGA (1920 x 1200) 16:10 7,000 / 4,900 | WUXGA (1920 x 1200) 16:10 8,500 / 5,950 | WUXGA (1920 x 1200) 16:10 8,500 / 5,950 | WUXGA (1920 x 1200) 16:10 10,000 / 7,000 |
| 2,500,000:1 Laser 20,000 / 30,000 | 2,500,000:1 Laser 20,000 / 30,000 | 2,500,000:1 Laser 20,000 / 30,000 | 2,500,000:1 Laser 20,000 / 30,000 | 2,500,000:1 Laser 20,000 / 30,000 | 2,500,000:1 Laser 20,000 / 30,000 | 2,500,000:1 Laser 20,000 / 30,000 |
| 0.8:1 | 1.44 - 2.32:1 | 1.44 - 2.32:1 | 1.44 - 2.32:1 | 1.44 - 2.32:1 | 1.44 - 2.32:1 | 1.57 - 2.56:1 |
| 50 - 200" | 50 - 1,000" | 50 - 1,000" | 50 - 1,000" | 50 - 1,000" | 50 - 1,000" | 60 - 1,000" |
| Digital x1.35 Manual ±30° Manual ±30° ± 50% Vertical ± 20% Horizontal 10W | Optical x1.6 Manual ±45° Manual ±30° ± 67% Vertical ± 30% Horizontal N/A | Optical x1.6 Manual ±45° Manual ±30° ±67% Vertical ±30% Horizontal N/A | Optical x1.6 Manual ±45° Manual ±30° ± 67% Vertical ± 30% Horizontal N/A | Optical x1.6 Manual ±45° Manual ±30° ± 67% Vertical ± 30% Horizontal N/A | Optical x1.6 Manual ±45° Manual ±30° ± 67% Vertical ± 30% Horizontal N/A | Optical x1.6 Manual ±45° Manual ±30° ± 60% Vertical ± 18% Horizontal N/A |
| HDMI in x2, HDMI out, HDBaseT, VGA in x2, VGA out, RS- 232C, USB Type A x2, USB Type B, Screen Mirroring (Miracast) | HDMI in (HDCP 2.3), DVI in, HDBaseT, VGA in, RS-232C, USB Type A, USB Type B (Service only), Remote, NFC | HDMI in (HDCP 2.3), DVI in, HDBaseT, VGA in, RS-232C, USB Type A, USB Type B (Service only), Remote, NFC | | HDMI in (HDCP 2.3), DVI in, HDBaseT, VGA in, RS-232C, USB Type A, USB Type B (Service only), Remote, NFC | HDMI in (HDCP 2.3), DVI in, HDBaseT, VGA in, RS-232C, USB Type A, USB Type B (Service only), Remote, NFC | HDMI in (HDCP 2.3), DVI in, HDBaseT, SDI in, SDI out, VGA in, RS-232C, USB Type A, USB Type B (Service only), Remote, NFC |
| Stereo mini in x2, Stereo mini out | Stereo mini out | Stereo mini out | Stereo mini out | Stereo mini out | Stereo mini out | Stereo mini out |
| LAN (RJ45), built-in wireless and optional wireless LAN unit | LAN (RJ45) and optional wireless LAN unit | LAN (RJ45) and optional wireless LAN unit | LAN (RJ45) and optional wireless LAN unit | LAN (RJ45) and optional wireless LAN unit | LAN (RJ45) and optional wireless LAN unit | LAN (RJ45) and optional wireless LAN unit |
| Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Professional Tool, Epson Projector Management, Epson Projector Content Manager, Epson Creative Projection | Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Professional Tool, Epson Projector Management, Epson Projector Content Manager, Epson Creative Projection, Epson Projector Config Tool | Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Professional Tool, Epson Projector Management, Epson Projector Content Manager, Epson Creative Projection, Epson Projector Config Tool | Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Professional Tool, Epson Projector Management, Epson Projector Content Manager, Epson Creative Projection, Epson Projector Config Tool | Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Professional Tool, Epson Projector Management, Epson Projector Content Manager, Epson Creative Projection, Epson Projector Config Tool | Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Professional Tool, Epson Projector Management, Epson Projector Content Manager, Epson Creative Projection, Epson Projector Config Tool | Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Professional Tool, Epson Projector Management, Epson Projector Content Manager, Epson Creative Projection, Epson Projector Config Tool |
| A/V mute, USB content playback for source-free signage, Edge blending, Daisy chain multi-projection, Point and Arc correction, Schedule function, Split screen, Auto source search, Copy OSD settings, Padlock, Security cable hole, Kensington lock, 360° installation, Cable cover included | 4K enhancement, HDR support, Powered zoom, Focus and lens shift, Lens memory, Interchangeable lens options including zero offset UST lens, Optional camera, Portrait projection, AV mute, USB content playback for source-free signage, Edge blending, | 4K enhancement, HDR support, Powered zoom, Focus and lens shift, Lens memory, Interchangeable lens options including zero offset UST lens, Optional camera, Portrait projection, AV mute, USB content playback for source-free | 4K enhancement, HDR support, Powered zoom, Focus and lens shift, Lens memory, Interchangeable lens options including zero offset UST lens, Optional camera, Portrait projection, AV mute, USB content playback for source-free signage, Edge blending, | 4K enhancement, HDR support, Powered zoom, Focus and lens shift, Lens memory, Interchangeable lens options including zero offset UST lens, Optional camera, Portrait projection, AV mute, USB content playback for source-free | 4K enhancement, HDR support, Powered zoom, Focus and lens shift, Lens memory, Interchangeable lens options including zero offset UST lens, Optional camera, Portrait projection, AV mute, USB content playback for source-free signage, Edge blending, Point correction, Curved surface and corner wall correction, 360° installation, Cable cover included | 4K enhancement, HDR support, Powered zoom, Focus and lens shift, Lens memory, Interchangeable lens options including zero offset UST lens, Optional camera, Daisy chain multi-projection, Portrait projection, AV mute, USB content playback for source-free |
| 38 / 27 | 30 / 28 | 33 / 29 | 33 / 29 | 35 / 30 | 35 / 30 | 37 / 30 |
| 8.4 440 x 334 x 136 | 15.4 545 x 436 x 164 | 16.3 545 x 436 x 164 | 16.3 545 x 436 x 164 | 16.3 545 x 436 x 164 | 16.3 545 x 436 x 164 | 16.8 545 x 436 x 164 |
| 345W / 258W | 367W / 310W | 431W / 366W | 431W / 366W | 535W / 452W | 535W / 452W | 535W / 452W |
| 0.3W | 0.5W | 0.5W | 0.5W | 0.5W | 0.5W | 0.5W |
| No | No | No | No | No | No | No |
| N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| 3 years | 3 years | 3 years | 3 years | 3 years | 3 years | 3 years |

| Model | EB-PU2010B | EB-L1500UH | EB-L1505UH | EB-L1715S | EB-L1750U | EB-L1755U |
|---|--|--|---|---|---|---|
| | (1) min | | | | | |
| Resolution Native aspect | WUXGA (1920 x 1200) 16:10 | WUXGA (1920 x 1200) 16:10 | WUXGA (1920 x 1200) 16:10 | SXGA+ (1400 x 1050) 4:3 | WUXGA (1920 x 1200) 16:10 | WUXGA (1920 x 1200) 16:10 |
| Colour Light Output (lumens) normal / eco | 10,000 / 7,000 | 12,000 / 8,400 | 12,000 / 8,400 | 15,000 / 10,500 | 15,000 / 10,500 | 15,000 / 10,500 |
| Contrast ratio Lightsource | 2,500,000:1 Laser | 2,500,000:1 Laser | 2,500,000:1 Laser | Over 2,500,000:1 Laser | 2,500,000:1 Laser | 2,500,000:1 Laser |
| Lightsource life (hours) normal / eco | 20,000 / 30,000 | 20,000 / 30,000 | 20,000 / 30,000 | 20,000 / 30,000 | 20,000 / 30,000 | 20,000 / 30,000 |
| Throw ratio in native aspect | 1.57 - 2.56:1 | 1.57 - 2.56:1 | 1.57 - 2.56:1 | 1.35 - 2.20:1 | 1.57 - 2.56:1 | 1.57 - 2.56:1 |
| Scalable image size (diagonal) | 60 - 1,000" | 60 - 500" | 60 - 500" | 50 - 500" | 60 - 500" | 60 - 500" |
| Zoom | Optical x1.6 | Optical x1.6 | Optical x1.6 | Optical x1.6 | Optical x1.6 | Optical x1.6 |
| Vertical keystone Horizontal keystone | Manual ±45° Manual ±30° | Manual ±45° Manual ±30° | Manual ±45° Manual ±30° | Manual ±45° Manual ±30° | Manual ±45° Manual ±30° | Manual ±45° Manual ±30° |
| Lens shift | ± 60% Vertical ± 18% Horizontal | ± 60% Vertical ± 18% Horizontal | ± 60% Vertical ± 18% Horizontal | ± 55% Vertical ± 19% Horizontal | ± 60% Vertical ± 18% Horizontal | ± 60% Vertical ± 18% Horizontal |
| Speaker output | N/A | N/A | N/A | 10W | N/A | N/A |
| Connectivity | HDMI in (HDCP 2.3), DVI in, HDBaseT, SDI in, SDI out, VGA in, RS-232C, USB Type A, USB Type B (Service only), Remote, NFC | HDBaseT, BNC in, HDMI in, DVI in, VGA out, VGA in, RS-232C, HD-SDI | HDBaseT, BNC in, HDMI in, DVI in, VGA out, VGA in, RS-232C, HD-SDI | HDBaseT, BNC in, HDMI in, DVI in, VGA out, VGA in, RS-232C | HDBaseT, BNC in, HDMI in, DVI in, VGA out, VGA in, RS-232C, HD-SDI | HDBaseT, BNC in, HDMI in, DVI in, VGA out, VGA in, RS-232C, HD-SDI |
| Audio connectivity | Stereo mini out | Stereo mini in x3, Stereo mini out | Stereo mini in x3, Stereo mini out | Stereo mini in x3, Stereo mini out | Stereo mini in x3, Stereo mini out | Stereo mini in x3, Stereo mini out |
| Networking | LAN (RJ45) and optional wireless LAN unit | LAN (RJ45) and optional wireless LAN unit | LAN (RJ45) and optional wireless LAN unit | LAN (RJ45) and optional wireless LAN unit | LAN (RJ45) and optional wireless LAN unit | LAN (RJ45) and optional wireless LAN unit |
| Epson software solutions | Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Professional Tool, Epson Projector Management, Epson Projector Content Manager, Epson Creative Projection, Epson Projector Config Tool | Epson Projector Management, Epson iProjection (Windows/ Mac), Epson iProjection App for iOS and Android, Web control, Epson Projector Professional Tool | Epson Projector Management, Epson iProjection (Windows/ Mac), Epson iProjection App for iOS and Android, Web control, Epson Projector Professional Tool | Epson Projector Management, Epson iProjection (Windows/ Mac), Epson iProjection App for iOS and Android, Web control, Epson Projector Professional Tool | Epson Projector Management, Epson iProjection (Windows/ Mac), Epson iProjection App for iOS and Android, Web control, Epson Projector Professional Tool | Epson Projector Management, Epson iProjection (Windows/ Mac), Epson iProjection App for iOS and Android, Web control, Epson Projector Professional Tool |
| Other features | 4K enhancement, HDR support, Powered zoom, Focus and lens shift, Lens memory, Interchangeable lens options including zero offset UST lens, Optional camera, Daisy chain multi-projection, AV mute, USB content playback for source-free signage, Edge blending, Point correction, Curved surface and corner wall correction, 360° installation, Cable cover included | blending, Portrait | Interchangeable lens options, Powered zoom, Focus and lens shift, Split screen, Point correction, Curved surface and corner wall correction, Lens memory, Integrated camera for colour calibration, 4K enhancement, 360° installation, Edge blending, Portrait projection | Interchangeable lens options including zero offset UST lens, Powered zoom, focus and lens shift, Split screen, Point correction, Curved surface and corner wall correction, Lens Memory, Integrated camera for colour calibration and diagnostic image capture, 360° installation, Edge blending, Portrait projection | Interchangeable lens options including zero offset UST lens, Powered zoom, focus and lens shift, Split screen, Point correction, Curved surface and corner wall correction, Lens Memory, Integrated camera for colour calibration and diagnostic image capture, 4K enhancement, 360° installation, Edge blending, Portrait projection | Interchangeable lens options including zero offset UST lens, Powered zoom, focus and lens shift, Split screen, Point correction, Curved surface and corner wall correction, Lens Memory, Integrated camera for colour calibration and diagnostic image capture, 4K enhancement, 360° installation, Edge blending, Portrait projection |
| Noise (dB) normal / eco | 37 / 30 | 37 / 30 | 37 / 30 | 40 / 32 | 40 / 32 | 40 / 32 |
| Weight (kg) | 16.8 | 23.7 | 23.7 | 24.0 | 24.1 | 24.1 |
| Dimensions exc. feet (W x D x H mm) | 545 x 436 x 164 | 586 x 492 x 211 | 586 x 492 x 211 | 586 x 492 x 211 | 586 x 492 x 211 | 586 x 492 x 211 |
| Power consumption normal / eco | 535W / 452W | 908W / 597W | 908W / 597W | 1024W / 647W | 1024W / 647W | 1024W / 647W |
| Power consumption standby, comm. off | 0.5W | 0.3W | 0.3W | 0.3W | 0.3W | 0.3W |
| TCO Certified | No | No | No | No | No | No |
| Standard interchangeable lens included | N/A | ELPLM15 | ELPLM15 | ELPLM15 | ELPLM15 | ELPLM15 |
| Warranty | 3 years | 5 years / 20,000hrs carry-in | 5 years / 20,000hrs carry-in | 5 years / 20,000hrs carry-in | 5 years / 20,000hrs carry-in | 5 years / 20,000hrs carry-in |

| EB-L20000U | EB-L30000U | EB-U50 | EB-W70 | EB-W75 | EV-110 | EV-115 |
|---|---|--|--|--|---|---|
| | | (III - O ·) | | P _ | | |
| WUXGA (1920 x 1200) 16:10 20,000 / 14,000 | WUXGA (1920 x 1200) 16:10 30,000 / 21,000 | WUXGA (1920 x 1200) 16:10 3,700 / 2,400 | WXGA (1280 x 800) 16:10 2,000 / 1,000 | WXGA (1280 x 800) 16:10 2,000 / 1,000 | WXGA (1280 x 800) 16:10 2,200 / 1,100 | WXGA (1280 x 800) 16:10 2,200 / 1,100 |
| 2,500,000:1 Laser 20,000 / 30,000 | 2,500,000:1 Laser 20,000 / 30,000 | 16,000:1 Lamp 10,000 / 17,000 | 2,000,000:1 Laser 12,000 / 20,000 | 2,000,000:1 Laser 12,000 / 20,000 | 2,500,000:1 Laser 20,000 / 30,000 | 2,500,000:1 Laser 20,000 / 30,000 |
| 1.57 - 2.56:1 | 1.74 - 2.35:1 | 1.38 - 1.68:1 | 1.04 - 1.4:1 | 1.04 - 1.4:1 | 1.38 - 2.19:1 | 1.38 - 2.19:1 |
| 60 - 1,000" | 100 - 1,000" | 30 - 300" | 30 - 150" | 30 - 150" | 30 - 150" | 30 - 150" |
| Optical x1.6 Manual ±45° Manual ±30° ± 60% Vertical ± 18% Horizontal N/A | Optical x1.4 Manual ±45° Manual ±30° ± 65% Vertical ± 30% Horizontal N/A | Optical x1.2 Automatic ±30° Manual ±30° N/A | Digital x1.35 Manual ±45° Manual ±40° N/A 5W | Digital x1.35 Manual ±45° Manual ±40° N/A 5W | Optical x1.6 Manual ±45° Manual ±40° N/A | Optical x1.6 Manual ±45° Manual ±40° N/A N/A |
| VGA in, VGA out, DVI in, BNC in, HDBaseT, 3G-SDI, HDMI (HDCP 2.2) | VGA in, VGA out, DVI in, BNC in, HDBaseT, HD-SDI, HDMI (HDCP 2.2) | VGA in, VGA out, HDMI x 2, USB Type A (for 1,200mA power supply), USB Type B (for firmware updates), RS-232C | HDMI in, USB Type A (2A power supply) | HDMI in, USB Type A (2A power supply) | SD card, HDMI in, USB Type A (for GPI function or 5V/2A power supply), USB Type B (for firmware updates) | SD card, HDMI in, USB Type A (for GPI function or 5V/2A power supply), USB Type B (for firmware updates) |
| N/A | N/A | Stereo mini in x2, Stereo mini out | Stereo mini out | Stereo mini out | Stereo mini out, Bluetooth | Stereo mini out, Bluetooth |
| LAN (RJ45) and wireless LAN | LAN (RJ45) and optional wireless LAN unit | LAN (RJ45) and wireless LAN | N/A | N/A | LAN (RJ45) and wireless LAN | LAN (RJ45) and wireless LAN |
| Epson Projector Management, Epson iProjection (Windows/ Mac), Epson iProjection App for iOS and Android, Epson Projector Professional Tool | Epson Projector Management, Epson iProjection (Windows/ Mac), Epson iProjection App for iOS and Android, Epson Projector Professional Tool | Epson iProjection (Windows/Mac), Epson iProjection App for iOS and Android, Epson Projector Management, Epson Projector Content Manager | N/A | N/A | Epson iProjection (Windows/Mac), Epson iProjection App for iOS and Android, Epson Projector Management, Epson Projector Content Manager, Epson Creative Projection | Epson iProjection (Windows/Mac), Epson iProjection App for iOS and Android, Epson Projector Management, Epson Projector Content Manager, Epson Creative Projection |
| Fully sealed optical system, Interchangeable lens options, Powered zoom, Focus and lens shift, Lens memory, Integrated camera for colour calibration, 360° installation, Edge blending, Portrait projection, Dual link DisplayPort input board, 900mA DC Output. Also available in white (EB-L20002U) | Fully sealed optical system, Interchangeable lens options, Powered zoom, Focus and lens shift, Lens memory, Integrated camera for colour calibration, 4K enhancement, 360° installation, Edge blending, Portrait projection, Epson Projector Professional Tool. Also available in white (EB-L30002U) | Home screen, Schedule function, Auto source search, AV mute, USB playback for source free signage, Optional lighting track mount and ceiling mount/floor stand | 360° installation, AV mute, Kensington lock, Optional lighting track mount and ceiling/floor stand | 360° installation, AV mute, Kensington lock, Optional lighting track mount and ceiling/floor stand | Constant brightness mode, Home screen, Schedule function, Auto source search, AV mute, SD card playback for source free signage, Optional lighting track mount and floor stand, Edge blending, 360° installation, Built-in media player, GPI function | Constant brightness mode, Home screen, Schedule function, Auto source search, AV mute, SD card playback for source free signage, Optional lighting track mount and floor stand, Edge blending, 360° installation, Built-in media player, GPI function |
| 45 / 38 | 49 / 41 | 37 / 28 | 29 / 26 | 29 / 26 | 34 / 22 | 34 / 22 |
| 49.6 620 x 790 x 359 | 63.8 790 x 710 x 299 | 3.1 364 x 248 x 95 | 2.7 210 x 227 x 88 | 2.7 210 x 227 x 88 | 5.0 Projection unit 175 x 260 x 175 Power supply 361 x 110 x 65 | 5.0 Projection unit 175 x 260 x 175 Power supply 361 x 110 x 65 |
| 1,860W / 1,123W | 2,325W / 1,511W | 285W / 218W | 172W / 115W | 172W / 115W | 149W / 122W | 149W / 122W |
| 0.5W | 0.5W | 0.3W | 0.4W | 0.4W | 0.4W | 0.4W |
| No | No | No | No | No | No | No |
| N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| 5 years / 20,000hrs carry-in | 5 years / 20,000hrs carry-in | Projector - 3 years Lamp - 1 year / 1,000hrs | 2 years / 7,500hrs | 2 years / 7,500hrs | 5 years / 12,000hrs | 5 years / 12,000hrs |

| Model | EB-L250F | EB-L255F | EB-750F | EB-755F | EB-800F | EB-805F |
|---|--|--|---|---|--|--|
| | | - 3 | 1940N | 19901 | | |
| Resolution | Full HD (1920 x 1080) | Full HD (1920 x 1080) | Full HD (1920 x 1080) | Full HD (1920 x 1080)) | Full HD (1366 x 768 x 2) | Full HD (1366 x 768 x 2) |
| Native aspect | 16:9 | 16:9 | 16:9 | 16:9 | 16:9 | 16:9 |
| Colour Light Output (lumens) normal / eco | 4,500 / 3,150 | 4,500 / 3,150 | 3,600 / 2,500 | 3,600 / 2,500 | 5,000 / 3,500 | 5,000 / 3,500 |
| Contrast ratio | 2,500,000:1 | 2,500,000:1 | 2,500,000:1 | 2,500,000:1 | 2,500,000:1 | 2,500,000:1 |
| Lightsource | Laser | Laser | Laser | Laser | Laser | Laser |
| Lightsource life (hours) normal / eco | 20,000 / 30,000 | 20,000 / 30,000 | 20,000 / 30,000 | 20,000 / 30,000 | 20,000 / 30,000 | 20,000 / 30,000 |
| Throw ratio in native aspect | 1.33 - 2.16:1 | 1.33 - 2.16:1 | 0.26 - 0.36:1 | 0.26 - 0.36:1 | 0.27 - 0.37:1 | 0.27 - 0.37:1 |
| Scalable image size (diagonal) | 40 - 500" | 40 - 500" | 65 - 120" 16:9 aspect 60 - 110" 16:6 aspect | 65 - 120" 16:9 aspect 60 - 110" 16:6 aspect | 65 - 130" 16:9 aspect 61 - 120" 16:6 aspect | 65 - 130" 16:9 aspect 61 - 120" 16:6 aspect |
| Zoom | Optical x1.62 | Optical x1.62 | Digital x1.35 | Digital x1.35 | Digital x1.35 | Digital x1.35 |
| Vertical keystone Horizontal keystone | Manual ±30° Manual ±30° | Manual ±30° Manual ±30° | Manual ±3° Manual +3° | Manual ±3° Manual ±3° | Manual ±3° Manual ±3° | Manual ±3° Manual ±3° |
| Lens shift | N/A | N/A | N/A | N/A | N/A | N/A |
| Consideration | 100 | 1014/ | 10\\ | 10\\\ | 0.4 0.14/ | 00\\/ |
| Speaker output Connectivity | 16W VGA in x2, VGA out, | 16W VGA in x2, VGA out, | 16W VGA in x2, VGA out, | 16W VGA in x2, VGA out, | 2x 8W VGA in x2, VGA out, | 2x 8W VGA in x2, VGA out, |
| Connectivity | HDMI in x2, Composite | HDMI in x2, Composite | HDMI in x3, Composite | HDMI in x3, Composite in, RS-232C, USB Type A x2, USB Type B, Screen Mirroring (Miracast) | HDMI in x3, HDMI out, Composite in, | HDMI in x3, HDMI out, Composite in, |
| Audio connectivity | Stereo mini in x2, Stereo mini out | Stereo mini in x2, Stereo mini out | Stereo mini in x3, Stereo mini out | Stereo mini in x3, Stereo mini out | Stereo mini in x2, Stereo mini out | Stereo mini in x2, Stereo mini out |
| Networking | LAN (RJ45), built-in wireless and optional wireless LAN unit | LAN (RJ45), built-in wireless and optional wireless LAN unit | LAN (RJ45), built-in wireless and optional wireless LAN unit | LAN (RJ45), built-in wireless and optional wireless LAN unit | LAN (RJ45) and optional wireless LAN unit | LAN (RJ45) and optional wireless LAN unit |
| Epson software solutions | Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Management, Epson Projector Content Manager, Epson Creative Projection | Epson iProjection (Windows/Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Management, Epson Projector Content Manager, Epson Creative Projection | Epson iProjection (Windows/ Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Management, Epson Projector Content Manager, Epson Creative Projection | Epson iProjection (Windows/ Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Management, Epson Projector Content Manager, Epson Creative Projection | Epson iProjection (Windows/ Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Management, Epson Projector Content Manager, Epson Creative Projection | Epson iProjection (Windows/ Mac), Epson iProjection App for iOS, Android and Chromebook, Epson Projector Management, Epson Projector Content Manager, Epson Creative Projection |
| Other features | A/V mute, USB content playback for source-free signage, Edge blending, Point and Arc correction, Schedule function, Auto source search, Copy OSD settings, Padlock, Security cable hole, Kensington lock, 360° installation, Optional lighting track mount and ceiling/floor stand | AVV mute, USB content playback for source-free signage, Edge blending, Point and Arc correction, Schedule function, Auto source search, Copy OSD settings, Padlock, Security cable hole, Kensington lock, 360° installation, Optional lighting track mount and ceiling/floor stand | 16:6 display, AV mute, USB content playback for source-free signage, Edge blending, Point and Arc correction, Schedule function, Auto source search, Copy OSD settings, DICOM colour mode, 360° installation, Optional wall mount | 16:6 display, AV mute, USB content playback for source-free signage, Edge blending, Point and Arc correction, Schedule function, Auto source search, Copy OSD settings, DICOM colour mode, 360° installation, Optional wall mount | and Arc correction, Schedule function, Auto source search, Copy | 16:6 display, Multi-projection via daisy chain, AV mute, USB content playback for source-free signage, Edge blending, Point and Arc correction, Schedule function, Auto source search, Copy OSD settings, DICOM colour mode, Padlock, Security cable hole, Kensington lock, 360° installation, Optional wall mount |
| Noise (dB) normal / eco | 37 / 28 | 37 / 28 | 36 / 26 | 36 / 26 | 36 / 27 | 36 / 27 |
| Weight (kg) | 4.3 | 4.3 | 5.7 | 5.7 | 9.2 | 9.2 |
| Dimensions exc. feet (W × D × H mm) | 325 x 299 x 90 | 325 x 299 x 90 | 356 x 395 x 133 | 356 x 395 x 133 | 458 x 210 x 375 | 458 x 210 x 375 |
| Power consumption normal / eco | 254W / 193W | 254W / 193W | 255W / 197W | 255W / 197W | 366W / 262W | 366W / 262W |
| Power consumption standby, comm. off | 0.5W | 0.5W | 0.5W | 0.5W | 0.5W | 0.5W |
| TCO Certified | No | No | No | No | Yes | Yes |
| Standard interchangeable lens included | N/A | N/A | N/A | N/A | N/A | N/A |
| Warranty | 5 years / 12,000hrs | 5 years / 12,000hrs | 5 years / 12,000hrs | 5 years / 12,000hrs | 5 years / 12,000hrs | 5 years / 12,000hrs |

| Model | ELPWP10 | ELPWP20 |
|--|--|---|
| | | |
| Compatible displays | EB-1480Fi, EB-1485Fi, EB-L200F, EB-L200W, EB-L200SW, EB-L200SX, EB-L250F, EB-L255F, EB-720, EB-725W, EB-725Wi, EB-735Fi, EB-735Fi, EB-755F, EB-L520U, EB-L530U, EB-L630U, EB-L630SU, EB-L635SU, EB-L720U, EB-L730U and EB-L735U | All HDMI displays |
| Receiver | | |
| Inputs | 2x HDMI (HDCP2.3, CEC), Miracast R2, Miracast (display dependent), USB-A, Mini-USB-B (for service use), iProjection | 2x HDMI (HDCP2.3, CEC), Miracast R2, Miracast, USB-A, Mini-USB-B (for service use), iProjection |
| Compatible with Epson Document Cameras | Yes | Yes |
| Connect via network infrastructure | Display dependent | Yes (RJ45) |
| Frame rate (max) | 18 fps | 18 fps |
| Number of sources simultaneously displayed | 1 to 4 | 1 to 4 |
| Max. number of sources simultaneously connected (including transmitters) | 6 | 6 |
| Number of transmitters included | 2 | 2 |
| Screen sharing (Miracast R2) | Yes - Display dependent | Yes |
| Auto power on display | Yes (CEC) | Yes (CEC) |
| Video output | HDMI (HDCP2.3, CEC, 1080p) | HDMI (HDCP2.3, CEC, 1080p) |
| Audio output | Stereo mini | Stereo mini |
| Noise level | Fanless | Fanless |
| Transmitter cradle included | Yes (capacity: 6) | Yes (capacity: 6) |
| Warranty | 3 years | 3 years |
| Transmitters | o your | - System |
| Max. supported resolution | WUXGA (1920x1200) | WUXGA (1920x1200) |
| Compatible operating systems | Windows 8.1 or higher, MacOS 10.13-11.0 | Windows 8.1 or higher, MacOS 10.13-11.0 |
| Source device ports | USB-A, USB-C | USB-A, USB-C |
| Epson Wireless Presentation app (Windows and Mac) | Built into the transmitters | Built into the transmitters |
| Connection type - transmitter | Peer to peer WiFi | Peer to peer WiFi |
| Maximum range | 10m | 10m |
| Wireless transmission protocols | WiFi 5 (802.11a/b/g/n/ac) | WiFi 5 (802.11a/b/g/n/ac) |
| User selectable WiFi channel | Yes | Yes |
| User selectable transmitter bandwidth options | High quality (25Mbps), Standard quality (15Mbps), Low quality (7Mbps) | High quality (25Mbps), Standard quality (15Mbps), Low quality (7Mbps) |
| Pairing methods | Via PC using Configuration Tool or connecting transmitter to receiver for approx 3 seconds | Via PC using Configuration Tool or connecting transmitter to receiver for approx 3 seconds |
| Easy to disinfect the transmitters | Yes | Yes |
| Warranty | 3 years | 3 years |
| Security | o years | 3 years |
| Authentication | Simple AP: WPA2-Personal | Simple AP: WPA2-Personal |
| | Infrastructure: WPA2/WPA3-Personal, WPA2/WPA3-Enterprise | Infrastructure: WPA2/WPA3-Personal, WPA2/WPA3-Enterprise |
| Transmission encryption Transmitter application requirements - | RSA AES-128-bit with new public key each session No (app runs directly from transmitter) | RSA AES-128-bit with new public key each session No (app runs directly from transmitter) |
| Installation Transmitter application requirements - | No | No |
| Administrator privileges Transmitter security | Transmitter storage is read only | Transmitter storage is read only |
| iProjection | | |
| Connection type | Either via infrastructure network or simple connection (direct WiFi) | Either via infrastructure network or simple connection (direct WiFi) |
| Source device (iProjection) operating systems | Windows, MacOS, iOS, Android, Chromebook | Windows, MacOS, iOS, Android, Chromebook |
| Moderator function compatible | Yes | Yes |
| Software | | |
| iProjection | Download from Epson website (Windows / Mac) or the relevant | Download from Epson website (Windows / Mac) or the relevant |
| Epson Wireless Presentation app | app store (iOS, Android and Chomebook) Built into the transmitters | app store (iOS, Android and Chomebook) Built into the transmitters |
| (Windows and Mac) | | |
| Options | | |
| Additional transmitters | ELPWT01 - Wireless Transmitter | ELPWT01 - Wireless Transmitter |
| What's in the box | The same of the sa | |
| | Wireless Transmitter (ELPWT01) x2, Wireless Transmitter tray, Wireless LAN unit (ELPAP11), user guide, safety and support guide, quick start guide, regulatory compliance information | Wireless Transmitter (ELPWT01) x2, Wireless Transmitter tray, HDMI cable (1.8m), user guide, safety and support guide, quick start guide, regulatory compliance information, wireless receiver (ELPBU01), AC power adapter for Wireless Receiver, power cable for Wireless Receiver, remote control for Wireless Receiver, batteries for remote control, AC power adapter holder, wall mount unit for Wireless Receiver |
| | | |









- 1 2001 to 2020, 500-lumen and above, excluding screenless TVs, Futuresource Consulting Quarterly Projector Market Insights Worldwide Analyzer CY20Q4.
 - ${\small 2\ Networking\ not\ available\ on\ all\ products,\ please\ check\ product\ specifications\ for\ details.}\\$
 - 3 Colour brightness (colour light output) in brightest mode, measured by a third-party lab in accordance with IDMS 15.4. Colour brightness will vary depending on usage conditions. Top-selling Epson 3LCD projectors versus top-selling 1-chip DLP projectors based on NPD sales data for October 2019 through September 2020.
 - 4 Epson achieved certification by TCO Certified for selected families of projectors. TCO Certified is the world's most comprehensive sustainability certification for IT products, which must meet life cycle criteria for social and environmental sustainability. For more information, please visit https://tcocertified.com

For further information please contact your local Epson office or visit www.epson-europe.com

Algeria (+2213) 770 938 617 Austria 01 253 49 78 333 Belgium +32 (0)2 792 04 47 Czech 800/142 052 Denmark 44 50 85 85 East Africa (+254) 734 354 075
Finland 0201 552 091 France 09 74 75 04 04 (Cost of local call, operator charges may apply) Germany +49 (0) 2158/92 79 500 Greece (0030) 211 198 62 12
Hungary 0800 147 83 Ireland 01 436 7742 Israel (+972)-3-575 1833 Italy 02-660321 10 (0,12 6000) 11 (0,12 600) 11

EPSON[®]