Business imaging security solutions



Protect network security wherever printing happens

It's easy to overlook important security measures with any networked devices in your business. And while you may not have considered it, multifunction printers (MFPs), scanners and any other connected or networked device can be open to security weaknesses.

The rise of home and hybrid working has amplified this risk. A study by Quocirca¹ found that while 70% of IT decision-makers believe printing is critical or very important to their business, 31% are concerned about the security risks associated with remote/home printing and just 19% feel completely confident that their print infrastructure is secure.

With the average cost of a print-related data breach standing at €865k*, it isn't something you can afford to take lightly.

Thanks to Epson's approach to printer security, however, it is a risk you can mitigate, no matter where your business printing happens.

70%
of IT decision-makers believe printing is critical or very important to their business

31% are concerned about the

are concerned about the security risks associated with remote/home printing

19%
feel completely confident that their print infrastructure is secure



Epson's security approach

Strengthening the network capabilities of your devices is key to our security approach. To ensure the security of Epson devices throughout their lifecycle, every Epson WorkForce printer is built on three core principles:

- 1. Product security is the basis for quality
- 2. Information and knowledge about security is actively shared, so you're always up to date
- 3. Vulnerabilities are constantly reviewed to maximise device protection

Security features designed around you

Protected data and secure networks come as standard with Epson's MFPs, using features that can help with your General Data Protection Regulation (GDPR) and Corporate Social Responsibility (CSR). These security measures, integrated directly into our products, gives you the assurance that your business meets your security requirements.

Secure printing and scanning

You can ensure document privacy and prevent unauthorised people from viewing unattended output at the device, by submitting your documents as a 'Confidential Job' from the print/scan driver.

Restricting access to functions on the device can be done using the front panel lock.

On device

With Epson Device Admin, on-device security becomes easier to manage. Compatible with a wide range of our networked printers, it allows users to control everything via a smart and intuitive interface. Using one uniform tool, administrators can secure their printing and imaging, including remotely locking screens to prevent unauthorised profile amendments.

Secure communication

Filter IP addresses, services, reception and transmission port numbers that have access to Epson devices. You can also encrypt all network communication using the IPSec function.

PDF protection

Add password protection functionality³ to scanned PDF files to protect against unauthorised viewers and prevent document editing and printing.

Document processing and data management

Manage multiple tasks centrally,from scan job profiles to user access rights. Administrators can manage a variety of tasks centrally from scan job profiles to user access rights. IT administrators have the ability to control access rights to jobs in a number of ways including User ID and password, LDAP Active Directory, ID Card log in, and pin code.

Security recognised around the world

At Epson, we benchmark our security on a global scale. We meet ISO/IEC 15408³, also called Common Criteria (CC), which is an international standard for security measures in IT products and systems, and CCRA certification, which demonstrates that the product has been certified in accordance with the Japan Information Technology Security Evaluation and Certification Scheme (JISEC).







Network security

With network security a major priority, administrators can set up individual permissions and restrictions on a wide range of network tasks. With our WorkForce Enterprise 2 printers, administrators can also filter IP addresses, types of service, reception and transmission port numbers using the IP Sec/IP Filtering function. While deciding whether to accept or block specific IP addresses. We also support SNMPv3 email encryption and TLS1.3.



Protecting your all-in-one printer

For additional protection for your printers, you can choose to block access from a computer via USB, and disable the memory card and USB memory interfaces. You can also use anti-copy watermarking² to prevent unauthorised duplication of original documents and PDF encryption² to ensure digital documents remain safe.



Secure print/scan

The 'confidential job' option means you can protect document privacy and prevent any unwanted viewing of unattended output.



WPA3

Epson's lastest MFPs support WPA3², which is the latest authentication and encryption technology for WiFi (wireless LAN), giving businesses more robust and stronger protection for their data over the wireless network.



Document protection

Authentication printing, authentication scanning and job logging.



Access control

User authentication and function restrictions.



Device protection

Firmware signature verification, secure boot and new malware runtime intrusion detection.



User data protection

You can also set unique passwords for shared boxes², documents, and address books on your Epson printers. For complete security, data is cleared from the printer once jobs are completed or the power is switched off. If the device has a hard disk, all data is encrypted and data is erased after every print job. For added protection the administrator can also overwrite the hard drive.

Read more in our security guide book at epson.eu/bi-security-solutions

Data protection

HDD encryption, HDD safe data erasure, Trusted Platform Module (TPM) and password encryption.

Encryption of Saved Data in HDD

We always protect customer data with encryption when saving data onto an internal HDD on an all-in-one printer. Encrypting the data prevents unauthorized access or malicious attack to personal data if the HDD is stolen. The HDD comes with a self-encrypting drive, and the document data is encrypted with AES-256.



Sequential Deletion of Job Data

When enabled, the deleted data in the hard disk² is overwritten in the following ways to prevent from restoration. There are several options:

- 1. Quick deletion: The encryption key is changed to prevent deleted data from restoration.
- 2. Secure sequential deletion: The encryption key is changed, and the deleted data on hard drive are overwritten with "0's" to further ensure the deleted data cannot be recovered.

Please refer to the user manual of your product for a detailed explanation on job data deletion.




TPM

In models with TPM (Trusted Platform Module), the security level improves as follows:

- The encryption keys for restoring encrypted passwords and private key information are stored on the TPM chip.
- The TPM chip can be protected from unauthorized analysis at the hardware level, since the TPM chip cannot be accessed from outside the printer.
- TPMs true random numbers are used as session keys for communication with the browser (Web Config).
- TPMs true random numbers are used in generating authentication keys for the encrypted HDD.

The all-in-one printer has a TPM 2.0 chip.



Product Name	WorkForce Enterprise			AM-C		
	WF-C21000	WF-C20600	WF-C20750	AM-C6000	AM-C5000	AM-C4000
Туре	A3	A3	A3	A3	A3	A3
Network Security	<u>'</u>					
TLS Communication	~	~	~	~	~	~
TLS1.1	~	~	~	~	~	✓
TLS1.2	~	~	~	~	~	~
TLS1.3	✓ *1	✓ *1	✓ *1	~	~	~
Controlling Protocol Permissions and exclusions	~	~	~	~	~	V
IPsec/IP Filtering	V	~	~	V	~	V
IKEv1	V	~	~	V	~	✓
IKEv2	V	~	~	~	~	V
ESP:AES-CBC-128/AES-CBC-192/AES-CBC-256/3DES	~	~	~	~	~	V
ESP:AES-GCM-128/AES-GCM-192/AES-GCM-256	~	~	~	~	~	V
ESP/AH:SHA-1/MD5	~	V	~	~	~	V
ESP/AH:SHA-256/SHA-384/SHA-512	~	~	~	~	~	V
IEEE802.1X Authentication	~	~	~	~	~	V
EAP-TLS	~	~	~	V	/	~
PEAP-TLS	~	~	~	V	· /	~
PEAP/MSCHAPv2	~	· /	· /	· ·	~	~
EAP-TTLS	~	<i>V</i>	~	<i>'</i>	~	~
AES128/AES256/3DES/RC4	~	· /	· /	~	/	~
SNMPv3	~	· /	~	~	<i>'</i>	~
WPA3	~	· /	,	~	~	~
Separation Between Interfaces	· /	· /	~	~	~	~
Protecting Your All-in-one Printer	•			•		
Block USB Connection from Computer	V	V	V	V	V	V
•		~	,	~	~	~
Disabling the External Interface	~	~	,	~	~	~
Handling Viruses Introduced by USB Memory	•	_		•		
Print / Scan Security Confidential Jobs	✓ *2	√ *2	√ *2	V	V	V
	√ *2	√ *2	√ *2	✓ *2	✓ *2	
Anti-Copy Pattern			✓ Z ✓*2			✓ *2
Watermark	✓ *2	√ *2 ✓	V	✓ *2	✓ *2	√ *2 ✓
PDF Encryption	~	<i>V</i>	~	~	~	~
S/MIME			~	~	~	~
AES-128/AES-192/AES-256/3DES	<i>V</i>	V	<i>V</i>		<i>V</i>	<i>V</i>
SHA-1/SHA-256/SHA-384/SHA-512/MD5			•			
Fax Security	✓	✓	✓	✓	✓	✓
Fax Security						
Domain Restrictions	✓ *1	✓ *1	✓ *1	~	✓	~
Authorization Password for Scan to network Folder/FTP, Scan to Email, and Email Notification	-	-	-	✓ *1	✓ *1	✓ *1
Secure Printing	V	✓	✓	V	✓	V
Default Disabling of File Access from PDL	✓ *1	✓ *1	✓ *1	✓	✓	✓
Direct Dialing Restrictions	✓ *3	✓ *3	✓ *3	✓ *3	✓ *3	✓ *3
Confirmation of Address List	✓ *3	✓ *3	✓ *3	✓ *3	✓ *3	✓ *3
Dial Tone Detection	✓ *3	✓ *3	✓ *3	✓ *3	✓ *3	✓ *3
Measures Against Abandoned Faxes	✓ *3	✓ *3	✓ *3	✓ *3	✓ *3	✓ *3
Transmission Confirmation Report	✓ *3	✓ *3	✓ *3	✓ *3	✓ *3	✓ *3
Deleting the Backup Data for Received Faxes	✓ *3	✓ *3	✓ *3	✓ *3	✓ *3	✓ *3
Dolotting the Dathap Data for Hoodived Lanco	✓ *3	✓ *3	✓ *3	✓ *3	✓ *3	✓ *3

^{*1.} To use this function, update the printer firmware to the latest version.
*2. Only supported the windows printer driver.
*3. Only available when the option fax board is installed.

	WorkForce Enterprise			AM-C		
Product Name	WF-C21000	WF-C20600	WF-C20750	AM-C6000	AM-C5000	AM-C4000
Туре	A3	A3	A3	A3	A3	A3
Security features through compatibility with 3rd Party Softwar	e					
Open Platform compliant model	✓	V	V	V	V	V
Epson Print Admin						
Quota, print rules and policies	✓	V	~	v	✓	V
User authentication via ID Cards/Login credentials/PIN code	~	V	✓	V	✓	✓
Access to the functions assigned to role or department	✓	✓	✓	✓	~	✓
Personalisation of MFP menu per group or individual	~	✓	✓	✓	~	V
Pull printing	~	V	~	✓	V	V
Direct printing	~	V	v	V	v	V
Scan and send-to-me (Email, folder)	/	✓	~	v	~	~
Scan to Cloud services (OneDrive for Business, SharePoint online, Google Drive)	~	•	V	V	~	V
Advanced scan workflow settings	/	V	~	V	/	~
Synchronization with Directory Service (LDAP, Open LDAP, Azure AD, Azure AD DS, Google Secure LDAP & Google Cloud Directory)	~	V	~	~	~	~
Scan to password protected PDF files	_	V	~	~	_	~
Epson Print Admin Serverless	·		·	·	·	
User authentication via ID Cards/Login credentials/PIN code	V	V	V	V	V	V
Complete control of devices actions per individual		~	~	~	· ·	7
Pull printing	· /	· ·	~	~	· ·	7
	,	~	~	~	.,	./
Direct printing	· ·	· ·	~	~	.,	
Scan and send-to-me (Email, folder)	, , , , , , , , , , , , , , , , , , ,	~	~	~	.,	.,
Tracking and reporting	, , , , , , , , , , , , , , , , , , ,	~		~	.,	.,
Synchornization with Directory Service (LDAP and Open LDAP)	~	~	<i>V</i>	~		~
Print Quota support	•	•			•	
User Data Protection	V				.4	
Box Security		<i>V</i>	<i>V</i>	<i>V</i>		<i>V</i>
Protecting Your Address Book		<i>V</i>		.,		.,
Data Handling Processed by an All-in-one Printer		<i>V</i>	,	,		
Encryption of Saved Data in Hard Disk		V				
Sequential Deletion of Job Data	<i>V</i>	V	<i>,</i>	<i>V</i>	V	<i>V</i>
Password Encryption	/	✓	<i>\rightarrow</i>	<i>V</i>		
TPM	✓ *4	✓ *4	✓ *4	✓	✓	V
Operational Limitation						
Panel Lock	~	/	•	/	~	~
Access Control	~	✓	•	✓	~	~
Authenticated Printing	✓ *5	✓ *5	✓ *5	✓ *5	✓ *5	✓ *5
Password Policy	~	~	~	~	~	~
Audit Log	✓	V	V	~	✓	V
Printer Security						
Automatic Firmware Updates	V	V	•	✓	✓	•
Security Measures When You Dispose of Printer						
Restore Factory Default	~	V	v	v	~	~
Security Certification and Standards						
ISO15408/IEEE2600.2™	~	•	~	✓ *6	✓ *6	✓ *6

^{*4.} May not be supported depending on the region. Please contact the local sales office for availability in your country. *5. Requires authenticated printing method. *6. Available Q4 2023.

Contac	ct your Epson Sales Representative for more information.
Name:	
Phone:	
Email:	

EPSON and WorkForce are registered trademarks and EPSON Exceed Your Vision is a registered logomark of Seiko Epson Corporation. All other product and brand names are trademarks and/or registered trademarks of their respective companies. Epson disclaims any and all rights in these marks.

- 1. 'The Print Security Landscape, 2023 Securing the print infrastructure amidst a growing threat landscape', Quocirca, May 2023.
- 2. For a full list of model specifications visit www.epson.eu/bi-security-solutions.
- 3. ISO/IEC 15408 does not come with standard configuration. Special firmware and special setup process required.
- Applicable for WorkForce Enterprise 2
- 5. Applicable for AM-C series



For further information please contact your local Epson office or visit www.epson.eu/contact-us

Algeria +213 770 938 617 Austria 01 253 49 78 333 Belgium +32 (0)2 792 04 47 Czech +420 246 037 281 Denmark 44 50 85 85 Ethiopia +254700760366

Finland 09-3158 3267 France 09 74 75 04 04 (Cost of local call, operator charges may apply) Germany +49 (0) 2159/92 79 500 Greece (0030) 211 198 62 12

Hungary 08800 147 83 Ireland 01 436 7742 Israel (+972)-3-5751833 Italy 02-680321 10 (0,12 €/min) Kenya +254 207 904 566 Luxembourg +352 27860892

Middle East +9714 2677638 Morocco +212 520 134 040 Netherlands +31 (0)20 708 5099 Norway +47 67 11 37 00 Poland +48 22 295 37 25 (0,16 2/min)

Portugal 707 222 111 Romania 0040 214025024 Slovakia +421 232 786 682 Southern Africa +27 (0) 1019 5320 Spain 935 821 500 Sweden +46 8 5051 3701 (Mobilsamtal – 0,98 kr/min, Lokala samtal – 0,38 kr/min, Ustadissamtal – 0,38 kr/min, Ustadissamtal – 0,38 kr/min, Ustadissamtal – 0,30 kr/min) Switzerland 022 592 7923 Tanzania +255 080 011 1014

Tunisia +216 9811 5564 Turkey (0212) 3360303 Uganda +256 205 491 148 United Kingdom 0871 42 37766 (+10p per minute plus network extras) West Africa +2349046648285

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners. Product information is subject to change without prior notice.

