High quality, reliable printing



EPSON[®]

Greater productivity with exceptional print quality

The SurePress L-4733A/AW Inkjet Digital Label Press is designed and manufactured by Epson to deliver versatile printing, while maintaining consistent quality.

With a 6-colour ink set CMYKOG, plus optional white ink the SurePress It allows label producers to meet the ever-changing creative needs, through high

New ink, additional print modes and greater automation

The enhanced water-based inks with improved wettability offer substrate and application flexibility, together with faster print modes, and greater automation,


















Food and Beverages









Variable sized droplet technology


Printing with larger sized droplets delivers solid vibrant colours, whilst the combination of smaller sized droplets and the edge smoothing function provides crisp lines for fine text and barcodes.




Variable sized droplet technology



Printing with larger droplets provides solid vibrant colours.








Use edge smoothing function for sharp text and crisp lines

Opaque AQ white ink

This bright opaque white ink, can be printed on top or underneath colours and expand the range of applications to meet customers needs.





The SurePress L-4733A/AW provides the flexibility of





Streamlined production

With many years of experience in labelling technology, research and development, Epson is perfectly placed to fill the needs of all customers. Whether they're dedicated label converters or small manufacturers looking to bring labelling in house, Epson products are designed to add efficiency and reduce cost and waste, without compromising quality.

Automated maintenance

Newly automated maintenance features further reduce unnecessary downtime to achieve higher productivity and dependable performance, on this easy to operate steadfast label press.

Epson AQ4 inks

Epson manufactures its own inks and can control every aspect of the production. With significant investment in systems and hygienic control processes, Epson also applies Good Manufacturing Practices. The SurePress AQ T4 inks comply with European Food Contact material regulations for food packaging. This makes them suitable for a wide range of labelling applications including food, beverage, industrial, cosmetic, toiletries and pharmaceuticals.

Epson Support


Epson label presses are dependable, efficient, and easy to operate. If help is required our worldwide local service technicians are ready to support.

The operational status of the SurePress is monitored using a remote server, allowing real-time, quick response. All done in advance of an on-site visit by our service technicians.

Epson provides full operator training on press and Digital Front End

Model	SurePress L-4733A/AW
Print technology	Epson MicroPiezo inkjet technology
Resolution	up to 720 x 1440 dpi
Ink type	SurePress AQ T4 Ink (water-based pigmented inks)
Ink cartridge	Black, Uncoated Black, Cyan, Magenta, Yellow, Orange, Green, Over print liquid, Moisture liquid
	(AW model only: White, Storage liquid)
Image size	315.2 mm × 914.4 mm
Print speed	Up to 8.2 meter per minute
Substrate thickness	80 to 320 μm
Substrate width	80 to 334 mm adjustable to support any width in this range
Substate support	Standard self adhesive label substrate, Semi-gloss, gloss and matte paper stock, BOPP, PET, Yupo and pre-laminated film
Unwinder capacity (Max.)	100 kg weight / 1,000 m length, 600 mm diameter with 76 mm (3") inner core
Dimensions of Press and Rewinder (WxDxH)	5,100 mm × 1,910 mm × 2,020 mm
Weight of Press	Approximately 1,870 kg including rewinder
Network connectivity	Ethernet 1000 base-T or higher is recommended
	Input voltage range: Rated voltage ±10% (180 - 220V)
	Rated voltage: AC (3 phases 3 lines) 200V
Temperature (Operating)	18 - 28 ℃
Relative Humidity (Operating)	35 - 55 % (no condensation)
Max. sound level (Operating)	75 dB or less (excluding the alarm sound)

Variable data printing (VDP) licencing optional.
















Home users: 0343 90 37766 Business users*: 0871 42 37766 Republic of Ireland: 01 436 7742



