

Transform your visitor management

Improve visitor safety, enhance your brand image and add customised adverts, turning visitor passes into useful promotional tools for your company, with the ColorWorks C3500.

Ideal for producing passes and badges in full colour, this digital badge printer can be combined with visitor management software to create a comprehensive solution.

Whether it's on reception or at exhibitions or fairs, you can improve your visitor management, while remaining compliant with new GDPR¹ rules.

Full control in your hands

Print tickets and ID badges in full colour and on-demand.

Customised communications

Customise tickets and ID cards with targeted advertisements or marketing messages.

Improved visual identification

Add full colour photos to cards for better visual ID.

Integrate as part of a digital reception solution

As visitor reception books are removed following the implementation of GDPR, many organisations are replacing their existing visitor management arrangements with more secure digital solutions. The C3500 plays a key part in helping to ensure the security of guests and visitors.





Identify badge wearer easily with a full colour photo.

Identify permitted areas of access with colour.

Place personalised, relevant marketing messages.

Create professional-looking branding.

Use colour to:



Improve identification

Full colour photos help prevent misuse of visitor passes by unauthorised personnel.



Create a professional brand image

Print logos and text in full colour. Easily change and customise marketing messages.



Boost your sales

Deliver high impact, personalised promotional messages to visitors.



Tighten security

Add a coloured band to quickly identify the type of visitor and relevant areas of access.

ColorWorks C3500 specifications

Printing method Nozzle configuration	Serial inkjet printer (MicroPiezo)
Nozzle configuration	
	360 Nozzles per colour
Colours	Magenta, Yellow, Cyan, Black
Ink technology	DURABrite™ Ultra
Printing speed	Max. 103mm / sec at 360 × 360 DPI (printing width 56mm)
Printing resolution	Max. 720 × 360 DPI
Printing width	Max. 104mm
Formats	Roll (4in external diameter), Fanfold paper
Width	Min 30mm, Max 112mm
Туре	Continuous label, Continuous paper, Die-cut label, Black mark paper, Black mark label
Interfaces	USB 2.0 Type B, Ethernet interface (100 Base-TX / 10 Base-T)
Autocutter	Included
Supply voltage	100 ~ 240 V, 50 ~ 60 Hz
Power consumption	Standby: Appx. 3 W, Printing: Appx. 30 W
Temperature / humidity	Storage: -20~60 °C (5~85 % RH), Printing: 10~35 °C (20~80 % RH)
Product dimensions	310 × 283 × 261mm (Width × Depth × Height)
Product weight	12kg
Printer drivers	Windows and Linux
	Ink technology Printing speed Printing resolution Printing width Formats Width Type Interfaces Autocutter Supply voltage Power consumption Temperature / humidity Product dimensions Product weight

