

# ISO/IEC 19752 Yield Test Report

**EPSON EPL-6200**

**Cartridge Code:**

Developer Cartridge (3k) (C13S050167)

**Declaration of yield:**

Toner cartridge yield: Average Cartridge Yield 3,000 standard pages  
Declared yield value in accordance with ISO/IEC 19752

**Average:** 3122  
**Standard Deviation:** 126  
**90% Lower Confidence:** 3044

**Date Tested:** 2005/03/04- 2005/03/10

**For questions concerning testing contact:**

SEIKO EPSON CORPORATION  
 80 Harashinden, Hirooka, Shiojiri-shi, Nagano-ken 399-0785 JAPAN  
 Attn: IJP·LP Sales & Marketing Department

Number of cartridges used in testing: 9  
 Number of cartridges used in calculations: 9  
 Shake procedure used? No  
 Print mode: Continuous (500pages/job)  
 Number of engines used in testing: 3  
 Media used: ASKUL multi paper (super economy)  
 Paper size: A4  
 Paper feed orientation: Short edge feed  
 Computer model: Dell OPTIPLEX GX260  
 Driver version: Version. 3.13.0 f m  
 Operating system: Microsoft Windows XP  
 Application software: Acrobat version 5.0.5  
 Test page version: Version 2.1  
 Power (off/ on) everyday? Yes

**Cartridge Testing Data**

Cartridge	Engine	Temperature			Humidity			Cartridge Yield	Cart Used in Calculatio
		Avg	Max	Min	Avg	Max	Min		
1K5315120A-1	12030001	23.9	24.2	23.4	51.0	54.0	47.0	3386	Y
1K5315120A-2	12030001	22.3	23.9	21.0	54.3	61.0	50.0	3177	Y
1K5315120A-3	12030001	24.8	26.4	21.9	50.3	54.0	41.0	3000	Y
1K5315120A-4	12030002	23.9	24.2	23.4	51.4	54.0	47.0	3180	Y
1K5315120A-5	12030002	22.1	23.7	21.0	54.2	61.0	50.0	3069	Y
1K5315120A-6	12030002	24.8	26.4	22.3	49.9	54.0	41.0	3000	Y
1K5315120A-7	FGHZ061777	23.8	24.2	23.4	50.8	54.0	47.0	3181	Y
1K5315120A-8	FGHZ061777	22.7	24.1	21.0	54.6	61.0	51.0	3104	Y
1K5315120A-9	FGHZ061777	24.8	26.4	22.3	50.2	54.0	41.0	3000	Y

**Comments:**