

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier
 - Mixture identification: Trade name:

glepack Matte Black T0348 Ultra Chrome

1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended use:

Ink for inkjet printing

1.3. Details of the supplier of the safety data sheet Company:

	EPSON EUROPE	B.V.	
	Azie building, Atlas	s ArenA, Hoogoorddreef 5,1101 BA Am	sterdam
	Zuidoost The Nethe	nerlands	
	Phone number:	+31-20-314-5000	
Competent persor	responsible for the	e safety data sheet:	
	chemicals@epson-	-europe.com	
Date:	30/06/2	5/2016	
Revision:	1.0		
1.4. Emergency telephor	ne number		
Phone number:	+31-20	20-314-5000	
Giftnotruf Berlin;	+48 ((0) 30 30686 790	

SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture
 - EC regulation criteria 1272/2008 (CLP)

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Adverse physicochemical, human health and environmental effects:

- No other hazards
- 2.2. Label elements

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP). Hazard pictograms:

None

Hazard statements:

None

Precautionary statements:

- None
- Special Provisions:

EUH210 Safety data sheet available on request.

Special provisions according to Annex XVII of REACH and subsequent amendments: None

2.3. Other hazards

vPvB Substances: None - PBT Substances: None Other Hazards:

No other hazard

No other hazards

SECTION 3: Composition/information on ingredients

- 3.1. Substances
- No
- 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Number	Classification
-----	------	---------------	----------------



65% ~	Water	CAS:	7732-18-5	The product is not classified as
80%		EC:	231-791-2	dangerous according to
				Regulation EC 1272/2008 (CLP).
10% ~	Glycerol	CAS:	56-81-5	The product is not classified as
12.5%	-	EC:	200-289-5	dangerous according to
				Regulation EC 1272/2008 (CLP).
1% ~ 3%	1,1',1"-nitrilotripropan-2	Index	603-097-00-3	◊ 3.3/2 Eye Irrit. 2 H319
	-ol;	number:		✓ 3.3/2 Lye Intt. 211319
	triisopropanolamine	CAS:	122-20-3	
		EC:	204-528-4	
1% ~ 3%	2-[2-(2-butoxyethoxy)et	Index	603-183-00-0	较 3.3/1 Eye Dam. 1 H318
	hoxy]ethanol;	number:		
	TEGBE; triethylene	CAS:	143-22-6	
	glycol monobutyl ether	EC:	205-592-6	
		REACH No.:	01-21194751	
			07-38	

SECTION 4: First aid measures

- 4.1. Description of first aid measures
 - In case of skin contact:
 - Wash with plenty of water and soap.
 - In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

- In case of Inhalation:
 - Remove casualty to fresh air and keep warm and at rest.
- 4.2. Most important symptoms and effects, both acute and delayed
 - None
- 4.3. Indication of any immediate medical attention and special treatment needed Treatment:
 - None

SECTION 5: Firefighting measures

- 5.1. Extinguishing media
 - Suitable extinguishing media:
 - Water.
 - Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons: None in particular.

- 5.2. Special hazards arising from the substance or mixture Do not inhale explosion and combustion gases. Burning produces heavy smoke.
- 5.3. Advice for firefighters
 Use suitable breathing apparatus .
 Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

C13T034840_en Page n. 2 of 8



6.1. Personal precautions, protective equipment and emergency procedures Wear personal protection equipment. Remove persons to safety.

See protective measures under point 7 and 8.

- 6.2. Environmental precautions
 - Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.
 - In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.
 - Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up
 - Wash with plenty of water.
- 6.4. Reference to other sections See also section 8 and 13

SECTION 7: Handling and storage

- 7.1. Precautions for safe handling
 - Avoid contact with skin and eyes, inhalation of vapours and mists. Do not eat or drink while working.
 - See also section 8 for recommended protective equipment.
- 7.2. Conditions for safe storage, including any incompatibilities
 - Keep away from food, drink and feed.
 - Incompatible materials:
 - None in particular.
 - Instructions as regards storage premises:
 - Adequately ventilated premises.
- 7.3. Specific end use(s) None in particular

SECTION 8: Exposure controls/personal protection

- 8.1. Control parameters
 - Glycerol CAS: 56-81-5
 - OEL Type: OSHA LTE: 5 mg/m3 Notes: PEL, as mist, respirable fraction
 - OEL Type: OSHA LTE: 15 mg/m3 Notes: PEL, as mist, total dust
 - **DNEL Exposure Limit Values**
 - No data available
 - **PNEC Exposure Limit Values**
 - 2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutyl ether CAS: 143-22-6
 - Target: Fresh Water Value: 1.5 mg/l
 - Target: Freshwater sediments Value: 5.77 mg/kg
 - Target: Marine water Value: 0.15 mg/l
 - Target: Marine water sediments Value: 0.13 mg/kg
 - Target: Microorganisms in sewage treatments Value: 200 mg/l
- 8.2. Exposure controls
 - Eye protection:
 - Not needed for normal use. Anyway, operate according good working practices.
 - Protection for skin:
 - No special precaution must be adopted for normal use.
 - Protection for hands:
 - Not needed for normal use.
 - Respiratory protection:
 - Not needed for normal use.
 - Thermal Hazards:



None Environmental exposure controls: None Appropriate engineering controls: None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties Appearance and colour: Odour: Odour threshold: pH: Melting point / freezing point: Initial boiling point and boiling range: Solid/gas flammability: Upper/lower flammability or explosive limits: Vapour density: Flash point: Evaporation rate: Vapour pressure: Relative density: Solubility in water: Solubility in oil: Partition coefficient (n-octanol/water): Auto-ignition temperature: Decomposition temperature: Viscosity: Explosive properties: Oxidizing properties: 9.2. Other information

Miscibility: Fat Solubility: Conductivity:

SECTION 10: Stability and reactivity

- 10.1. Reactivity
 - Stable under normal conditions
- 10.2. Chemical stabilityStable under normal conditions10.3. Possibility of hazardous reactions
- None
- 10.4. Conditions to avoid Stable under normal conditions.
- 10.5. Incompatible materials None in particular.
- 10.6. Hazardous decomposition products None.

SECTION 11: Toxicological information

- 11.1. Information on toxicological effects
 - Toxicological information of the mixture:
 - a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 2500 mg/kg Test: LD50 - Route: Dermal - Species: Rat > 2000 mg/kg

C13T034840_en Page n. 4 of 8

Black Liquid Slightly No data available 8.5 ~ 9.9 at 20 °C -12.1 °C No data available No data available No data available No data available > 120 °C / 248 ° F No data available No data available 1.074 at 20 °C Complete No data available No data available No data available No data available < 5 mPa·s at 20 °C No data available No data available

No data available No data available No data available

> Version 8.0 Revison 1.0



b) skin corrosion/irritation:

Test: Skin Irritant - Species: Rabbit Mild irritant

- c) serious eye damage/irritation:
 - Test: Eye Irritant Species: Rabbit Minimal irritant
- d) respiratory or skin sensitisation:

Test: Skin Sensitisation - Route: Maximisation Assay - Species: Guinea pig Non-sensitiser

e) germ cell mutagenicity:

Test: Mutagenesis - Species: Salmonella Typhimurium and Escherichia coli Negative

Toxicological information of the main substances found in the mixture:

Glycerol - CAS: 56-81-5

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Guinea pig = 7750 mg/kg - Source: Journal of Industrial Hygiene and Toxicology. Vol. 23, Pg. 259, 1941

Test: LDLo - Route: Oral - Species: Human = 1428 mg/kg - Source: "Toxicology of Drugs and Chemicals," Deichmann, W.B., New York, Academic Press, Inc., 1969Vol. -, Pg. 288, 1969. - Notes: BEHAVIORAL: HEADACHE

GASTROINTESTINAL: NAUSEA OR VOMITING

2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutyl ether - CAS: 143-22-6

a) acute toxicity:

Test: LD50 - Route: Dermal - Species: Rabbit = 3.54 ml/kg - Source: American Industrial Hygiene Association Journal. Vol. 23, Pg. 95, 1962. Test: LD50 - Route: Oral - Species: Rat = 5300 mg/kg - Source: Office of Toxic Substances Report. Vol. OTS.

If not differently specified, the information required in Regulation (EU) 2015/830 listed below must be considered as 'No data available'.:

- a) acute toxicity;
- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;

f) carcinogenicity;

- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- i) aspiration hazard.

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. No data available

- 12.2. Persistence and degradability
- No data available
- 12.3. Bioaccumulative potential No data available
- 12.4. Mobility in soil
 - No data available
- 12.5. Results of PBT and vPvB assessment
 - vPvB Substances: None PBT Substances: None
- 12.6. Other adverse effects None

C13T034840_en Page n. 5 of 8



SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

- 14.1. UN number
 - Not classified as dangerous in the meaning of transport regulations.
- 14.2. UN proper shipping name No data available
- 14.3. Transport hazard class(es)
- No data available 14.4. Packing group
- No data available
- 14.5. Environmental hazards No data available
- 14.6. Special precautions for user No data available
- 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) 2015/830 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: Restrictions related to the product: No restriction. Restrictions related to the substances contained: No restriction. Where applicable, refer to the following regulatory provisions : Directive 2003/105/CE ('Activities linked to risks of serious accidents') and subsequent amendments. Regulation (EC) nr 648/2004 (detergents). 1999/13/EC (VOC directive) Provisions related to directives 82/501/EC(Seveso), 96/82/EC(Seveso II): No data available

15.2. Chemical safety assessment

No

SECTION 16: Other information

C13T034840_en Page n. 6 of 8



Full text of phrases referred to in Section 3: H319 Causes serious eye irritation. H318 Causes serious eye damage.

Hazard class and hazard category	Code	Description
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2

This safety data sheet has been completely updated in compliance to Regulation 2015/830. This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

CCNL - Appendix 1

Insert further consulted bibliography

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to

the specific use intended.

This Safety Data Sheet cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of
CAS:	Dangerous Goods by Road. Chemical Abstracts Service (division of the American Chemical Society).
CLP: DNEL:	Classification, Labeling, Packaging. Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO: GHS:	Ordinance on Hazardous Substances, Germany. Globally Harmonized System of Classification and Labeling of Chemicals.
ΙΑΤΑ:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
LTE:	Long-term exposure.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STE:	Short-term exposure.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWATLV:	Threshold Limit Value for the Time Weighted Average 8 hour day.

Version 8.0 Revison 1.0



WGK:

(ACGIH Standard). German Water Hazard Class.