

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

- 1.1. Product identifier  
Mixture identification:  
Trade name: Ink, T04C1
- 1.2. Relevant identified uses of the substance or mixture and uses advised against  
Recommended use:  
Ink for inkjet printing
- 1.3. Details of the supplier of the safety data sheet  
Company:  
SEIKO EPSON CORPORATION  
80 Harashinden, Hirooka, Shiojiri-shi, Nagano-ken, 399-0785 JAPAN  
Phone number: +81-263-52-2552  
Competent person responsible for the safety data sheet:  
MSDS\_HRO@exc.epson.co.jp  
Date: 12/05/2021  
Revision: 4.0
- 1.4. Emergency telephone number  
Phone number: +81-263-52-2552

**SECTION 2: Hazards identification**

- 2.1. Classification of the substance or mixture  
EC regulation criteria 1272/2008 (CLP)  
The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).  
Adverse physicochemical, human health and environmental effects:  
No other hazards
- 2.2. Label elements  
The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).  
Hazard pictograms:  
None  
Hazard statements:  
None  
Precautionary statements:  
None  
Special Provisions:  
EUH210 Safety data sheet available on request.  
EUH208 Contains 2,4,7,9-tetramethyldec-5-yne-4,7-diol. May produce an allergic reaction.  
EUH208 Contains 2-methylisothiazol-3(2H)-one. May produce an allergic reaction.  
Special provisions according to Annex XVII of REACH and subsequent amendments:  
None
- 2.3. Other hazards  
vPvB Substances: None - PBT Substances: None  
Other Hazards:  
No other hazards

**SECTION 3: Composition/information on ingredients**

- 3.1. Substances  
No
- 3.2. Mixtures  
Hazardous components within the meaning of the CLP regulation and related classification:

## Safety Data Sheet

| Qty          | Name                                                                              | Ident. Number                                                                                | Classification                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|--------------|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 50% ~ 65%    | Water                                                                             | CAS: 7732-18-5<br>EC: 231-791-2                                                              | The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| 7% ~ 10%     | Carbon black                                                                      | CAS: 1333-86-4<br>EC: 215-609-9                                                              | The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| 5% ~ 7%      | Glycerol                                                                          | CAS: 56-81-5<br>EC: 200-289-5                                                                | The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| 1% ~ 3%      | 2-[2-(2-butoxyethoxy)ethoxy]ethanol;<br>TEGBE; triethylene glycol monobutyl ether | Index number: 603-183-00-0<br>CAS: 143-22-6<br>EC: 205-592-6<br>REACH No.: 01-21194751-07-38 |  3.3/1 Eye Dam. 1 H318<br>Specific Concentration Limits:<br>C >= 30%: Eye Dam. 1 H318<br>20% <= C < 30%: Eye Irrit. 2 H319                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| 0.1% ~ 0.25% | 2,4,7,9-tetramethyldec-5-yne-4,7-diol                                             | CAS: 126-86-3<br>EC: 204-809-1<br>REACH No.: 01-21199543-90-39                               |  3.3/1 Eye Dam. 1 H318<br> 3.4.2/1B Skin Sens. 1B H317<br>4.1/C3 Aquatic Chronic 3 H412                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| < 0.0015%    | 2-methylisothiazol-3(2H)-one                                                      | Index number: 613-326-00-9<br>CAS: 2682-20-4<br>EC: 220-239-6                                |  3.1/2/Inhal Acute Tox. 2 H330<br> 3.1/3/Dermal Acute Tox. 3 H311<br> 3.1/3/Oral Acute Tox. 3 H301<br> 3.2/1B Skin Corr. 1B H314<br> 3.3/1 Eye Dam. 1 H318<br> 3.4.2/1A Skin Sens. 1A H317<br> 4.1/A1 Aquatic Acute 1 H400 M=10.<br> 4.1/C1 Aquatic Chronic 1 H410 M=1.<br>EUH071<br>Specific Concentration Limits:<br>C >= 0.0015%: Skin Sens. 1A H317 |

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

#### 4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

Treatment:

None

**SECTION 5: Firefighting measures**

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO<sub>2</sub>).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

**SECTION 6: Accidental release measures**

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

**SECTION 7: Handling and storage**

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Do not eat or drink while working.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

None in particular

**SECTION 8: Exposure controls/personal protection**

8.1. Control parameters

Carbon black - CAS: 1333-86-4

- OEL Type: ACGIH - TWA(8h): 3 mg/m<sup>3</sup>
- OEL Type: OSHA - TWA: 3.5 mg/m<sup>3</sup>
- OEL Type: JSOH - TWA: 1 mg/m<sup>3</sup> - Notes: as Class 2 Dusts (Respirable dust)
- Notes: RESPIRABLE DUST
- OEL Type: JSOH - TWA: 4 mg/m<sup>3</sup> - Notes: as Class 2 Dusts (Total dust)
- Notes: TOTAL DUST
- Notes: as total dust

Glycerol - CAS: 56-81-5

- OEL Type: OSHA - TWA: 5 mg/m<sup>3</sup> - Notes: Respirable dust
- OEL Type: OSHA - TWA: 15 mg/m<sup>3</sup> - Notes: Total dust

DNEL Exposure Limit Values

No data available

PNEC Exposure Limit Values

2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutyl ether - CAS: 143-22-6

- Target: Fresh Water - Value: 1.5 mg/l
- Target: Freshwater sediments - Value: 5.77 mg/kg
- Target: Marine water - Value: 0.15 mg/l
- Target: Marine water sediments - Value: 0.13 mg/kg
- Target: Microorganisms in sewage treatments - Value: 200 mg/l

2,4,7,9-tetramethyldec-5-yne-4,7-diol - CAS: 126-86-3

- Target: Fresh Water - Value: 0.04 mg/l
- Target: Marine water - Value: 0.004 mg/l
- Target: Freshwater sediments - Value: 0.32 mg/kg
- Target: Marine water sediments - Value: 0.032 mg/kg

## 8.2. Exposure controls

8.2.1. Appropriate engineering controls:

None

8.2.2. Individual protection measures, such as personal protective equipment

Eye protection:

Use personal protective equipment as required.

Protection for skin:

Use personal protective equipment as required.

Protection for hands:

Use personal protective equipment as required.

Respiratory protection:

Use personal protective equipment as required.

Thermal Hazards:

None

8.2.3. Environmental exposure controls:

None

Appropriate engineering controls:

None

## SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

|                                          |                    |
|------------------------------------------|--------------------|
| Appearance and colour:                   | Black Liquid       |
| Odour:                                   | Slightly           |
| Odour threshold:                         | No data available  |
| pH:                                      | 8.3 ~ 9.3 at 20 °C |
| Melting point / freezing point:          | No data available  |
| Initial boiling point and boiling range: | No data available  |
| Solid/gas flammability:                  | No data available  |

|                                               |                     |
|-----------------------------------------------|---------------------|
| Upper/lower flammability or explosive limits: | No data available   |
| Vapour density:                               | No data available   |
| Flash point:                                  | > 99.5 °C / 211 ° F |
| Evaporation rate:                             | No data available   |
| Vapour pressure:                              | No data available   |
| Relative density:                             | No data available   |
| Solubility in water:                          | Complete            |
| Solubility in oil:                            | No data available   |
| Partition coefficient (n-octanol/water):      | No data available   |
| Auto-ignition temperature:                    | No data available   |
| Decomposition temperature:                    | No data available   |
| Viscosity:                                    | < 5 mPa·s at 20 °C  |
| Explosive properties:                         | No data available   |
| Oxidizing properties:                         | No data available   |
| 9.2. Other information                        |                     |
| Miscibility:                                  | No data available   |
| Fat Solubility:                               | No data available   |
| Conductivity:                                 | No data available   |

## SECTION 10: Stability and reactivity

- 10.1. Reactivity
  - Stable under normal conditions
- 10.2. Chemical stability
  - Stable under normal conditions
- 10.3. Possibility of hazardous reactions
  - None
- 10.4. Conditions to avoid
  - Stable under normal conditions.
- 10.5. Incompatible materials
  - None in particular.
- 10.6. Hazardous decomposition products
  - None.

## SECTION 11: Toxicological information

- 11.1. Information on toxicological effects
  - Toxicological information of the product:
    - e) germ cell mutagenicity:
      - Test: Mutagenesis - Species: Salmonella Typhimurium and Escherichia coli
      - Negative
    - f) carcinogenicity:
      - Components do not come under carcinogens (Ref. 1), except for Carbon black
    - g) reproductive toxicity:
      - Does not contain reproductive toxicity and developmental toxic substances (Ref. 2)
  - Toxicological information of the main substances found in the product:
    - Carbon black - CAS: 1333-86-4
      - a) acute toxicity:
        - Test: LD50 - Route: Dermal - Species: Rabbit > 3 g/kg - Source: Acute Toxicity Data. Journal of the American College of Toxicology, Part B. Vol. 15
        - Test: LD50 - Route: Oral - Species: Rat > 15400 mg/kg - Source: Acute Toxicity Data. Journal of the American College of Toxicology, Part B. Vol. 15
    - Glycerol - CAS: 56-81-5
      - a) acute toxicity:

Test: LD50 - Route: Oral - Species: Guinea pig = 7750 mg/kg - Source: Journal of Industrial Hygiene and Toxicology. Vol. 23, Pg. 259, 1941  
Test: LDLo - Route: Oral - Species: Human = 1428 mg/kg - Source: "Toxicology of Drugs and Chemicals," Deichmann, W.B., New York, Academic Press, Inc., 1969 Vol. -, Pg. 288, 1969.  
2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutyl ether - CAS: 143-22-6  
a) acute toxicity:  
Test: LD50 - Route: Dermal - Species: Rabbit = 3.54 ml/kg - Source: American Industrial Hygiene Association Journal. Vol. 23, Pg. 95, 1962.  
Test: LD50 - Route: Oral - Species: Rat = 5300 mg/kg - Source: Office of Toxic Substances Report. Vol. OTS,  
2,4,7,9-tetramethyldec-5-yne-4,7-diol - CAS: 126-86-3  
a) acute toxicity:  
Test: LD50 - Route: Dermal - Species: Rat > 2000 mg/kg  
b) skin corrosion/irritation:  
Test: Skin Irritant - Species: Rabbit Mild irritant  
c) serious eye damage/irritation:  
Test: Eye Irritant - Species: Rabbit Highly irritating  
d) respiratory or skin sensitisation:  
Test: Skin Sensitisation - Route: LLNA - Species: Mouse Sensitiser  
e) germ cell mutagenicity:  
Test: Mutagenesis - Species: Salmonella Typhimurium Negative  
Carbon black - CAS: 1333-86-4  
With excessive exposure, carbon black has been listed as a possible human carcinogen. However, as engineered within this ink cartridge, emissions to air of carbon black during normal printing use have not been found. IARC, the International Agency for Research on Cancer, has found printing inks to be not classifiable as human carcinogens.

If not differently specified, the information required in Regulation (EU) 2015/830 listed below must be considered as 'No data available':

- a) acute toxicity;
- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- j) aspiration hazard.

## **SECTION 12: Ecological information**

### **12.1. Toxicity**

Adopt good working practices, so that the product is not released into the environment.

Toxicological information of the product:

No data available

Toxicological information of the main substances found in the product:

2,4,7,9-tetramethyldec-5-yne-4,7-diol - CAS: 126-86-3

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 36 mg/l - Duration h: 96

Endpoint: EC50 - Species: Daphnia = 88 mg/l - Duration h: 48

Endpoint: EC50 - Species: Algae = 15 mg/l - Duration h: 72

c) Bacteria toxicity:

Endpoint: EC50 - Species: activated sludge = 630 mg/l - Duration h: 0.5

- 12.2. Persistence and degradability  
No data available
- 12.3. Bioaccumulative potential  
No data available
- 12.4. Mobility in soil  
No data available
- 12.5. Results of PBT and vPvB assessment  
vPvB Substances: None - PBT Substances: None
- 12.6. Other adverse effects  
None

**SECTION 13: Disposal considerations**

- 13.1. Waste treatment methods  
Recover if possible. In so doing, comply with the local and national regulations currently in force.

**SECTION 14: Transport information**

- 14.1. UN number  
Not classified as dangerous in the meaning of transport regulations.
- 14.2. UN proper shipping name  
No data available
- 14.3. Transport hazard class(es)  
No data available
- 14.4. Packing group  
No data available
- 14.5. Environmental hazards  
No data available
- 14.6. Special precautions for user  
No data available
- 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code  
No data available

**SECTION 15: Regulatory information**

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
  - Dir. 98/24/EC (Risks related to chemical agents at work)
  - Dir. 2000/39/EC (Occupational exposure limit values)
  - Regulation (EC) n. 1907/2006 (REACH)
  - Regulation (EC) n. 1272/2008 (CLP)
  - Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013
  - Regulation (EU) 2015/830
  - Regulation (EU) n. 286/2011 (ATP 2 CLP)
  - Regulation (EU) n. 618/2012 (ATP 3 CLP)
  - Regulation (EU) n. 487/2013 (ATP 4 CLP)
  - Regulation (EU) n. 944/2013 (ATP 5 CLP)
  - Regulation (EU) n. 605/2014 (ATP 6 CLP)
  - Regulation (EU) n. 2015/1221 (ATP 7 CLP)
  - Regulation (EU) n. 2016/918 (ATP 8 CLP)
  - Regulation (EU) n. 2016/1179 (ATP 9 CLP)
  - Regulation (EU) n. 2017/776 (ATP 10 CLP)
  - Regulation (EU) n. 2018/669 (ATP 11 CLP)
  - Regulation (EU) n. 2018/1480 (ATP 13 CLP)
  - Regulation (EU) n. 2019/521 (ATP 12 CLP)



Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

No restriction.

Restrictions related to the substances contained:

No restriction.

Where applicable, refer to the following regulatory provisions :

Directive 2012/18/EU (Seveso III)

Regulation (EC) nr 648/2004 (detergents).

Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

None

#### 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

### SECTION 16: Other information

Full text of phrases referred to in Section 3:

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

H330 Fatal if inhaled.

H311 Toxic in contact with skin.

H301 Toxic if swallowed.

H314 Causes severe skin burns and eye damage.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

| Hazard class and hazard category | Code         | Description                                    |
|----------------------------------|--------------|------------------------------------------------|
| Acute Tox. 2                     | 3.1/2/Inhal  | Acute toxicity (inhalation), Category 2        |
| Acute Tox. 3                     | 3.1/3/Dermal | Acute toxicity (dermal), Category 3            |
| Acute Tox. 3                     | 3.1/3/Oral   | Acute toxicity (oral), Category 3              |
| Skin Corr. 1B                    | 3.2/1B       | Skin corrosion, Category 1B                    |
| Eye Dam. 1                       | 3.3/1        | Serious eye damage, Category 1                 |
| Eye Irrit. 2                     | 3.3/2        | Eye irritation, Category 2                     |
| Skin Sens. 1A                    | 3.4.2/1A     | Skin Sensitisation, Category 1A                |
| Skin Sens. 1B                    | 3.4.2/1B     | Skin Sensitisation, Category 1B                |
| Aquatic Acute 1                  | 4.1/A1       | Acute aquatic hazard, category 1               |
| Aquatic Chronic 1                | 4.1/C1       | Chronic (long term) aquatic hazard, category 1 |
| Aquatic Chronic 3                | 4.1/C3       | Chronic (long term) aquatic hazard, category 3 |

Paragraphs modified from the previous revision:

SECTION 1: Identification of the substance/mixture and of the company/undertaking

SECTION 2: Hazards identification

SECTION 3: Composition/information on ingredients

SECTION 6: Accidental release measures

SECTION 7: Handling and storage

SECTION 8: Exposure controls/personal protection

SECTION 11: Toxicological information



SECTION 15: Regulatory information

SECTION 16: Other information

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre,  
Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van  
Nostrand Reinold

- Ref. 1 ·IARC Monographs on the Evaluation Carcinogenic Risks to Humans (IARC:  
International Agency for Research on Cancer)  
·Journal of Occupational Health (JOH) (Japan Society of Occupational Health (JSOH))  
·TLVs and BEIs (ACGIH: American Conference of Governmental Industrial Hygienists)  
·IRIS Carcinogenic Assessment (IRIS: Integrated Risk Information System of US EPA)  
·National Toxicology Program (NTP) Report on Carcinogens (USA)  
·Annex VI of REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT  
AND OF THE COUNCIL of 16 December 2008 on classification, labelling and  
packaging of substances and mixtures, amending and repealing Directives 67/548/EEC  
and 1999/45/EC, and amending Regulation (EC) No 1907/2006  
·MAK und BAT Werte Liste (DFG: German Research Foundation)  
·TRGS 905, Verzeichnis krebserzeugender, keimzell mutagener oder  
reproduktionstoxischer Stoffe (AGS: Committee on Hazardous Substances, Germany)
- Ref. 2 ·Annex VI of REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT  
AND OF THE COUNCIL of 16 December 2008 on classification, labelling and  
packaging of substances and mixtures, amending and repealing Directives 67/548/EEC  
and 1999/45/EC, and amending Regulation (EC) No 1907/2006  
·TRGS 905, Verzeichnis krebserzeugender, keimzell mutagener oder  
reproduktionstoxischer Stoffe (AGS: Committee on Hazardous Substances, Germany)

The information contained herein is based on our state of knowledge at the above-specified date. It  
refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to  
the specific use intended.

This Safety Data Sheet cancels and replaces any preceding release.

|             |                                                                                         |
|-------------|-----------------------------------------------------------------------------------------|
| ADR:        | European Agreement concerning the International Carriage of<br>Dangerous Goods by Road. |
| ATE:        | Acute Toxicity Estimate                                                                 |
| ATEmix:     | Acute toxicity Estimate (Mixtures)                                                      |
| CAS:        | Chemical Abstracts Service (division of the American Chemical<br>Society).              |
| CLP:        | Classification, Labeling, Packaging.                                                    |
| DNEL:       | Derived No Effect Level.                                                                |
| EINECS:     | European Inventory of Existing Commercial Chemical Substances.                          |
| GefStoffVO: | Ordinance on Hazardous Substances, Germany.                                             |
| GHS:        | Globally Harmonized System of Classification and Labeling of<br>Chemicals.              |
| IATA:       | International Air Transport Association.                                                |
| IATA-DGR:   | Dangerous Goods Regulation by the "International Air Transport<br>Association" (IATA).  |
| ICAO:       | International Civil Aviation Organization.                                              |
| ICAO-TI:    | Technical Instructions by the "International Civil Aviation Organization"<br>(ICAO).    |
| IMDG:       | International Maritime Code for Dangerous Goods.                                        |
| INCI:       | International Nomenclature of Cosmetic Ingredients.                                     |

## Safety Data Sheet

|       |                                                                                  |
|-------|----------------------------------------------------------------------------------|
| KSt:  | Explosion coefficient.                                                           |
| LC50: | Lethal concentration, for 50 percent of test population.                         |
| LD50: | Lethal dose, for 50 percent of test population.                                  |
| PNEC: | Predicted No Effect Concentration.                                               |
| RID:  | Regulation Concerning the International Transport of Dangerous Goods<br>by Rail. |
| STEL: | Short Term Exposure limit.                                                       |
| STOT: | Specific Target Organ Toxicity.                                                  |
| TLV:  | Threshold Limiting Value.                                                        |
| TWA:  | Time-weighted average                                                            |
| WGK:  | German Water Hazard Class.                                                       |