Safety Data Sheet Cover Page

Why are there two Safety Data Sheets?

Epson is providing this document to inform you that there are two different compositions of the same ink available on the market, resulting in two Safety Data Sheets for the same ink.

Epson has changed the composition of this ink to substitute a component that has been classified as hazardous while the ink with the old composition is still on the market. For this reason, there are two Safety Data Sheets for the same ink.

To determine which Safety Data Sheet applies to your product, and to ensure that you have the correct information about hazards and risk management measures, we ask that you check the best-before date indicated on the packaging of the ink cartridge. See the following for details on how to check the date.

How to check which Safety Data Sheet you need to refer to:

| | Best-before date (YYYYMM) | Revision | Page |
|---------------------------|---------------------------|----------|--------------|
| Replacement ink cartridge | | 5.0 | Page 2 - 11 |
| | In and after: 2026.01 | 6.0 | Page 12 - 21 |

Where to find the best-before date:

| Ink Cartridge Packaging | | |
|--|---------------------|---------------------|
| Pattern.1 | Pattern.2 | Pattern.3 |
| William Line Line 000028-08 William Line Line 1000028-08 William Line Line 1000028-08 <td>Best-before date</td> <td>Best-before date</td> | Best-before date | Best-before date |



| SECTION 1: Identification of the subs | stance/mixture and of the company/undertaking |
|--|---|
| 1.1. Product identifier | |
| Mixture identification: | |
| Trade name: | INK CARTRIDGE,Y 405 |
| | (Best-before date: Before 2026.01) |
| Trade code: | C13T05G440 |
| 1.2. Relevant identified uses of the su | ubstance or mixture and uses advised against |
| Recommended use: | |
| Ink for inkje | et printing |
| 1.3. Details of the supplier of the safe | ety data sheet |
| Company: | |
| | IROPE B.V. |
| | ig, Atlas ArenA, Hoogoorddreef 5,1101 BA Amsterdam |
| Zuidoost Th | ne Netherlands |
| Phone num | |
| Competent person responsible | |
| chemicals@ | Depson.eu |
| Date: | 20/10/2022 |
| Revision: | 5.0 |
| 1.4. Emergency telephone number | |
| Phone number: | +31-20-314-5000 |
| United Kingdom; | 01952 607111 Monday to Friday 9am to 5:30pm. |
| | Emergency Action: In the event of a medical enquiry involving |
| | this product, please contact your doctor or local hospital |
| | accident and emergency department. |
| Ireland; | +353 (01) 809 2566 or +353 (01) 809 2166 |
| Malta; | 2545 0000 or 21224071 |
| | |

SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture
 - EC regulation criteria 1272/2008 (CLP)

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

- Adverse physicochemical, human health and environmental effects:
- No other hazards
- 2.2. Label elements

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP). Hazard pictograms:

None

Hazard statements:

None

Precautionary statements:

None

Special Provisions:

EUH210 Safety data sheet available on request.

EUH208 Contains 2,4,7,9-tetramethyldec-5-yne-4,7-diol. May produce an allergic reaction.

EUH208 Contains 2-methylisothiazol-3(2H)-one. May produce an allergic reaction. Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1%

C13T05G440_en Page n. 2 of 21



Other Hazards: No other hazards

SECTION 3: Composition/information on ingredients

- 3.1. Substances
 - No
- 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

| Qty | Name | | | Classification |
|-----------------|--|---------------------------------|---|---|
| 65% ~ 80% | Water | CAS: EC: | 7732-18-5 231-791-2 | The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP). |
| 5% ~ 7% | Glycerol | CAS: EC: | 56-81-5 200-289-5 | The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP). |
| | 2-Pyrrolidone | | 616-45-5 210-483-1 01-21194754 71-37 | 3.3/2 Eye Irrit. 2 H319 3.7/1B Repr. 1B H360 Specific Concentration Limits: C >= 3%: Repr. 1B H360 |
| 1% ~ 3% | 2-[2-(2-butoxyethoxy)et hoxy]ethanol; TEGBE; triethylene glycol monobutyl ether | number: CAS: EC: | 603-183-00-0 143-22-6 205-592-6 01-21194751 07-38 | 3.3/1 Eye Dam. 1 H318 Specific Concentration Limits: C >= 30%: Eye Dam. 1 H318 20% <= C < 30%: Eye Irrit. 2 H319 |
| 1% ~ 3% | Triethanolamine | CAS: EC: REACH No.: | 102-71-6 203-049-8 01-21194864 82-31 | The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP). |
| 0.25% ~ 0.5% | 2,4,7,9-tetramethyldec- 5-yne-4,7-diol | CAS: EC: REACH No.: | 126-86-3 204-809-1 01-21199543 90-39 | 3.3/1 Eye Dam. 1 H318 3.4.2/1B Skin Sens. 1B H317 4.1/C3 Aquatic Chronic 3 H412 |
| < 0.0015% | 2-methylisothiazol-3(2 H)-one | Index number: CAS: EC: | 613-326-00-9 2682-20-4 220-239-6 | 3.1/2/Inhal Acute Tox. 2 H330 3.1/3/Dermal Acute Tox. 3 H311 3.1/3/Oral Acute Tox. 3 H301 3.1/3/Oral Acute Tox. 3 H301 3.2/1B Skin Corr. 1B H314 3.3/1 Eye Dam. 1 H318 3.4.2/1A Skin Sens. 1A H317 4.1/A1 Aquatic Acute 1 H400 M=10. 4.1/C1 Aquatic Chronic 1 H410 M=1. EUH071 Specific Concentration Limits: C >= 0.0015%: Skin Sens. 1A H317 |



SECTION 4: First aid measures

- 4.1. Description of first aid measures
 - In case of skin contact:
 - Wash with plenty of water and soap.
 - In case of eyes contact:
 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
 - In case of Ingestion:
 - Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.
 - In case of Inhalation:
 - Remove casualty to fresh air and keep warm and at rest.
- 4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed Treatment: None

SECTION 5: Firefighting measures

- 5.1. Extinguishing media
 - Suitable extinguishing media:
 - Water.
 - Carbon dioxide (CO2).
 - Extinguishing media which must not be used for safety reasons:
 - None in particular.
- 5.2. Special hazards arising from the substance or mixture Do not inhale explosion and combustion gases. Burning produces heavy smoke.
- 5.3. Advice for firefighters
 - Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures Wear personal protection equipment. Remove persons to safety.
 - See protective measures under point 7 and 8.
- 6.2. Environmental precautions
 - Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

- Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up
 - Wash with plenty of water.
- 6.4. Reference to other sections See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling



Avoid contact with skin and eyes, inhalation of vapours and mists. See also section 8 for recommended protective equipment. Advice on general occupational hygiene: Do not eat or drink while working. 7.2. Conditions for safe storage, including any incompatibilities Keep away from food, drink and feed. Incompatible materials: None in particular. Instructions as regards storage premises: Adequately ventilated premises. 7.3. Specific end use(s) None in particular SECTION 8: Exposure controls/personal protection 8.1. Control parameters Glycerol - CAS: 56-81-5 - OEL Type: OSHA - TWA: 5 mg/m3 - Notes: Respirable dust - OEL Type: OSHA - TWA: 15 mg/m3 - Notes: Total dust Triethanolamine - CAS: 102-71-6 - OEL Type: ACGIH - TWA(8h): 5 mg/m3 **DNEL Exposure Limit Values** 2-Pyrrolidone - CAS: 616-45-5 Worker Industry: 13.23 mg/m3 - Worker Professional: 1.985 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects Worker Industry: 1.876 mg/kg/day - Worker Professional: 0.67 mg/kg/day -Exposure: Human Dermal - Frequency: Long Term, systemic effects Worker Professional: 0.67 mg/kg/day - Exposure: Human Oral - Frequency: Long Term, systemic effects Triethanolamine - CAS: 102-71-6 Worker Industry: 6.3 mg/kg/day - Consumer: 3.1 mg/kg/day - Exposure: Human Dermal - Frequency: Long Term, systemic effects Worker Industry: 5 mg/m3 - Consumer: 1.25 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects Consumer: 13 mg/kg/day - Exposure: Human Oral - Frequency: Short Term, systemic effects PNEC Exposure Limit Values 2-Pyrrolidone - CAS: 616-45-5 Target: Fresh Water - Value: 0.5 mg/l Target: Freshwater sediments - Value: 2.17 mg/kg Target: Marine water - Value: 0.05 mg/l Target: Marine water sediments - Value: 0.217 mg/kg Target: Microorganisms in sewage treatments - Value: 10 mg/l 2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutyl ether -CAS: 143-22-6 Target: Fresh Water - Value: 1.5 mg/l Target: Freshwater sediments - Value: 5.77 mg/kg Target: Marine water - Value: 0.15 mg/l Target: Marine water sediments - Value: 0.13 mg/kg Target: Microorganisms in sewage treatments - Value: 200 mg/l Triethanolamine - CAS: 102-71-6 Target: Fresh Water - Value: 0.32 mg/l Target: Marine water - Value: 0.032 mg/l Target: Freshwater sediments - Value: 1.7 mg/kg Target: Marine water sediments - Value: 0.17 mg/kg



| Target: Soil (agricultural) - Valu 2,4,7,9-tetramethyldec-5-yne-4,7-diol Target: Fresh Water - Value: 0. Target: Marine water - Value: 0 Target: Freshwater sediments Target: Marine water sediments | - CAS: 126-86-3 04 mg/l .004 mg/l - Value: 0.32 mg/kg |
|---|--|
| 8.2. Exposure controls | - · · · · · · · · · · · · · · · · · · · |
| 8.2.1. Appropriate engineering controls: | |
| None | |
| 8.2.2. Individual protection measures, such a Eye protection: | as personal protective equipment |
| Use personal protective equipm Protection for skin: | nent as required. |
| Use personal protective equipm | nent as required. |
| Protection for hands: | a ant a a required |
| Use personal protective equipm Respiratory protection: | ient as required. |
| Use personal protective equipm | agent as required |
| Thermal Hazards: | ient as required. |
| None | |
| 8.2.3. Environmental exposure controls: | |
| None | |
| Appropriate engineering controls: | |
| None | |
| SECTION 9: Physical and chemical properties | |
| 9.1. Information on basic physical and chemical pro | |
| Physical state: | Liquid |
| Colour: | Yellow |
| Odour: | Slightly |
| Melting point / freezing point: Boiling point or initial boiling point and boiling | No data available g range: |
| 51 51 | • • • · · · · · · · · · · · · · · · · · |

| 0 | • | 01 | U | No data availal | |
|-----------|--------------------|------------|---|-----------------|----------|
| | | | | | |
| Flamm | ability: | | | Non-flammable |) |
| Lower | and upper explos | ion limit: | | No data availal | ole |
| Flash p | point: | | | > 100 °C / 212 | °F |
| Auto-ic | nition temperatur | e: | | No data availal | ole |
| Decom | position temperat | ture: | | No data availal | ole |
| pH: | | | | 9 ~ 10 | at 20 °C |
| Kinem | atic viscosity: | | | No data availal | ole |
| Solubil | ity in water: | | | Complete | |
| Vapou | r pressure: | | | No data availal | ole |
| Relativ | ve vapour density: | | | No data availal | ole |
| Particle | e characteristics: | | | Not Relevant | |
| Other inf | ormation | | | | |
| Viscos | ity: | | | < 5 mPa⋅s | at 20 °C |
| | | | | | |

SECTION 10: Stability and reactivity

- 10.1. ReactivityStable under normal conditions10.2. Chemical stabilityStable under normal conditions
- 10.3. Possibility of hazardous reactions

C13T05G440_en Page n. 6 of 21

9.2.



None

- 10.4. Conditions to avoid Stable under normal conditions.
- 10.5. Incompatible materials None in particular.
- 10.6. Hazardous decomposition products None.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological information of the product:

- e) germ cell mutagenicity:
 - Test: Mutagenesis Species: Salmonella Typhimurium and Escherichia coli Negative
- f) carcinogenicity:

Does not contain carcinogens (Ref. 1)

Toxicological information of the main substances found in the product:

Glycerol - CAS: 56-81-5

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Guinea pig = 7750 mg/kg - Source: Journal of Industrial Hygiene and Toxicology. Vol. 23, Pg. 259, 1941

Test: LDLo - Route: Oral - Species: Human = 1428 mg/kg - Source: "Toxicology of Drugs and Chemicals," Deichmann, W.B., New York, Academic Press, Inc., 1969Vol. -, Pg. 288, 1969.

- 2-Pyrrolidone CAS: 616-45-5
- a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 2000 mg/kg

- Test: LD50 Route: Dermal Species: Rabbit > 2000 mg/kg
- b) skin corrosion/irritation:

Test: Skin Irritant - Species: Rabbit Non-irritant

c) serious eye damage/irritation:

Test: Eye Irritant - Species: Rabbit Moderate irritant - Based on available data, the classification criteria are not met

d) respiratory or skin sensitisation:

Test: Skin Sensitisation - Route: LLNA - Species: Mouse Negative

e) germ cell mutagenicity:

Test: Mutagenesis - Species: Salmonella Typhimurium and Escherichia coli Negative

2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutyl ether - CAS: 143-22-6

a) acute toxicity:

Test: LD50 - Route: Dermal - Species: Rabbit = 3.54 ml/kg - Source: American Industrial Hygiene Association Journal. Vol. 23, Pg. 95, 1962.

Test: LD50 - Route: Oral - Species: Rat = 5300 mg/kg - Source: Office of Toxic Substances Report. Vol. OTS,

Triethanolamine - CAS: 102-71-6

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Guinea pig = 2200 mg/kg - Source: "Toxicometric Parameters of Industrial Toxic Chemicals Under Single Exposure," Izmerov, N.F., et al., Moscow, Centre of International Projects, GKNT, 1982Vol. -, Pg. 114, 1982.

Test: LD50 - Route: Oral - Species: Mouse = 5846 mg/kg - Source: Science Reports of the Research Institutes, Tohoku University, Series C: Medicine. Vol. 36(1-4), Pg. 10, 1989.



- 2,4,7,9-tetramethyldec-5-yne-4,7-diol CAS: 126-86-3
- a) acute toxicity:
 - Test: LD50 Route: Dermal Species: Rat > 2000 mg/kg
- b) skin corrosion/irritation:
 - Test: Skin Irritant Species: Rabbit Mild irritant
- c) serious eye damage/irritation:
 - Test: Eye Irritant Species: Rabbit Highly irritating
- d) respiratory or skin sensitisation:
- Test: Skin Sensitisation Route: LLNA Species: Mouse Sensitiser
- e) germ cell mutagenicity:
 - Test: Mutagenesis Species: Salmonella Typhimurium Negative

If not differently specified, the information required in Regulation (EU)2020/878 listed below must be considered as N.A.:

- a) acute toxicity;
- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- j) aspiration hazard.
- 11.2. Information on other hazards
 - Endocrine disrupting properties:

No endocrine disruptor substances present in concentration >= 0.1%

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. Toxicological information of the product:

No data available

Toxicological information of the main substances found in the product:

- 2-Pyrrolidone CAS: 616-45-5
- a) Aquatic acute toxicity:
 - Endpoint: LC50 Species: Fish > 4600 mg/l Duration h: 96
 - Endpoint: EC50 Species: Daphnia > 500 mg/l Duration h: 24
 - Endpoint: EC50 Species: Algae > 500 mg/l Duration h: 72
- 2,4,7,9-tetramethyldec-5-yne-4,7-diol CAS: 126-86-3
- a) Aquatic acute toxicity:
 - Endpoint: LC50 Species: Fish = 36 mg/l Duration h: 96 Endpoint: EC50 - Species: Daphnia = 88 mg/l - Duration h: 48 Endpoint: EC50 - Species: Algae = 15 mg/l - Duration h: 72
- c) Bacteria toxicity:
 - Endpoint: ÉC50 Species: activated sludge = 630 mg/l Duration h: 0.5
- 12.2. Persistence and degradability
 - No data available
- 12.3. Bioaccumulative potential
- No data available
- 12.4. Mobility in soil
 - No data available
- 12.5. Results of PBT and vPvB assessment vPvB Substances: None - PBT Substances: None

C13T05G440_en Page n. 8 of 21



- 12.6. Endocrine disrupting properties
 - No endocrine disruptor substances present in concentration >= 0.1%
- 12.7. Other adverse effects None

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

- 14.1. UN number or ID number
 - Not classified as dangerous in the meaning of transport regulations.
- 14.2. UN proper shipping name
 - No data available
- 14.3. Transport hazard class(es) No data available
- 14.4. Packing group
- No data available
- 14.5. Environmental hazards No data available
- 14.6. Special precautions for user No data available
- 14.7. Maritime transport in bulk according to IMO instruments No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) n. 2020/878 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Regulation (EU) n. 2016/918 (ATP 8 CLP) Regulation (EU) n. 2016/1179 (ATP 9 CLP) Regulation (EU) n. 2017/776 (ATP 10 CLP) Regulation (EU) n. 2018/669 (ATP 11 CLP) Regulation (EU) n. 2018/1480 (ATP 13 CLP) Regulation (EU) n. 2019/521 (ATP 12 CLP) Regulation (EU) n. 2020/217 (ATP 14 CLP) Regulation (EU) n. 2020/1182 (ATP 15 CLP) Regulation (EU) n. 2021/643 (ATP 16 CLP) Regulation (EC) n. 2021/849 (ATP 17 CLP) Regulation (EC) n. 2022/692 (ATP 18 CLP) Restrictions related to the product or the substances contained according to Annex XVII

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: Restrictions related to the product:

C13T05G440_en Page n. 9 of 21



No restriction. Restrictions related to the substances contained: Restriction 75 Where applicable, refer to the following regulatory provisions : Directive 2012/18/EU (Seveso III) Regulation (EC) nr 648/2004 (detergents). Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1 None

15.2. Chemical safety assessment No Chemical Safety Assessment has been carried out for the mixture.

SECTION 16: Other information

Full text of phrases referred to in Section 3:

H319 Causes serious eye irritation.

H360 May damage fertility or the unborn child.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

H330 Fatal if inhaled.

H311 Toxic in contact with skin.

H301 Toxic if swallowed.

H314 Causes severe skin burns and eye damage.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

| Hazard class and | Code | Description |
|-------------------|--------------|--|
| hazard category | | |
| Acute Tox. 2 | 3.1/2/Inhal | Acute toxicity (inhalation), Category 2 |
| Acute Tox. 3 | 3.1/3/Dermal | Acute toxicity (dermal), Category 3 |
| Acute Tox. 3 | 3.1/3/Oral | Acute toxicity (oral), Category 3 |
| Skin Corr. 1B | 3.2/1B | Skin corrosion, Category 1B |
| Eye Dam. 1 | 3.3/1 | Serious eye damage, Category 1 |
| Eye Irrit. 2 | 3.3/2 | Eye irritation, Category 2 |
| Skin Sens. 1A | 3.4.2/1A | Skin Sensitisation, Category 1A |
| Skin Sens. 1B | 3.4.2/1B | Skin Sensitisation, Category 1B |
| Repr. 1B | 3.7/1B | Reproductive toxicity, Category 1B |
| Aquatic Acute 1 | 4.1/A1 | Acute aquatic hazard, category 1 |
| Aquatic Chronic 1 | 4.1/C1 | Chronic (long term) aquatic hazard, category 1 |
| Aquatic Chronic 3 | 4.1/C3 | Chronic (long term) aquatic hazard, category 3 |

This safety data sheet has been completely updated in compliance to Regulation 2020/878.

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities



SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

Ref. 1 (IARC Monographs on the Evaluation Carcinogenic Risks to Humans (IARC: International Agency for Research on Cancer)
Journal of Occupational Health (JOH) (Japan Society of Occupational Health (JSOH))
TLVs and BEIs (ACGIH: American Conference of Governmental Industrial Hygienists)
IRIS Carcinogenic Assessment (IRIS: Integrated Risk Information System of US EPA)
National Toxicology Program (NTP) Report on Carcinogens (USA)
Annex VI of REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
MAK und BAT Werte Liste (DFG: German Research Foundation)
TRGS 905, Verzeichnis krebserzeugender, keimzell mutagener oder reproduktionstoxischer Stoffe (AGS: Committee on Hazardous Substances, Germany)

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This Safety Data Sheet cancels and replaces any preceding release.

| ADR: | European Agreement concerning the International Carriage of Dangerous Goods by Road. |
|-------------|---|
| ATE: | Acute Toxicity Estimate |
| ATEmix: | Acute toxicity Estimate (Mixtures) |
| CAS: | Chemical Abstracts Service (division of the American Chemical |
| | Society). |
| CLP: | Classification, Labeling, Packaging. |
| DNEL: | Derived No Effect Level. |
| EINECS: | European Inventory of Existing Commercial Chemical Substances. |
| GefStoffVO: | Ordinance on Hazardous Substances, Germany. |
| GHS: | Globally Harmonized System of Classification and Labeling of |
| | Chemicals. |
| IATA: | International Air Transport Association. |
| IATA-DGR: | Dangerous Goods Regulation by the "International Air Transport |
| 1010 | Association" (IATA). |
| ICAO: | International Civil Aviation Organization. |
| ICAO-TI: | Technical Instructions by the "International Civil Aviation Organization" |
| | (ICAO). |
| IMDG: | International Maritime Code for Dangerous Goods. |
| INCI: | International Nomenclature of Cosmetic Ingredients. |
| KSt: | Explosion coefficient. |
| LC50: | Lethal concentration, for 50 percent of test population. |
| LD50: | Lethal dose, for 50 percent of test population. |
| PNEC: | Predicted No Effect Concentration. |
| RID: | Regulation Concerning the International Transport of Dangerous Goods |
| OTEL | by Rail. |
| STEL: | Short Term Exposure limit. |
| STOT: | Specific Target Organ Toxicity. |
| TLV: | Threshold Limiting Value. |
| TWA: | Time-weighted average |
| WGK: | German Water Hazard Class. |



| | stance/mixture and of the company/undertaking |
|--|---|
| 1.1. Product identifier | |
| Mixture identification: | |
| Trade name: | INK CARTRIDGE,Y 405 (Best-before date: In and after 2026.01) |
| Trade code: | C13T05G440 |
| | ubstance or mixture and uses advised against |
| Recommended use: | |
| Ink for inkj | |
| 1.3. Details of the supplier of the safe | ety data sheet |
| Company: | |
| | JROPE B.V. |
| | ng, Atlas ArenA, Hoogoorddreef 5,1101 BA Amsterdam |
| Zuidoost T | he Netherlands |
| Phone nun | nber: +31-20-314-5000 |
| Competent person responsible | e for the safety data sheet: |
| chemicals | @epson.eu |
| Date: | 05/06/2023 |
| Revision: | 6.0 |
| 1.4. Emergency telephone number | |
| Phone number: | +31-20-314-5000 |
| United Kingdom; | 01952 607111 Monday to Friday 9am to 5:30pm. |
| - | Emergency Action: In the event of a medical enquiry involving |
| | this product, please contact your doctor or local hospital |
| | accident and emergency department. |
| Ireland; | +353 (01) 809 2566 or +353 (01) 809 2166 |
| Malta; | 2545 0000 or 21224071 |
| , | |
| SECTION 2: Hazards identification | |

SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture
 - EC regulation criteria 1272/2008 (CLP)

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Adverse physicochemical, human health and environmental effects:

- No other hazards
- 2.2. Label elements

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP). Hazard pictograms:

None

Hazard statements:

None

Precautionary statements:

None

Special Provisions:

EUH210 Safety data sheet available on request.

EUH208 Contains 2,4,7,9-tetramethyldec-5-yne-4,7-diol. May produce an allergic reaction.

EUH208 Contains 2-methylisothiazol-3(2H)-one. May produce an allergic reaction. Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1%

C13T05G440_en Page n. 12 of 21



Other Hazards: No other hazards

SECTION 3: Composition/information on ingredients

- 3.1. Substances
 - No
- 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

| Qty | Name | Ident. Number | | Classification |
|-----------------|--|---------------------------------|---|---|
| 65% ~ 80% | Water | CAS: EC: | 7732-18-5 231-791-2 | The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP). |
| 5% ~ 7% | , | CAS: EC: | 56-81-5 200-289-5 | The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP). |
| 1% ~ 3% | 2-[2-(2-butoxyethoxy)et hoxy]ethanol; TEGBE; triethylene glycol monobutyl ether | number: CAS: EC: | 603-183-00-0 143-22-6 205-592-6 01-21194751 07-38 | 3.3/1 Eye Dam. 1 H318 Specific Concentration Limits: C >= 30%: Eye Dam. 1 H318 20% <= C < 30%: Eye Irrit. 2 H319 |
| 1% ~ 3% | Triethanolamine | CAS: EC: REACH No.: | 102-71-6 203-049-8 01-21194864 82-31 | The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP). |
| 0.25% ~ 0.5% | 2,4,7,9-tetramethyldec- 5-yne-4,7-diol | CAS: EC: REACH No.: | 126-86-3 204-809-1 01-21199543 90-39 | 3.3/1 Eye Dam. 1 H318 3.4.2/1B Skin Sens. 1B H317 4.1/C3 Aquatic Chronic 3 H412 |
| < 0.0015% | 2-methylisothiazol-3(2 H)-one | Index number: CAS: EC: | 613-326-00-9 2682-20-4 220-239-6 | 3.1/2/Inhal Acute Tox. 2 H330 3.1/3/Dermal Acute Tox. 3 H311 3.1/3/Oral Acute Tox. 3 H301 3.1/3/Oral Acute Tox. 3 H301 3.2/1B Skin Corr. 1B H314 3.3/1 Eye Dam. 1 H318 3.4.2/1A Skin Sens. 1A H317 4.1/A1 Aquatic Acute 1 H400 M=10. 4.1/C1 Aquatic Chronic 1 H410 M=1. EUH071 Specific Concentration Limits: C >= 0.0015%: Skin Sens. 1A H317 |

SECTION 4: First aid measures

- 4.1. Description of first aid measures
 - In case of skin contact:
 - Wash with plenty of water and soap.

C13T05G440_en Page n. 13 of 21



In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

- 4.2. Most important symptoms and effects, both acute and delayed
 - None
- 4.3. Indication of any immediate medical attention and special treatment needed Treatment:

None

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

- Carbon dioxide (CO2).
- Extinguishing media which must not be used for safety reasons:

None in particular.

- 5.2. Special hazards arising from the substance or mixture Do not inhale explosion and combustion gases. Burning produces heavy smoke.
- 5.3. Advice for firefighters
 - Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures Wear personal protection equipment. Remove persons to safety. See protective measures under point 7 and 8.
- 6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

- Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up
- Wash with plenty of water. 6.4. Reference to other sections
 - See also section 8 and 13

SECTION 7: Handling and storage

- 7.1. Precautions for safe handling
 - Avoid contact with skin and eyes, inhalation of vapours and mists. See also section 8 for recommended protective equipment. Advice on general occupational hygiene: Do not eat or drink while working.
- 7.2. Conditions for safe storage, including any incompatibilities Keep away from food, drink and feed.

C13T05G440_en Page n. 14 of 21



Incompatible materials: None in particular. Instructions as regards storage premises: Adequately ventilated premises. 7.3. Specific end use(s) None in particular **SECTION 8: Exposure controls/personal protection** 8.1. Control parameters Glycerol - CAS: 56-81-5 - OEL Type: OSHA - TWA: 5 mg/m3 - Notes: Respirable dust - OEL Type: OSHA - TWA: 15 mg/m3 - Notes: Total dust Triethanolamine - CAS: 102-71-6 - OEL Type: ACGIH - TWA(8h): 5 mg/m3 **DNEL Exposure Limit Values** Triethanolamine - CAS: 102-71-6 Worker Industry: 6.3 mg/kg/day - Consumer: 3.1 mg/kg/day - Exposure: Human Dermal - Frequency: Long Term, systemic effects Worker Industry: 5 mg/m3 - Consumer: 1.25 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects Consumer: 13 mg/kg/day - Exposure: Human Oral - Frequency: Short Term, systemic effects **PNEC Exposure Limit Values** 2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutyl ether -CAS: 143-22-6 Target: Fresh Water - Value: 1.5 mg/l Target: Freshwater sediments - Value: 5.77 mg/kg Target: Marine water - Value: 0.15 mg/l Target: Marine water sediments - Value: 0.13 mg/kg Target: Microorganisms in sewage treatments - Value: 200 mg/l Triethanolamine - CAS: 102-71-6 Target: Fresh Water - Value: 0.32 mg/l Target: Marine water - Value: 0.032 mg/l Target: Freshwater sediments - Value: 1.7 mg/kg Target: Marine water sediments - Value: 0.17 mg/kg Target: Soil (agricultural) - Value: 0.151 mg/kg 2,4,7,9-tetramethyldec-5-yne-4,7-diol - CAS: 126-86-3 Target: Fresh Water - Value: 0.04 mg/l Target: Marine water - Value: 0.004 mg/l Target: Freshwater sediments - Value: 0.32 mg/kg Target: Marine water sediments - Value: 0.032 mg/kg 8.2. Exposure controls 8.2.1. Appropriate engineering controls: None 8.2.2. Individual protection measures, such as personal protective equipment Eye protection: Use personal protective equipment as required. Protection for skin: Use personal protective equipment as required. Protection for hands: Use personal protective equipment as required. Respiratory protection: Use personal protective equipment as required. Thermal Hazards:



None 8.2.3. Environmental exposure controls: None Appropriate engineering controls: None

SECTION 9: Physical and chemical properties

| 9.1. Information on basic physical and chemical prop | erties |
|--|-------------------|
| Physical state: | Liquid |
| Colour: | Yellow |
| Odour: | Slightly |
| Melting point / freezing point: | No data available |
| Boiling point or initial boiling point and boiling | range: |
| 51 51 5 | No data available |
| Flammability: | Non-flammable |
| Lower and upper explosion limit: | No data available |
| Flash point: | Does not flash. |
| Auto-ignition temperature: | No data available |
| Decomposition temperature: | No data available |
| pH: | 9 ~ 10 at 20 °C |
| Kinematic viscosity: | No data available |
| Solubility in water: | Complete |
| Vapour pressure: | No data available |
| Relative vapour density: | No data available |
| Particle characteristics: | Not Relevant |
| 9.2 Other information | |

9.2. Other information Viscosity:

< 5 mPa·s at 20 °C

SECTION 10: Stability and reactivity

- 10.1. Reactivity
- Stable under normal conditions 10.2. Chemical stability
- Stable under normal conditions
- 10.3. Possibility of hazardous reactions None
- 10.4. Conditions to avoid Stable under normal conditions.
- 10.5. Incompatible materials None in particular.
- 10.6. Hazardous decomposition products None.

SECTION 11: Toxicological information

- 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008
 - Toxicological information of the product:
 - f) carcinogenicity:

Does not contain carcinogens (Ref. 1)

- g) reproductive toxicity:
- Does not contain reproductive toxicity and developmental toxic substances (Ref. 2)

Toxicological information of the main substances found in the product:

- Glycerol CAS: 56-81-5
- a) acute toxicity:

C13T05G440_en Page n. 16 of 21

Test: LD50 - Route: Oral - Species: Guinea pig = 7750 mg/kg - Source: Journal of Industrial Hygiene and Toxicology. Vol. 23, Pg. 259, 1941

Test: LDLo - Route: Oral - Species: Human = 1428 mg/kg - Source: "Toxicology of Drugs and Chemicals," Deichmann, W.B., New York, Academic Press, Inc., 1969Vol. -, Pg. 288, 1969.

2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutyl ether - CAS: 143-22-6

a) acute toxicity:

FPSON

Test: LD50 - Route: Dermal - Species: Rabbit = 3.54 ml/kg - Source: American Industrial Hygiene Association Journal. Vol. 23, Pg. 95, 1962.

Test: LD50 - Route: Oral - Species: Rat = 5300 mg/kg - Source: Office of Toxic Substances Report. Vol. OTS,

Triethanolamine - CAS: 102-71-6

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Guinea pig = 2200 mg/kg - Source:

"Toxicometric Parameters of Industrial Toxic Chemicals Under Single Exposure," Izmerov, N.F., et al., Moscow, Centre of International Projects, GKNT, 1982Vol. -, Pg. 114, 1982.

Test: LD50 - Route: Oral - Species: Mouse = 5846 mg/kg - Source: Science Reports of the Research Institutes, Tohoku University, Series C: Medicine. Vol. 36(1-4), Pg. 10, 1989.

2,4,7,9-tetramethyldec-5-yne-4,7-diol - CAS: 126-86-3

a) acute toxicity:

Test: LD50 - Route: Dermal - Species: Rat > 2000 mg/kg

b) skin corrosion/irritation:

Test: Skin Irritant - Species: Rabbit Mild irritant

c) serious eye damage/irritation:

Test: Eye Irritant - Species: Rabbit Highly irritating

- d) respiratory or skin sensitisation:
 - Test: Skin Sensitisation Route: LLNA Species: Mouse Sensitiser
- e) germ cell mutagenicity:

Test: Mutagenesis - Species: Salmonella Typhimurium Negative

If not differently specified, the information required in Regulation (EU)2020/878 listed below must be considered as N.A.:

- a) acute toxicity;
- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- j) aspiration hazard.
- 11.2. Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration >= 0.1%

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. Toxicological information of the product: No data available

C13T05G440_en Page n. 17 of 21



Toxicological information of the main substances found in the product:

- 2,4,7,9-tetramethyldec-5-yne-4,7-diol CAS: 126-86-3
 - a) Aquatic acute toxicity:
 - Endpoint: LC50 Species: Fish = 36 mg/l Duration h: 96
 - Endpoint: EC50 Species: Daphnia = 88 mg/l Duration h: 48
 - Endpoint: EC50 Species: Algae = 15 mg/l Duration h: 72
 - c) Bacteria toxicity:
- Endpoint: EC50 Species: activated sludge = 630 mg/l Duration h: 0.5 12.2. Persistence and degradability
- No data available
- 12.3. Bioaccumulative potential
 - No data available
- 12.4. Mobility in soil
- No data available
- 12.5. Results of PBT and vPvB assessment vPvB Substances: None - PBT Substances: None
- 12.6. Endocrine disrupting properties
 No endocrine disruptor substances present in concentration >= 0.1%
- 12.7. Other adverse effects None

SECTION 13: Disposal considerations

- 13.1. Waste treatment methods
 - Recover if possible. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

- 14.1. UN number or ID number
 - Not classified as dangerous in the meaning of transport regulations.
- 14.2. UN proper shipping name No data available
- 14.3. Transport hazard class(es) No data available
- 14.4. Packing group
 - No data available
- 14.5. Environmental hazards
- No data available 14.6. Special precautions for user
 - No data available
- 14.7. Maritime transport in bulk according to IMO instruments No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) n. 2020/878 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP)

C13T05G440_en Page n. 18 of 21



Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Regulation (EU) n. 2016/918 (ATP 8 CLP) Regulation (EU) n. 2016/1179 (ATP 9 CLP) Regulation (EU) n. 2017/776 (ATP 10 CLP) Regulation (EU) n. 2018/669 (ATP 11 CLP) Regulation (EU) n. 2018/1480 (ATP 13 CLP) Regulation (EU) n. 2019/521 (ATP 12 CLP) Regulation (EU) n. 2020/217 (ATP 14 CLP) Regulation (EU) n. 2020/1182 (ATP 15 CLP) Regulation (EU) n. 2021/643 (ATP 16 CLP) Regulation (EU) n. 2021/849 (ATP 17 CLP) Regulation (EU) n. 2022/692 (ATP 18 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: Restrictions related to the product: No restriction. Restrictions related to the substances contained: **Restriction 75** Where applicable, refer to the following regulatory provisions : Directive 2012/18/EU (Seveso III) Regulation (EC) nr 648/2004 (detergents). Dir. 2004/42/EC (VOC directive) Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1

None

15.2. Chemical safety assessment No Chemical Safety Assessment has been carried out for the mixture.

SECTION 16: Other information

Full text of phrases referred to in Section 3: H318 Causes serious eye damage. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H412 Harmful to aquatic life with long lasting effects. H330 Fatal if inhaled. H311 Toxic in contact with skin. H301 Toxic if swallowed. H314 Causes severe skin burns and eye damage. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. EUH071 Corrosive to the respiratory tract.

| Hazard class and hazard category | Code | Description |
|-------------------------------------|--------------|---|
| Acute Tox. 2 | 3.1/2/Inhal | Acute toxicity (inhalation), Category 2 |
| Acute Tox. 3 | 3.1/3/Dermal | Acute toxicity (dermal), Category 3 |
| Acute Tox. 3 | 3.1/3/Oral | Acute toxicity (oral), Category 3 |
| Skin Corr. 1B | 3.2/1B | Skin corrosion, Category 1B |
| Eye Dam. 1 | 3.3/1 | Serious eye damage, Category 1 |
| Eye Irrit. 2 | 3.3/2 | Eye irritation, Category 2 |



| Skin Sens. 1A | 3.4.2/1A | Skin Sensitisation, Category 1A |
|-------------------|----------|--|
| Skin Sens. 1B | 3.4.2/1B | Skin Sensitisation, Category 1B |
| Aquatic Acute 1 | 4.1/A1 | Acute aquatic hazard, category 1 |
| Aquatic Chronic 1 | 4.1/C1 | Chronic (long term) aquatic hazard, category 1 |
| Aquatic Chronic 3 | 4.1/C3 | Chronic (long term) aquatic hazard, category 3 |

Paragraphs modified from the previous revision:

SECTION 1: Identification of the substance/mixture and of the company/undertaking SECTION 3: Composition/information on ingredients

SECTION 8: Exposure controls/personal protection

SECTION 9: Physical and chemical properties

SECTION 11: Toxicological information

SECTION 12: Ecological information

SECTION 15: Regulatory information

SECTION 16: Other information

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

Ref. 1 ·IARC Monographs on the Evaluation Carcinogenic Risks to Humans (IARC: International Agency for Research on Cancer)

Journal of Occupational Health (JOH) (Japan Society of Occupational Health (JSOH))
TLVs and BEIs (ACGIH: American Conference of Governmental Industrial Hygienists)
IRIS Carcinogenic Assessment (IRIS: Integrated Risk Information System of US EPA)
National Toxicology Program (NTP) Report on Carcinogens (USA)
Annex VI of REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
MAK und BAT Werte Liste (DFG: German Research Foundation)
TRGS 905, Verzeichnis krebserzeugender, keimzell mutagener oder reproduktionstoxischer Stoffe (AGS: Committee on Hazardous Substances, Germany)

 Ref. 2 Annex VI of REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
 TRGS 905, Verzeichnis krebserzeugender, keimzell mutagener oder reproduktionstoxischer Stoffe (AGS: Committee on Hazardous Substances, Germany)

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This Safety Data Sheet cancels and replaces any preceding release.

| ADR: | European Agreement concerning the International Carriage of |
|---------|---|
| | Dangerous Goods by Road. |
| ATE: | Acute Toxicity Estimate |
| ATEmix: | Acute toxicity Estimate (Mixtures) |



| CAS: | Chemical Abstracts Service (division of the American Chemical Society). |
|-------------|--|
| CLP: | Classification, Labeling, Packaging. |
| DNEL: | Derived No Effect Level. |
| EINECS: | European Inventory of Existing Commercial Chemical Substances. |
| GefStoffVO: | Ordinance on Hazardous Substances, Germany. |
| GHS: | Globally Harmonized System of Classification and Labeling of |
| | Chemicals. |
| IATA: | International Air Transport Association. |
| IATA-DGR: | Dangerous Goods Regulation by the "International Air Transport Association" (IATA). |
| ICAO: | International Civil Aviation Organization. |
| ICAO-TI: | Technical Instructions by the "International Civil Aviation Organization" (ICAO). |
| IMDG: | International Maritime Code for Dangerous Goods. |
| INCI: | International Nomenclature of Cosmetic Ingredients. |
| KSt: | Explosion coefficient. |
| LC50: | Lethal concentration, for 50 percent of test population. |
| LD50: | Lethal dose, for 50 percent of test population. |
| PNEC: | Predicted No Effect Concentration. |
| RID: | Regulation Concerning the International Transport of Dangerous Goods by Rail. |
| STEL: | Short Term Exposure limit. |
| STOT: | Specific Target Organ Toxicity. |
| TLV: | Threshold Limiting Value. |
| TWA: | Time-weighted average |
| WGK: | German Water Hazard Class. |
| | |