

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Mixture identification: Trade name: T06C3 C13T06C34A Trade code: 1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended use: Ink for inkjet printing 1.3. Details of the supplier of the safety data sheet Company: EPSON EUROPE B.V. Azie building, Atlas ArenA, Hoogoorddreef 5,1101 BA Amsterdam Zuidoost The Netherlands Phone number: +31-20-314-5000 Competent person responsible for the safety data sheet: chemicals@epson.eu 20/10/2022 Date: Revision: 5.0 1.4. Emergency telephone number +31-20-314-5000 Phone number: Monday to Friday 9am to 5:30pm. United Kingdom: 01952 607111 Emergency Action: In the event of a medical enquiry involving this product, please contact your doctor or local hospital accident and emergency department. +353 (01) 809 2566 or +353 (01) 809 2166 Ireland: Malta; 2545 0000 or 21224071 **SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP). Hazard pictograms:

None

Hazard statements:

None

Precautionary statements:

None

**Special Provisions:** 

EUH210 Safety data sheet available on request.

EUH208 Contains 2,4,7,9-tetramethyldec-5-yne-4,7-diol. May produce an allergic reaction.

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one. May produce an allergic reaction.

EUH208 Contains 2-methylisothiazol-3(2H)-one. May produce an allergic reaction. Special provisions according to Annex XVII of REACH and subsequent amendments: None

2.3. Other hazards

C13T06C34A en Page n. 1 of 11



No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1% Other Hazards:

No other hazards

### **SECTION 3: Composition/information on ingredients**

- 3.1. Substances
- No
- 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Numb	er	Classification
65% ~ 80%	Water	CAS: EC:	7732-18-5 231-791-2	The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).
5% ~ 7%	Glycerol	CAS: EC:	56-81-5 200-289-5	The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).
	2-Pyrrolidone		616-45-5 210-483-1 01-21194754 71-37	<ul> <li>3.3/2 Eye Irrit. 2 H319</li> <li>3.7/1B Repr. 1B H360</li> <li>Specific Concentration Limits: C &gt;= 3%: Repr. 1B H360</li> </ul>
1% ~ 3%	Triethanolamine	CAS: EC: REACH No.:	102-71-6 203-049-8 01-21194864 82-31	The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).
1% ~ 3%	2-[2-(2-butoxyethoxy)et hoxy]ethanol; TEGBE; triethylene glycol monobutyl ether	number: CAS: EC:	603-183-00-0 143-22-6 205-592-6 01-21194751 07-38	<ul> <li>3.3/1 Eye Dam. 1 H318</li> <li>Specific Concentration Limits:</li> <li>C &gt;= 30%: Eye Dam. 1 H318</li> <li>20% &lt;= C &lt; 30%: Eye Irrit. 2 H319</li> </ul>
0.25% ~ 0.5%	2,4,7,9-tetramethyldec- 5-yne-4,7-diol	CAS: EC: REACH No.:	126-86-3 204-809-1 01-21199543 90-39	<ul> <li>3.3/1 Eye Dam. 1 H318</li> <li>3.4.2/1B Skin Sens. 1B H317</li> <li>4.1/C3 Aquatic Chronic 3 H412</li> </ul>
0.0015% ~ 0.05%	1,2-benzisothiazol-3(2 H)-one; 1,2-benzisothiazolin-3- one	Index number: CAS: EC:	613-088-00-6 2634-33-5 220-120-9	<ul> <li>3.1/4/Oral Acute Tox. 4 H302</li> <li>3.2/2 Skin Irrit. 2 H315</li> <li>3.3/1 Eye Dam. 1 H318</li> <li>3.4.2/1 Skin Sens. 1 H317</li> <li>4.1/A1 Aquatic Acute 1 H400 Specific Concentration Limits: 0.005% &lt;= C &lt; 0.05%: EUH208 C &gt;= 0.05%: Skin Sens. 1 H317</li> </ul>
< 0.0015%	2-methylisothiazol-3(2 H)-one	Index number: CAS: EC:	613-326-00-9 2682-20-4 220-239-6	<ul> <li>3.1/2/Inhal Acute Tox. 2 H330</li> <li>3.1/3/Dermal Acute Tox. 3 H311</li> <li>3.1/3/Oral Acute Tox. 3 H301</li> <li>3.2/1B Skin Corr. 1B H314</li> <li>3.3/1 Eye Dam. 1 H318</li> </ul>



3.4.2/1A Skin Sens. 1A H317
4.1/A1 Aquatic Acute 1 H400
M=10.
4.1/C1 Aquatic Chronic 1
H410 M=1.
EUH071
Specific Concentration Limits:
C >= 0.0015%: Skin Sens. 1A
H317

#### **SECTION 4: First aid measures**

4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

- 4.2. Most important symptoms and effects, both acute and delayed None
- 4.3. Indication of any immediate medical attention and special treatment needed Treatment:

None

#### **SECTION 5: Firefighting measures**

- 5.1. Extinguishing media
  - Suitable extinguishing media: Water.
    - Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

- None in particular.
- 5.2. Special hazards arising from the substance or mixture Do not inhale explosion and combustion gases.
  - Burning produces heavy smoke.
- 5.3. Advice for firefighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

#### **SECTION 6: Accidental release measures**

- 6.1. Personal precautions, protective equipment and emergency procedures
  - Wear personal protection equipment. Remove persons to safety.
  - See protective measures under point 7 and 8.
- 6.2. Environmental precautions
  - Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.



In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

- Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up
- Wash with plenty of water.
- 6.4. Reference to other sections See also section 8 and 13

### **SECTION 7: Handling and storage**

7.1. Precautions for safe handling

- Avoid contact with skin and eyes, inhalation of vapours and mists. See also section 8 for recommended protective equipment. Advice on general occupational hygiene: Do not eat or drink while working.
- 7.2. Conditions for safe storage, including any incompatibilities
  - Keep away from food, drink and feed.
  - Incompatible materials:
  - None in particular.
  - Instructions as regards storage premises:
  - Adequately ventilated premises.
- 7.3. Specific end use(s) None in particular

#### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

- Glycerol CAS: 56-81-5
  - OEL Type: OSHA TWA: 5 mg/m3 Notes: Respirable dust
  - OEL Type: OSHA TWA: 15 mg/m3 Notes: Total dust
- Triethanolamine CAS: 102-71-6
  - OEL Type: ACGIH TWA(8h): 5 mg/m3

#### DNEL Exposure Limit Values

2-Pyrrolidone - CAS: 616-45-5

Worker Industry: 13.23 mg/m3 - Worker Professional: 1.985 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects Worker Industry: 1.876 mg/kg/day - Worker Professional: 0.67 mg/kg/day -Exposure: Human Dermal - Frequency: Long Term, systemic effects Worker Professional: 0.67 mg/kg/day - Exposure: Human Oral - Frequency: Long Term, systemic effects

Triethanolamine - CAS: 102-71-6

Worker Industry: 6.3 mg/kg/day - Consumer: 3.1 mg/kg/day - Exposure: Human Dermal - Frequency: Long Term, systemic effects Worker Industry: 5 mg/m3 - Consumer: 1.25 mg/m3 - Exposure: Human

Inhalation - Frequency: Long Term, systemic effects

Consumer: 13 mg/kg/day - Exposure: Human Oral - Frequency: Short Term, systemic effects

### PNEC Exposure Limit Values

2-Pyrrolidone - CAS: 616-45-5

Target: Fresh Water - Value: 0.5 mg/l

Target: Freshwater sediments - Value: 2.17 mg/kg

- Target: Marine water Value: 0.05 mg/l
- Target: Marine water sediments Value: 0.217 mg/kg
- Target: Microorganisms in sewage treatments Value: 10 mg/l
- Triethanolamine CAS: 102-71-6
  - Target: Fresh Water Value: 0.32 mg/l

C13T06C34A\_en Page n. 4 of 11 Version 8.2 Revision 5.0



Target: Marine water - Value: 0.032 mg/l Target: Freshwater sediments - Value: 1.7 mg/kg Target: Marine water sediments - Value: 0.17 mg/kg Target: Soil (agricultural) - Value: 0.151 mg/kg 2-[2-(2-butoxyethoxy)ethoxy]ethanol: TEGBE: triethylene glycol monobutyl ether -CAS: 143-22-6 Target: Fresh Water - Value: 1.5 mg/l Target: Freshwater sediments - Value: 5.77 mg/kg Target: Marine water - Value: 0.15 mg/l Target: Marine water sediments - Value: 0.13 mg/kg Target: Microorganisms in sewage treatments - Value: 200 mg/l 2,4,7,9-tetramethyldec-5-yne-4,7-diol - CAS: 126-86-3 Target: Fresh Water - Value: 0.04 mg/l Target: Marine water - Value: 0.004 mg/l Target: Freshwater sediments - Value: 0.32 mg/kg Target: Marine water sediments - Value: 0.032 mg/kg 8.2. Exposure controls 8.2.1. Appropriate engineering controls: None 8.2.2. Individual protection measures, such as personal protective equipment Eye protection: Use personal protective equipment as required. Protection for skin: Use personal protective equipment as required. Protection for hands: Use personal protective equipment as required. Respiratory protection: Use personal protective equipment as required. Thermal Hazards: None 8.2.3. Environmental exposure controls: None Appropriate engineering controls: None **SECTION 9: Physical and chemical properties** 

9.1. In	formation on basic physical and chemical prope	rties	
	Physical state:	Liquid	
	Colour:	Magenta	
	Odour:	Slightly	
	Melting point / freezing point:	No data availab	le
	Boiling point or initial boiling point and boiling ra	inge:	
		No data availab	le
	Flammability:	Non-flammable	
	Lower and upper explosion limit:	No data availab	le
	Flash point:	> 100 °C / 212 °	°F
	Auto-ignition temperature:	No data availab	le
	Decomposition temperature:	No data availab	le
	pH:	9 ~ 10	at 20 °C
	Kinematic viscosity:	No data availab	le
	Vapour pressure:	No data availab	le
	Relative vapour density: No data available		le
	Particle characteristics:	Not Relevant	



9.2. Other information Viscosity:

< 5 mPa·s at 20 °C

### **SECTION 10: Stability and reactivity**

- 10.1. Reactivity
  - Stable under normal conditions
- 10.2. Chemical stability
  - Stable under normal conditions
- 10.3. Possibility of hazardous reactions None
- 10.4. Conditions to avoid Stable under normal conditions.
- 10.5. Incompatible materials None in particular.
- 10.6. Hazardous decomposition products None.

### **SECTION 11: Toxicological information**

- 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008
  - Toxicological information of the product:
    - e) germ cell mutagenicity:
      - Test: Mutagenesis Species: Salmonella Typhimurium and Escherichia coli Negative
    - f) carcinogenicity:
    - Does not contain carcinogens (Ref. 1)
  - Toxicological information of the main substances found in the product:
    - Glycerol CAS: 56-81-5
    - a) acute toxicity:

Test: LD50 - Route: Oral - Species: Guinea pig = 7750 mg/kg - Source: Journal of Industrial Hygiene and Toxicology. Vol. 23, Pg. 259, 1941

- Test: LDLo Route: Oral Species: Human = 1428 mg/kg Source: "Toxicology of Drugs and Chemicals," Deichmann, W.B., New York, Academic Press, Inc., 1969Vol. -, Pg. 288, 1969.
- 2-Pyrrolidone CAS: 616-45-5
- a) acute toxicity:
  - Test: LD50 Route: Oral Species: Rat > 2000 mg/kg
  - Test: LD50 Route: Dermal Species: Rabbit > 2000 mg/kg
- b) skin corrosion/irritation:
  - Test: Skin Irritant Species: Rabbit Non-irritant
- c) serious eye damage/irritation:
  - Test: Eye Irritant Species: Rabbit Moderate irritant Based on available data, the classification criteria are not met
- d) respiratory or skin sensitisation:
- Test: Skin Sensitisation Route: LLNA Species: Mouse Negative
- e) germ cell mutagenicity:
  - Test: Mutagenesis Species: Salmonella Typhimurium and Escherichia coli Negative
- Triethanolamine CAS: 102-71-6
- a) acute toxicity:
  - Test: LD50 Route: Oral Species: Guinea pig = 2200 mg/kg Source: "Toxicometric Parameters of Industrial Toxic Chemicals Under Single Exposure," Izmerov, N.F., et al., Moscow, Centre of International Projects, GKNT, 1982Vol. -, Pg. 114, 1982.



Test: LD50 - Route: Oral - Species: Mouse = 5846 mg/kg - Source: Science Reports of the Research Institutes, Tohoku University, Series C: Medicine. Vol. 36(1-4), Pg. 10, 1989.

2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutyl ether - CAS: 143-22-6

a) acute toxicity:

Test: LD50 - Route: Dermal - Species: Rabbit = 3.54 ml/kg - Source: American Industrial Hygiene Association Journal. Vol. 23, Pg. 95, 1962.

Test: LD50 - Route: Oral - Species: Rat = 5300 mg/kg - Source: Office of Toxic Substances Report. Vol. OTS,

2,4,7,9-tetramethyldec-5-yne-4,7-diol - CAS: 126-86-3

a) acute toxicity:

Test: LD50 - Route: Dermal - Species: Rat > 2000 mg/kg

b) skin corrosion/irritation:

Test: Skin Irritant - Species: Rabbit Mild irritant

c) serious eye damage/irritation:

Test: Eye Irritant - Species: Rabbit Highly irritating

d) respiratory or skin sensitisation: Test: Skin Sensitisation - Route: LLNA - Species: Mouse Sensitiser

e) germ cell mutagenicity:

Test: Mutagenesis - Species: Salmonella Typhimurium Negative

If not differently specified, the information required in Regulation (EU)2020/878 listed below must be considered as N.A.:

- a) acute toxicity;
- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- j) aspiration hazard.

11.2. Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration >= 0.1%

### **SECTION 12: Ecological information**

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. Toxicological information of the product:

No data available

Toxicological information of the main substances found in the product:

2-Pyrrolidone - CAS: 616-45-5

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 4600 mg/l - Duration h: 96 Endpoint: EC50 - Species: Daphnia > 500 mg/l - Duration h: 24 Endpoint: EC50 - Species: Algae > 500 mg/l - Duration h: 72

2,4,7,9-tetramethyldec-5-yne-4,7-diol - CAS: 126-86-3

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 36 mg/l - Duration h: 96 Endpoint: EC50 - Species: Daphnia = 88 mg/l - Duration h: 48 Endpoint: EC50 - Species: Algae = 15 mg/l - Duration h: 72

C13T06C34A\_en Page n. 7 of 11



- c) Bacteria toxicity:
  - Endpoint: EC50 Species: activated sludge = 630 mg/l Duration h: 0.5
- 12.2. Persistence and degradability No data available
- 12.3. Bioaccumulative potential
- No data available 12.4. Mobility in soil
- No data available
- 12.5. Results of PBT and vPvB assessment vPvB Substances: None - PBT Substances: None
- 12.6. Endocrine disrupting properties No endocrine disruptor substances present in concentration >= 0.1%
- 12.7. Other adverse effects
  - None

### **SECTION 13: Disposal considerations**

13.1. Waste treatment methods Recover if possible. In so doing, comply with the local and national regulations currently in force.

### **SECTION 14: Transport information**

- 14.1. UN number or ID number
  - Not classified as dangerous in the meaning of transport regulations.
- 14.2. UN proper shipping name No data available
- 14.3. Transport hazard class(es) No data available
- 14.4. Packing group
  - No data available
- 14.5. Environmental hazards No data available
- 14.6. Special precautions for user No data available
- 14.7. Maritime transport in bulk according to IMO instruments No data available

### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

- Regulation (EC) n. 1907/2006 (REACH)
- Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) n. 2020/878

- Regulation (EU) n. 286/2011 (ATP 2 CLP)
- Regulation (EU) n. 618/2012 (ATP 3 CLP)
- Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

- Regulation (EU) n. 605/2014 (ATP 6 CLP)
- Regulation (EU) n. 2015/1221 (ATP 7 CLP)
- Regulation (EU) n. 2016/918 (ATP 8 CLP)
- Regulation (EU) n. 2016/1179 (ATP 9 CLP)
- Regulation (EU) n. 2017/776 (ATP 10 CLP) Regulation (EU) n. 2018/669 (ATP 11 CLP)



Regulation (EU) n. 2018/1480 (ATP 13 CLP) Regulation (EU) n. 2019/521 (ATP 12 CLP) Regulation (EU) n. 2020/217 (ATP 14 CLP) Regulation (EU) n. 2020/1182 (ATP 15 CLP) Regulation (EU) n. 2021/643 (ATP 16 CLP) Regulation (EC) n. 2021/849 (ATP 17 CLP) Regulation (EC) n. 2022/692 (ATP 18 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: Restrictions related to the product: No restriction. Restrictions related to the substances contained: Restriction 75 Where applicable, refer to the following regulatory provisions : Directive 2012/18/EU (Seveso III) Regulation (EC) nr 648/2004 (detergents). Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1 None

15.2. Chemical safety assessment No Chemical Safety Assessment has been carried out for the mixture.

### **SECTION 16: Other information**

Full text of phrases referred to in Section 3:

H319 Causes serious eye irritation.

H360 May damage fertility or the unborn child.

- H318 Causes serious eye damage.
- H317 May cause an allergic skin reaction.
- H412 Harmful to aquatic life with long lasting effects.
- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H400 Very toxic to aquatic life.

EUH208 Contains (name of sensitising substance). May produce an allergic reaction.

- H330 Fatal if inhaled.
- H311 Toxic in contact with skin.
- H301 Toxic if swallowed.
- H314 Causes severe skin burns and eye damage.

H410 Very toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

Hazard class and hazard category	Code	Description
Acute Tox. 2	3.1/2/Inhal	Acute toxicity (inhalation), Category 2
Acute Tox. 3	3.1/3/Dermal	Acute toxicity (dermal), Category 3
Acute Tox. 3	3.1/3/Oral	Acute toxicity (oral), Category 3
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Corr. 1B	3.2/1B	Skin corrosion, Category 1B
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2



Skin Sens. 1	3.4.2/1	Skin Sensitisation, Category 1
Skin Sens. 1A	3.4.2/1A	Skin Sensitisation, Category 1A
Skin Sens. 1B	3.4.2/1B	Skin Sensitisation, Category 1B
Repr. 1B	3.7/1B	Reproductive toxicity, Category 1B
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

This safety data sheet has been completely updated in compliance to Regulation 2020/878.

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

Ref. 1 ·IARC Monographs on the Evaluation Carcinogenic Risks to Humans (IARC: International Agency for Research on Cancer)
·Journal of Occupational Health (JOH) (Japan Society of Occupational Health (JSOH))
·TLVs and BEIs (ACGIH: American Conference of Governmental Industrial Hygienists)
·IRIS Carcinogenic Assessment (IRIS: Integrated Risk Information System of US EPA)
·National Toxicology Program (NTP) Report on Carcinogens (USA)
·Annex VI of REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
·MAK und BAT Werte Liste (DFG: German Research Foundation)
·TRGS 905, Verzeichnis krebserzeugender, keimzell mutagener oder reproduktionstoxischer Stoffe (AGS: Committee on Hazardous Substances, Germany)

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This Safety Data Sheet cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).



IMDG: INCI: KSt:	International Maritime Code for Dangerous Goods. International Nomenclature of Cosmetic Ingredients. Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.