

SECTION 1: Identification of the sub	ostance/mixture and of the company/undertaking
1.1. Product identifier	
Mixture identification:	
Trade name:	T0796
Trade code:	C13T07964020
UFI:	G0U6-YK5M-CJ0E-04QE
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Recommended use:	Ŭ
Ink for ink	jet printing
1.3. Details of the supplier of the sa	fety data sheet
Company:	
EPSON E	UROPE B.V.
Azie build	ing, Atlas ArenA, Hoogoorddreef 5,1101 BA Amsterdam
Zuidoost ⁻	The Netherlands
Phone nu	mber: +31-20-314-5000
Competent person responsib	le for the safety data sheet:
chemicals	epson.eu
Date:	20/10/2022
Revision:	6.0
1.4. Emergency telephone number	
Phone number:	+31-20-314-5000
United Kingdom;	01952 607111 Monday to Friday 9am to 5:30pm.
	Emergency Action: In the event of a medical enquiry involving
	this product, please contact your doctor or local hospital
	accident and emergency department.
Ireland;	+353 (01) 809 2566 or +353 (01) 809 2166
Malta;	2545 0000 or 21224071

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

Danger, Repr. 1B, May damage fertility or the unborn child.

Adverse physicochemical, human health and environmental effects: No other hazards

2.2. Label elements

Hazard pictograms:



Danger

Hazard statements:

H360 May damage fertility or the unborn child.

Precautionary statements:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with applicable regulations. Special Provisions:

C13T07964020_en Page n. 1 of 11



EUH208 Contains 2,4,7,9-tetramethyldec-5-yne-4,7-diol. May produce an allergic reaction.

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one. May produce an allergic reaction.

Contains

2-Pyrrolidone

Special provisions according to Annex XVII of REACH and subsequent amendments: None

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration $\geq 0.1\%$ Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

- 3.1. Substances
 - No
- 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Numb	er	Classification
50% ~ 65%	Water	CAS: EC:	7732-18-5 231-791-2	The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).
10% ~ 12.5%	Glycerol	CAS: EC:	56-81-5 200-289-5	The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).
7% ~ 10%	2-[2-(2-butoxyethoxy)et hoxy]ethanol; TEGBE; triethylene glycol monobutyl ether	number: CAS: EC:	603-183-00-0 143-22-6 205-592-6 01-21194751 07-38	 3.3/1 Eye Dam. 1 H318 Specific Concentration Limits: C >= 30%: Eye Dam. 1 H318 20% <= C < 30%: Eye Irrit. 2 H319
3% ~ 5%	2-Pyrrolidone	CAS: EC: REACH No.:	616-45-5 210-483-1 01-21194754 71-37	 3.3/2 Eye Irrit. 2 H319 3.7/1B Repr. 1B H360 Specific Concentration Limits: C >= 3%: Repr. 1B H360
0.5% ~ 1%	Triethanolamine	CAS: EC: REACH No.:	102-71-6 203-049-8 01-21194864 82-31	The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).
0.1% ~ 0.25%	2,4,7,9-tetramethyldec- 5-yne-4,7-diol	CAS: EC: REACH No.:	126-86-3 204-809-1 01-21199543 90-39	 3.3/1 Eye Dam. 1 H318 3.4.2/1B Skin Sens. 1B H317 4.1/C3 Aquatic Chronic 3 H412
0.0015% ~ 0.05%	1,2-benzisothiazol-3(2 H)-one; 1,2-benzisothiazolin-3- one	Index number: CAS: EC:	613-088-00-6 2634-33-5 220-120-9	 3.1/4/Oral Acute Tox. 4 H302 3.2/2 Skin Irrit. 2 H315 3.3/1 Eye Dam. 1 H318 3.4.2/1 Skin Sens. 1 H317 4.1/A1 Aquatic Acute 1 H400 Specific Concentration Limits:



0.005% <= C < 0.05%: EUH208
C >= 0.05%: Skin Sens. 1 H317

SECTION 4: First aid measures

- 4.1. Description of first aid measures
 - In case of skin contact:
 - Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose off safely.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

- 4.2. Most important symptoms and effects, both acute and delayed
- None
- 4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Treatment:

None

SECTION 5: Firefighting measures

- 5.1. Extinguishing media
 - Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

None in particular.

- 5.2. Special hazards arising from the substance or mixture Do not inhale explosion and combustion gases.
 - Burning produces heavy smoke.
- 5.3. Advice for firefighters
 - Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures
 - Wear personal protection equipment.
 - Remove persons to safety.

See protective measures under point 7 and 8.

- 6.2. Environmental precautions
 - Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.



In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

- Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up
- Wash with plenty of water.
- 6.4. Reference to other sections See also section 8 and 13

SECTION 7: Handling and storage

- 7.1. Precautions for safe handling
 - Avoid contact with skin and eyes, inhalation of vapours and mists.

Exercise the greatest care when handling or opening the container.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Contamined clothing should be changed before entering eating areas.

- Do not eat or drink while working.
- 7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s) None in particular

SECTION 8: Exposure controls/personal protection

- 8.1. Control parameters
 - Glycerol CAS: 56-81-5
 - OEL Type: OSHA TWA: 5 mg/m3 Notes: Respirable dust
 - OEL Type: OSHA TWA: 15 mg/m3 Notes: Total dust
 - Triethanolamine CAS: 102-71-6
 - OEL Type: ACGIH TWA(8h): 5 mg/m3
 - DNEL Exposure Limit Values
 - 2-Pyrrolidone CAS: 616-45-5

Worker Industry: 13.23 mg/m3 - Worker Professional: 1.985 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

- Worker Industry: 1.876 mg/kg/day Worker Professional: 0.67 mg/kg/day -
- Exposure: Human Dermal Frequency: Long Term, systemic effects

Worker Professional: 0.67 mg/kg/day - Exposure: Human Oral - Frequency: Long Term, systemic effects

Triethanolamine - CAS: 102-71-6

Worker Industry: 6.3 mg/kg/day - Consumer: 3.1 mg/kg/day - Exposure: Human Dermal - Frequency: Long Term, systemic effects

- Worker Industry: 5 mg/m3 Consumer: 1.25 mg/m3 Exposure: Human
- Inhalation Frequency: Long Term, systemic effects

Consumer: 13 mg/kg/day - Exposure: Human Oral - Frequency: Short Term, systemic effects

PNEC Exposure Limit Values

2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutyl ether - CAS: 143-22-6

Target: Fresh Water - Value: 1.5 mg/l

C13T07964020_en Page n. 4 of 11



Target: Freshwater sedimer	nts - Value: 5.77 mg/kg
Target: Marine water - Value	
Target: Marine water sedime	
Target: Microorganisms in s	ewage treatments - Value: 200 mg/l
2-Pyrrolidone - CAS: 616-45-5	-
Target: Fresh Water - Value	e: 0.5 mg/l
Target: Freshwater sedimer	nts - Value: 2.17 mg/kg
Target: Marine water - Value	e: 0.05 mg/l
Target: Marine water sedime	ents - Value: 0.217 mg/kg
Target: Microorganisms in s	ewage treatments - Value: 10 mg/l
Triethanolamine - CAS: 102-71-6	
Target: Fresh Water - Value	e: 0.32 mg/l
Target: Marine water - Value	e: 0.032 mg/l
Target: Freshwater sedimer	
Target: Marine water sedime	ents - Value: 0.17 mg/kg
Target: Soil (agricultural) - V	/alue: 0.151 mg/kg
2,4,7,9-tetramethyldec-5-yne-4,7-c	diol - CAS: 126-86-3
Target: Fresh Water - Value	e: 0.04 mg/l
Target: Marine water - Value	e: 0.004 mg/l
Target: Freshwater sedimer	
Target: Marine water sedime	ents - Value: 0.032 mg/kg
8.2. Exposure controls	
8.2.1. Appropriate engineering controls:	
None	
8.2.2. Individual protection measures, su	ch as personal protective equipment
Eye protection:	
Use close fitting safety gogg	gles, don't use eye lens.
Protection for skin:	
	omprehensive protection to the skin, e.g. cotton,
rubber, PVC or viton.	
Protection for hands:	
Use protective gloves that p neoprene or rubber.	rovides comprehensive protection, e.g. P.V.C.,
Respiratory protection:	
Use personal protective equ	lipment as required.
Thermal Hazards:	
None	
8.2.3. Environmental exposure controls:	
None	
Appropriate engineering controls: None	
SECTION 9: Physical and chemical properties	
9.1. Information on basic physical and chemica	
Physical state:	Liquid
Colour:	Light magenta
Odour:	Slightly
Melting point / freezing point:	-17 °C
Boiling point or initial boiling point and bo	-
	No data available
Flammability:	Non-flammable
Lower and upper explosion limit.	No data available

Flammability:No data availableLower and upper explosion limit:Non-flammableFlash point:Does not flash until 100 °C / 212 ° F
(closed cup method, ASTM D 3278)

C13T07964020_en Page n. 5 of 11



Auto-ignition temperature: Decomposition temperature: pH: Kinematic viscosity: Solubility in water: Vapour pressure: Density and/or relative density:

Relative vapour density: Particle characteristics:

9.2. Other information No other relevant information

SECTION 10: Stability and reactivity

- 10.1. Reactivity
- Stable under normal conditions 10.2. Chemical stability
- Stable under normal conditions
- 10.3. Possibility of hazardous reactions None
- 10.4. Conditions to avoid Stable under normal conditions.
- 10.5. Incompatible materials None in particular.
- 10.6. Hazardous decomposition products None.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological information of the product:

f) carcinogenicity:

Does not contain carcinogens (Ref. 1)

Toxicological information of the main substances found in the product:

Glycerol - CAS: 56-81-5

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Guinea pig = 7750 mg/kg - Source: Journal of Industrial Hygiene and Toxicology. Vol. 23, Pg. 259, 1941

Test: LDLo - Route: Oral - Species: Human = 1428 mg/kg - Source: "Toxicology of Drugs and Chemicals," Deichmann, W.B., New York, Academic Press, Inc., 1969Vol. -, Pg. 288, 1969.

2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutyl ether - CAS: 143-22-6

a) acute toxicity:

Test: LD50 - Route: Dermal - Species: Rabbit = 3.54 ml/kg - Source: American Industrial Hygiene Association Journal. Vol. 23, Pg. 95, 1962.

Test: LD50 - Route: Oral - Species: Rat = 5300 mg/kg - Source: Office of Toxic Substances Report. Vol. OTS,

2-Pyrrolidone - CAS: 616-45-5

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 2000 mg/kg

Test: LD50 - Route: Dermal - Species: Rabbit > 2000 mg/kg

b) skin corrosion/irritation:

Test: Skin Irritant - Species: Rabbit Non-irritant

C13T07964020_en Page n. 6 of 11 No data available No data available 8.6 ~ 9.6 at 20 °C < 5 mm2/s at 20 °C Complete No data available 1.061 at 20 °C Specific gravity (relative density) No data available Not Relevant



c) serious eye damage/irritation:

Test: Eye Irritant - Species: Rabbit Moderate irritant - Based on available data, the classification criteria are not met

d) respiratory or skin sensitisation:

Test: Skin Sensitisation - Route: LLNA - Species: Mouse Negative

e) germ cell mutagenicity:

Test: Mutagenesis - Species: Salmonella Typhimurium and Escherichia coli Negative

Triethanolamine - CAS: 102-71-6

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Guinea pig = 2200 mg/kg - Source: "Toxicometric Parameters of Industrial Toxic Chemicals Under Single Exposure," Izmerov, N.F., et al., Moscow, Centre of International Projects, GKNT, 1982Vol. -, Pg. 114, 1982.

Test: LD50 - Route: Oral - Species: Mouse = 5846 mg/kg - Source: Science Reports of the Research Institutes, Tohoku University, Series C: Medicine. Vol. 36(1-4), Pg. 10, 1989.

- 2,4,7,9-tetramethyldec-5-yne-4,7-diol CAS: 126-86-3
- a) acute toxicity:
 - Test: LD50 Route: Dermal Species: Rat > 2000 mg/kg
- b) skin corrosion/irritation:

Test: Skin Irritant - Species: Rabbit Mild irritant

c) serious eye damage/irritation:

Test: Eye Irritant - Species: Rabbit Highly irritating

d) respiratory or skin sensitisation:

Test: Skin Sensitisation - Route: LLNA - Species: Mouse Sensitiser

- e) germ cell mutagenicity:
 - Test: Mutagenesis Species: Salmonella Typhimurium Negative

If not differently specified, the information required in Regulation (EU)2020/878 listed below must be considered as N.A.:

a) acute toxicity;

- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- j) aspiration hazard.

11.2. Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration >= 0.1%

SECTION 12: Ecological information

- 12.1. Toxicity
 - Adopt good working practices, so that the product is not released into the environment. Toxicological information of the product:
 - No data available
 - Toxicological information of the main substances found in the product:
 - 2-Pyrrolidone CAS: 616-45-5
 - a) Aquatic acute toxicity:
 - Endpoint: LC50 Species: Fish > 4600 mg/l Duration h: 96

C13T07964020_en Page n. 7 of 11



Endpoint: EC50 - Species: Daphnia > 500 mg/l - Duration h: 24 Endpoint: EC50 - Species: Algae > 500 mg/l - Duration h: 72 2,4,7,9-tetramethyldec-5-yne-4,7-diol - CAS: 126-86-3 a) Aquatic acute toxicity: Endpoint: LC50 - Species: Fish = 36 mg/l - Duration h: 96 Endpoint: EC50 - Species: Daphnia = 88 mg/l - Duration h: 48 Endpoint: EC50 - Species: Algae = 15 mg/l - Duration h: 72 c) Bacteria toxicity: Endpoint: EC50 - Species: activated sludge = 630 mg/l - Duration h: 0.5 12.2. Persistence and degradability No data available 12.3. Bioaccumulative potential No data available 12.4. Mobility in soil No data available 12.5. Results of PBT and vPvB assessment vPvB Substances: None - PBT Substances: None

- 12.6. Endocrine disrupting properties
 No endocrine disruptor substances present in concentration >= 0.1%
- 12.7. Other adverse effects None

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

14.1. UN number or ID number

Not classified as dangerous in the meaning of transport regulations.

- 14.2. UN proper shipping name
 - No data available
- 14.3. Transport hazard class(es) No data available
- 14.4. Packing group No data available
- 14.5. Environmental hazards No data available
- 14.6. Special precautions for user No data available
- 14.7. Maritime transport in bulk according to IMO instruments No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) n. 2020/878 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP)

C13T07964020_en Page n. 8 of 11



Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Regulation (EU) n. 2016/918 (ATP 8 CLP) Regulation (EU) n. 2016/1179 (ATP 9 CLP) Regulation (EU) n. 2017/776 (ATP 10 CLP) Regulation (EU) n. 2018/669 (ATP 11 CLP) Regulation (EU) n. 2018/1480 (ATP 13 CLP) Regulation (EU) n. 2019/521 (ATP 12 CLP) Regulation (EU) n. 2020/217 (ATP 14 CLP) Regulation (EU) n. 2020/1182 (ATP 15 CLP) Regulation (EU) n. 2021/643 (ATP 16 CLP) Regulation (EC) n. 2021/849 (ATP 17 CLP) Regulation (EC) n. 2022/692 (ATP 18 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: Restrictions related to the product: **Restriction 3** Restrictions related to the substances contained: **Restriction 75** Where applicable, refer to the following regulatory provisions : Directive 2012/18/EU (Seveso III) Regulation (EC) nr 648/2004 (detergents). Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1 None

15.2. Chemical safety assessment No Chemical Safety Assessment has been carried out for the mixture.

SECTION 16: Other information

Full text of phrases referred to in Section 3:

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H360 May damage fertility or the unborn child.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H400 Very toxic to aquatic life.

EUH208 Contains (name of sensitising substance). May produce an allergic reaction.

Hazard class and hazard category	Code	Description
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Skin Sens. 1	3.4.2/1	Skin Sensitisation, Category 1
Skin Sens. 1B	3.4.2/1B	Skin Sensitisation, Category 1B
Repr. 1B	3.7/1B	Reproductive toxicity, Category 1B



Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

This safety data sheet has been completely updated in compliance to Regulation 2020/878. Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Repr. 1B, H360	Calculation method

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

Ref. 1 IARC Monographs on the Evaluation Carcinogenic Risks to Humans (IARC:

International Agency for Research on Cancer)
Journal of Occupational Health (JOH) (Japan Society of Occupational Health (JSOH))
TLVs and BEIs (ACGIH: American Conference of Governmental Industrial Hygienists)
IRIS Carcinogenic Assessment (IRIS: Integrated Risk Information System of US EPA)
National Toxicology Program (NTP) Report on Carcinogens (USA)
Annex VI of REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
MAK und BAT Werte Liste (DFG: German Research Foundation)
TRGS 905, Verzeichnis krebserzeugender, keimzell mutagener oder reproduktionstoxischer Stoffe (AGS: Committee on Hazardous Substances, Germany)

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This Safety Data Sheet cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical
	Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization"

C13T07964020_en Page n. 10 of 11



	(ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	,
• • •	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.