

of the substance/mixture	and of the	e company/undertaking	
ion:			
	E.BK	T1631	
	_,		
	re and uses	advised against	
Ink for inkjet printing			
,			
EPSON EUROPE B.V.			
Azie building, Atlas ArenA, H	looaoorddre	ef 5.1101 BA Amsterdam	
Phone number:	+31-20-3	314-5000	
	00		
3rd and 4th Floors. The Clare	endon Work	s, 37-39 Clarendon Road.	
		,	
	-	2-261144	
		2 201111	
	Mondov	to Friday Oam to 5:20pm	
			lving
			wing
		53 (01) 809 2166 8am – 10pm	1
2545 0000 or 21	1224071		
	tion: INK CARTRIDG C13T163140 uses of the substance or mixtu se: Ink for inkjet printing ier of the safety data sheet EPSON EUROPE B.V. Azie building, Atlas ArenA, H Zuidoost The Netherlands Phone number: 3rd and 4th Floors, The Clarr Watford, WD17 1JA, United Phone number: n responsible for the safety dat chemicals@epson.eu 14/02/2025 7.0 ne number 01952 607111 Emergency Actit this product, ple accident and en +353 (01) 809 2	tion: INK CARTRIDGE,BK C13T163140 uses of the substance or mixture and uses se: Ink for inkjet printing ier of the safety data sheet EPSON EUROPE B.V. Azie building, Atlas ArenA, Hoogoorddre Zuidoost The Netherlands Phone number: +31-20- 3rd and 4th Floors, The Clarendon Work Watford, WD17 1JA, United Kingdom Phone number: +44-144 n responsible for the safety data sheet: chemicals@epson.eu 14/02/2025 7.0 ne number 01952 607111 Monday Emergency Action: In the e this product, please contact accident and emergency de	INK CARTRIDGE,BK T1631 C13T163140 uses of the substance or mixture and uses advised against se: Ink for inkjet printing ier of the safety data sheet EPSON EUROPE B.V. Azie building, Atlas ArenA, Hoogoorddreef 5,1101 BA Amsterdam Zuidoost The Netherlands Phone number: +31-20-314-5000 3rd and 4th Floors, The Clarendon Works, 37-39 Clarendon Road, Watford, WD17 1JA, United Kingdom Phone number: +44-1442-261144 n responsible for the safety data sheet: chemicals@epson.eu 14/02/2025 7.0 ne number 01952 607111 Monday to Friday 9am to 5:30pm. Emergency Action: In the event of a medical enquiry invol this product, please contact your doctor or local hospital accident and emergency department. +353 (01) 809 2566 or +353 (01) 809 2166 8am – 10pm

#### **SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP). Hazard pictograms:

None

Hazard statements:

None

Precautionary statements:

None

Special Provisions:

EUH210 Safety data sheet available on request.

EUH208 Contains 2,4,7,9-tetramethyldec-5-yne-4,7-diol. May produce an allergic reaction.

EUH208 Contains 2-methylisothiazol-3(2H)-one. May produce an allergic reaction. Special provisions according to Annex XVII of REACH and subsequent amendments:

None

C13T163140\_en Page n. 1 of 10



2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1% Other Hazards: No other hazards

**SECTION 3: Composition/information on ingredients** 

- 3.1. Substances
  - No
- 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Numb	er	Classification
65% ~ 80%	Water	CAS: EC:	7732-18-5 231-791-2	The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).
10% ~ 12.5%	Glycerol	CAS: EC:	56-81-5 200-289-5	The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).
5% ~ 7%	Carbon black	CAS: EC:	1333-86-4 215-609-9	The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).
1% ~ 3%	2-[2-(2-butoxyethoxy)et hoxy]ethanol; TEGBE; triethylene glycol monobutyl ether	number: CAS: EC:	603-183-00-0 143-22-6 205-592-6 01-21194751 07-38	<ul> <li>3.3/1 Eye Dam. 1 H318</li> <li>Specific Concentration Limits:</li> <li>C &gt;= 30%: Eye Dam. 1 H318</li> <li>20% &lt;= C &lt; 30%: Eye Irrit. 2 H319</li> </ul>
0.1% ~ 0.25%	2,4,7,9-tetramethyldec- 5-yne-4,7-diol	CAS: EC: REACH No.:	126-86-3 204-809-1 01-21199543 90-39	<ul> <li>3.3/1 Eye Dam. 1 H318</li> <li>3.4.2/1B Skin Sens. 1B H317</li> <li>4.1/C3 Aquatic Chronic 3 H412</li> </ul>
< 0.0015%	2-methylisothiazol-3(2 H)-one	Index number: CAS: EC:	613-326-00-9 2682-20-4 220-239-6	<ul> <li>3.1/2/Inhal Acute Tox. 2 H330</li> <li>3.1/3/Dermal Acute Tox. 3 H311</li> <li>3.1/3/Oral Acute Tox. 3 H301</li> <li>3.1/3/Oral Acute Tox. 3 H301</li> <li>3.2/1B Skin Corr. 1B H314</li> <li>3.3/1 Eye Dam. 1 H318</li> <li>3.4.2/1A Skin Sens. 1A H317</li> <li>4.1/A1 Aquatic Acute 1 H400 M=10.</li> <li>4.1/C1 Aquatic Chronic 1 H410 M=1. EUH071 Specific Concentration Limits: C &gt;= 0.0015%: Skin Sens. 1A H317</li> </ul>

#### **SECTION 4: First aid measures**

4.1. Description of first aid measures In case of skin contact:

C13T163140\_en Page n. 2 of 10



Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

- In case of Inhalation:
- Remove casualty to fresh air and keep warm and at rest.
- 4.2. Most important symptoms and effects, both acute and delayed
  - None
- 4.3. Indication of any immediate medical attention and special treatment needed Treatment:
  - None

### **SECTION 5: Firefighting measures**

- 5.1. Extinguishing media
  - Suitable extinguishing media:
    - Water.
      - Carbon dioxide (CO2).
    - Extinguishing media which must not be used for safety reasons: None in particular.
- 5.2. Special hazards arising from the substance or mixture Do not inhale explosion and combustion gases.
  - Burning produces heavy smoke.
- 5.3. Advice for firefighters
  - Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

#### **SECTION 6: Accidental release measures**

- 6.1. Personal precautions, protective equipment and emergency procedures
  - Wear personal protection equipment.
  - Remove persons to safety.
  - See protective measures under point 7 and 8.
- 6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

- Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up
  - Wash with plenty of water.
- 6.4. Reference to other sections See also section 8 and 13

### **SECTION 7: Handling and storage**

- 7.1. Precautions for safe handling
  - Avoid contact with skin and eyes, inhalation of vapours and mists. See also section 8 for recommended protective equipment. Advice on general occupational hygiene: Do not eat or drink while working.
- 7.2. Conditions for safe storage, including any incompatibilities

C13T163140\_en Page n. 3 of 10



Keep away from food, drink and feed. Incompatible materials: None in particular. Instructions as regards storage premises: Adequately ventilated premises. 7.3. Specific end use(s)

None in particular

#### **SECTION 8: Exposure controls/personal protection**

- 8.1. Control parameters
  - Glycerol CAS: 56-81-5
    - OEL Type: OSHA TWA: 5 mg/m3 Notes: Respirable dust
    - OEL Type: OSHA TWA: 15 mg/m3 Notes: Total dust
  - Carbon black CAS: 1333-86-4
    - OEL Type: ACGIH TWA(8h): 3 mg/m3
    - OEL Type: OSHA TWA: 3.5 mg/m3
    - OEL Type: JSOH TWA: 1 mg/m3 Notes: as Class 2 Dusts (Respirable dust)
    - OEL Type: JSOH TWA: 4 mg/m3 Notes: as Class 2 Dusts (Total dust)
    - OEL Type: ISHL TWA(8h): 0.3 mg/m3 Notes: as respirable particle
    - OEL Type: ISHL TWA: 3.0 mg/m3
  - DNEL Exposure Limit Values
  - No data available

**PNEC Exposure Limit Values** 

2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutyl ether - CAS: 143-22-6

- Target: Fresh Water Value: 1.5 mg/l
- Target: Freshwater sediments Value: 5.77 mg/kg
- Target: Marine water Value: 0.15 mg/l
- Target: Marine water sediments Value: 0.13 mg/kg
- Target: Microorganisms in sewage treatments Value: 200 mg/l
- 2,4,7,9-tetramethyldec-5-yne-4,7-diol CAS: 126-86-3
  - Target: Fresh Water Value: 0.04 mg/l
  - Target: Marine water Value: 0.004 mg/l
  - Target: Freshwater sediments Value: 0.32 mg/kg
  - Target: Marine water sediments Value: 0.032 mg/kg
- 8.2. Exposure controls
  - 8.2.1. Appropriate engineering controls:
    - None
  - 8.2.2. Individual protection measures, such as personal protective equipment Eye protection:

Use personal protective equipment as required.

- Protection for skin:
  - Use personal protective equipment as required.
- Protection for hands:
  - Use personal protective equipment as required.
- Respiratory protection:
  - Use personal protective equipment as required.

#### Thermal Hazards:

- None
- 8.2.3. Environmental exposure controls:
  - None
- Appropriate engineering controls:

None



#### **SECTION 9: Physical and chemical properties**

non J. I nysical and chemic			
9.1. Information on basic physica	al and chemical properties		
Physical state:	Liquid		
Colour:	Black		
Odour:	Slightly		
Melting point / freezing po	int: -12.7 °C		
Boiling point or initial boilir	ng point and boiling range:		
	No data a	available	
Flammability:	Non-flam	nmable	
Lower and upper explosio	n limit: No data a	available	
Flash point:	Does not	t flash until 100 °C / 212 ° F	
	(close	ed cup method, ASTM D 3278)	
Auto-ignition temperature:	No data a	available	
Decomposition temperatu	re: No data a	available	
pH:	8.4 ~ 9.4	at 20 °C	
Kinematic viscosity:	< 5 mm2	/s at 20 °C	
Solubility in water:	Complete	9	
Vapour pressure:	No data a	No data available	
Density and/or relative de	nsity: 1.067	at 20 °C	

No data available

Not Relevant

Specific gravity (relative density)

Relative vapour density: Particle characteristics:

9.2. Other information No other relevant information

#### **SECTION 10: Stability and reactivity**

- 10.1. Reactivity
  - Stable under normal conditions
- 10.2. Chemical stability Stable under normal conditions
- 10.3. Possibility of hazardous reactions None
- 10.4. Conditions to avoid Stable under normal conditions.
- 10.5. Incompatible materials None in particular.
- 10.6. Hazardous decomposition products None.

#### **SECTION 11: Toxicological information**

- 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008
  - Toxicological information of the product:
    - f) carcinogenicity:
    - Components do not come under carcinogens (Ref. 1), except for Carbon black g) reproductive toxicity:

Does not contain reproductive toxicity and developmental toxic substances (Ref. 2)

- Toxicological information of the main substances found in the product:
  - Glycerol CAS: 56-81-5
  - a) acute toxicity:
    - Test: LD50 Route: Oral Species: Guinea pig = 7750 mg/kg Source: Journal of Industrial Hygiene and Toxicology. Vol. 23, Pg. 259, 1941

C13T163140 en Page n. 5 of 10

Test: LDLo - Route: Oral - Species: Human = 1428 mg/kg - Source: "Toxicology of Drugs and Chemicals," Deichmann, W.B., New York, Academic Press, Inc., 1969Vol. -, Pg. 288, 1969.

Carbon black - CAS: 1333-86-4

a) acute toxicity:

EPSON

Test: LD50 - Route: Dermal - Species: Rabbit > 3 g/kg - Source: Acute Toxicity Data. Journal of the American College of Toxicology, Part B. Vol. 15

Test: LD50 - Route: Oral - Species: Rat > 15400 mg/kg - Source: Acute Toxicity Data. Journal of the American College of Toxicology, Part B. Vol. 15

2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutyl ether - CAS: 143-22-6

a) acute toxicity:

Test: LD50 - Route: Dermal - Species: Rabbit = 3.54 ml/kg - Source: American Industrial Hygiene Association Journal. Vol. 23, Pg. 95, 1962.

Test: LD50 - Route: Oral - Species: Rat = 5300 mg/kg - Source: Office of Toxic Substances Report. Vol. OTS,

2,4,7,9-tetramethyldec-5-yne-4,7-diol - CAS: 126-86-3

a) acute toxicity:

Test: LD50 - Route: Dermal - Species: Rat > 2000 mg/kg

b) skin corrosion/irritation:

Test: Skin Irritant - Species: Rabbit Mild irritant

c) serious eye damage/irritation:

Test: Eye Irritant - Species: Rabbit Highly irritating

d) respiratory or skin sensitisation:

Test: Skin Sensitisation - Route: LLNA - Species: Mouse Sensitiser

e) germ cell mutagenicity:

Test: Mutagenesis - Species: Salmonella Typhimurium Negative

Carbon black - CAS: 1333-86-4

With excessive exposure, carbon black has been listed as a possible human carcinogen. However, as engineered within this ink cartridge, emissions to air of carbon black during normal printing use have not been found. IARC, the International Agency for Research on Cancer, has found printing inks to be not classifiable as human carcinogens.

If not differently specified, the information required in Regulation (EU)2020/878 listed below must be considered as N.A.:

a) acute toxicity;

b) skin corrosion/irritation;

c) serious eye damage/irritation;

d) respiratory or skin sensitisation;

e) germ cell mutagenicity;

f) carcinogenicity;

g) reproductive toxicity;

h) STOT-single exposure;

i) STOT-repeated exposure;

j) aspiration hazard.

11.2. Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration >= 0.1%

#### **SECTION 12: Ecological information**

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. Toxicological information of the product:

C13T163140\_en Page n. 6 of 10



No data available Toxicological information of the main substances found in the product: 2,4,7,9-tetramethyldec-5-yne-4,7-diol - CAS: 126-86-3 a) Aquatic acute toxicity: Endpoint: LC50 - Species: Fish = 36 mg/l - Duration h: 96 Endpoint: EC50 - Species: Daphnia = 88 mg/l - Duration h: 48 Endpoint: EC50 - Species: Algae = 15 mg/l - Duration h: 72 c) Bacteria toxicity: Endpoint: EC50 - Species: activated sludge = 630 mg/l - Duration h: 0.5 12.2. Persistence and degradability No data available 12.3. Bioaccumulative potential No data available 12.4. Mobility in soil No data available 12.5. Results of PBT and vPvB assessment vPvB Substances: None - PBT Substances: None 12.6. Endocrine disrupting properties No endocrine disruptor substances present in concentration >= 0.1% 12.7. Other adverse effects

None

#### **SECTION 13: Disposal considerations**

13.1. Waste treatment methods Recover if possible. In so doing, comply with the local and national regulations currently in force.

#### **SECTION 14: Transport information**

14.1. UN number or ID number

Not classified as dangerous in the meaning of transport regulations.

- 14.2. UN proper shipping name
  - No data available
- 14.3. Transport hazard class(es) No data available
- 14.4. Packing group No data available
- 14.5. Environmental hazards No data available
- 14.6. Special precautions for user No data available
- 14.7. Maritime transport in bulk according to IMO instruments No data available

#### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) n. 2020/878 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP)



Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Regulation (EU) n. 2016/918 (ATP 8 CLP) Regulation (EU) n. 2016/1179 (ATP 9 CLP) Regulation (EU) n. 2017/776 (ATP 10 CLP) Regulation (EU) n. 2018/669 (ATP 11 CLP) Regulation (EU) n. 2018/1480 (ATP 13 CLP) Regulation (EU) n. 2019/521 (ATP 12 CLP) Regulation (EU) n. 2020/217 (ATP 14 CLP) Regulation (EU) n. 2020/1182 (ATP 15 CLP) Regulation (EU) n. 2021/643 (ATP 16 CLP) Regulation (EU) n. 2021/849 (ATP 17 CLP) Regulation (EU) n. 2022/692 (ATP 18 CLP) Regulation (EU) n. 2023/1434 (ATP 19 CLP) Regulation (EU) n. 2023/1435 (ATP 20 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: Restrictions related to the product: No restriction. Restrictions related to the substances contained: **Restriction 75** Where applicable, refer to the following regulatory provisions : Directive 2012/18/EU (Seveso III) Regulation (EC) nr 648/2004 (detergents). Dir. 2004/42/EC (VOC directive) Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1

None

15.2. Chemical safety assessment No Chemical Safety Assessment has been carried out for the mixture.

#### **SECTION 16: Other information**

Full text of phrases referred to in Section 3:

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

H330 Fatal if inhaled.

H311 Toxic in contact with skin.

H301 Toxic if swallowed.

H314 Causes severe skin burns and eye damage.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH208 Contains (name of sensitising substance). May produce an allergic reaction. EUH071 Corrosive to the respiratory tract.

Hazard class and hazard category	Code	Description
Acute Tox. 2	3.1/2/Inhal	Acute toxicity (inhalation), Category 2
Acute Tox. 3	3.1/3/Dermal	Acute toxicity (dermal), Category 3



Acute Tox. 3	3.1/3/Oral	Acute toxicity (oral), Category 3
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Corr. 1B	3.2/1B	Skin corrosion, Category 1B
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Skin Sens. 1	3.4.2/1	Skin Sensitisation, Category 1
Skin Sens. 1A	3.4.2/1A	Skin Sensitisation, Category 1A
Skin Sens. 1B	3.4.2/1B	Skin Sensitisation, Category 1B
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

Paragraphs modified from the previous revision:

SECTION 1: Identification of the substance/mixture and of the company/undertaking SECTION 15: Regulatory information SECTION 16: Other information

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

- Ref. 1 ·IARC Monographs on the Evaluation Carcinogenic Risks to Humans (IARC: International Agency for Research on Cancer)
  ·Journal of Occupational Health (JOH) (Japan Society of Occupational Health (JSOH))
  ·TLVs and BEIs (ACGIH: American Conference of Governmental Industrial Hygienists)
  ·IRIS Carcinogenic Assessment (IRIS: Integrated Risk Information System of US EPA)
  ·National Toxicology Program (NTP) Report on Carcinogens (USA)
  ·Annex VI of REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
  ·MAK und BAT Werte Liste (DFG: German Research Foundation)
  ·TRGS 905, Verzeichnis krebserzeugender, keimzell mutagener oder reproduktionstoxischer Stoffe (AGS: Committee on Hazardous Substances, Germany)
- Ref. 2 Annex VI of REGULATION (ÈC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 •TRGS 905, Verzeichnis krebserzeugender, keimzell mutagener oder reproduktionstoxischer Stoffe (AGS: Committee on Hazardous Substances, Germany)

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This Safety Data Sheet cancels and replaces any preceding release.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

C13T163140\_en Page n. 9 of 10



ATE: ATEmix: CAS:	Acute Toxicity Estimate Acute toxicity Estimate (Mixtures) Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS: GefStoffVO:	European Inventory of Existing Commercial Chemical Substances. Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of
0110.	Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.