Safety Data Sheet Cover Page

Why are there two Safety Data Sheets?

Epson is providing this document to inform you that there are two different compositions of the same ink available on the market, resulting in two Safety Data Sheets for the same ink.

Epson has changed the composition of this ink to substitute a component that has been classified as hazardous while the ink with the old composition is still on the market. For this reason, there are two Safety Data Sheets for the same ink.

To determine which Safety Data Sheet applies to your product, and to ensure that you have the correct information about hazards and risk management measures, we ask that you check the best-before date indicated on the packaging of the ink cartridge. See the following for details on how to check the date.

How to check which Safety Data Sheet you need to refer to:

	Best-before date (YYYYMM)	Revision	Page
Replacement ink cartridge		5.0	Page 2 - 12
	In and after: 2026.04	6.0	Page 13 - 22

Where to find the best-before date:

Ink Cartridge Packaging		
Pattern.1	Pattern.2	Pattern.3
OUISILIERO	Best-before date	Best-before date



SECTION 1: Identification of the sub	stance/mixture and of the company/undertaking
1.1. Product identifier	
Mixture identification:	
Trade name:	INK CARTRIDGE,C 33 (Best-before date: Before 2026.04)
Trade code:	C13T334240
	ubstance or mixture and uses advised against
Recommended use:	
Ink for inkj	
1.3. Details of the supplier of the safe	ety data sheet
Company:	
	JROPE B.V.
	ng, Atlas ArenA, Hoogoorddreef 5,1101 BA Amsterdam
	he Netherlands
Phone nun	
Competent person responsible	
chemicals	@epson.eu
Date:	20/10/2022
Revision:	5.0
1.4. Emergency telephone number	
Phone number:	+31-20-314-5000
United Kingdom;	01952 607111 Monday to Friday 9am to 5:30pm.
	Emergency Action: In the event of a medical enquiry involving
	this product, please contact your doctor or local hospital
	accident and emergency department.
Ireland;	+353 (01) 809 2566 or +353 (01) 809 2166
Malta;	2545 0000 or 21224071
SECTION 2: Hazards identification	

SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture
 - EC regulation criteria 1272/2008 (CLP)

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Adverse physicochemical, human health and environmental effects:

- No other hazards
- 2.2. Label elements

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP). Hazard pictograms:

None

Hazard statements:

None

Precautionary statements:

None

Special Provisions:

EUH210 Safety data sheet available on request.

EUH208 Contains 2,4,7,9-tetramethyldec-5-yne-4,7-diol. May produce an allergic reaction.

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one. May produce an allergic reaction.

Special provisions according to Annex XVII of REACH and subsequent amendments: None

2.3. Other hazards

C13T334240_en Page n. 2 of 22



No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1% Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

- 3.1. Substances
- No
- 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Numb		Classification
65% ~ 80%	Water	CAS: EC:	7732-18-5 231-791-2	The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).
7% ~ 10%	Glycerol	CAS: EC:	56-81-5 200-289-5	The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).
5% ~ 7%			603-183-00-0 143-22-6 205-592-6 01-21194751 07-38	 3.3/1 Eye Dam. 1 H318 Specific Concentration Limits: C >= 30%: Eye Dam. 1 H318 20% <= C < 30%: Eye Irrit. 2 H319
	2-Pyrrolidone	CAS: EC: REACH No.:	616-45-5 210-483-1 01-21194754 71-37	 3.3/2 Eye Irrit. 2 H319 3.7/1B Repr. 1B H360 Specific Concentration Limits: C >= 3%: Repr. 1B H360
1% ~ 3%			700-815-8 01-21199296 31-38	4.1/C3 Aquatic Chronic 3 H412
1% ~ 3%	Lithium naphthalene-2-carboxy late	CAS: EC:	674347-28-5 700-040-5	 3.1/4/Oral Acute Tox. 4 H302 3.3/1 Eye Dam. 1 H318 Specific Concentration Limits: 15% <= C < 20%: Eye Dam. 1 H318 10% <= C < 15%: Eye Irrit. 2 H319 15% <= C < 20%: Acute Tox. 4 H302
0.1% ~ 0.25%	2,4,7,9-tetramethyldec- 5-yne-4,7-diol	CAS: EC: REACH No.:	126-86-3 204-809-1 01-21199543 90-39	 3.3/1 Eye Dam. 1 H318 3.4.2/1B Skin Sens. 1B H317 4.1/C3 Aquatic Chronic 3 H412
0.1% ~ 0.25%	Triethanolamine		102-71-6 203-049-8 01-21194864 82-31	The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).
0.0015% ~ 0.05%	1,2-benzisothiazol-3(2 H)-one; 1,2-benzisothiazolin-3- one	Index number: CAS: EC:	613-088-00-6 2634-33-5 220-120-9	 3.1/4/Oral Acute Tox. 4 H302 3.2/2 Skin Irrit. 2 H315 3.3/1 Eye Dam. 1 H318 3.4.2/1 Skin Sens. 1 H317



	 ◆ 4.1/A1 Aquatic Acute 1 H400 Specific Concentration Limits: 0.005% <= C < 0.05%: EUH208 C >= 0.05%: Skin Sens. 1 H317
--	--

SECTION 4: First aid measures

- 4.1. Description of first aid measures
 - In case of skin contact:

Wash with plenty of water and soap.

- In case of eyes contact:
 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- In case of Ingestion:
 - Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.
- In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

- 4.2. Most important symptoms and effects, both acute and delayed None
- 4.3. Indication of any immediate medical attention and special treatment needed Treatment:

None

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

- Water.
- Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

- 6.3. Methods and material for containment and cleaning up
 - Wash with plenty of water.
- 6.4. Reference to other sections

C13T334240_en Page n. 4 of 22



See also section 8 and 13

SECTION 7: Handling and storage

- 7.1. Precautions for safe handling
 - Avoid contact with skin and eyes, inhalation of vapours and mists. See also section 8 for recommended protective equipment. Advice on general occupational hygiene: Do not eat or drink while working.
- 7.2. Conditions for safe storage, including any incompatibilities Keep away from food, drink and feed. Incompatible materials: None in particular. Instructions as regards storage premises: Adequately ventilated premises.
- 7.3. Specific end use(s)
 - None in particular

SECTION 8: Exposure controls/personal protection

- 8.1. Control parameters Glycerol - CAS: 56-81-5
 - OEL Type: OSHA TWA: 5 mg/m3 Notes: Respirable dust
 - OEL Type: OSHA TWA: 15 mg/m3 Notes: Total dust
 - Triethanolamine CAS: 102-71-6
 - OEL Type: ACGIH TWA(8h): 5 mg/m3
 - DNEL Exposure Limit Values
 - 2-Pyrrolidone CAS: 616-45-5
 - Worker Industry: 13.23 mg/m3 Worker Professional: 1.985 mg/m3 Exposure: Human Inhalation - Frequency: Long Term, systemic effects Worker Industry: 1.876 mg/kg/day - Worker Professional: 0.67 mg/kg/day -Exposure: Human Dermal - Frequency: Long Term, systemic effects Worker Professional: 0.67 mg/kg/day - Exposure: Human Oral - Frequency: Long Term, systemic effects
 - Triethanolamine CAS: 102-71-6
 - Worker Industry: 6.3 mg/kg/day Consumer: 3.1 mg/kg/day Exposure: Human Dermal - Frequency: Long Term, systemic effects Worker Industry: 5 mg/m3 - Consumer: 1.25 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects
 - Consumer: 13 mg/kg/day Exposure: Human Oral Frequency: Short Term, systemic effects
 - PNEC Exposure Limit Values
 - 2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutyl ether CAS: 143-22-6
 - Target: Fresh Water Value: 1.5 mg/l
 - Target: Freshwater sediments Value: 5.77 mg/kg
 - Target: Marine water Value: 0.15 mg/l
 - Target: Marine water sediments Value: 0.13 mg/kg
 - Target: Microorganisms in sewage treatments Value: 200 mg/l
 - 2-Pyrrolidone CAS: 616-45-5
 - Target: Fresh Water Value: 0.5 mg/l
 - Target: Freshwater sediments Value: 2.17 mg/kg
 - Target: Marine water Value: 0.05 mg/l
 - Target: Marine water sediments Value: 0.217 mg/kg
 - Target: Microorganisms in sewage treatments Value: 10 mg/l
 - 2,4,7,9-tetramethyldec-5-yne-4,7-diol CAS: 126-86-3



Target: Fresh Water - Value: 0.04	4 ma/l				
	Target: Marine water - Value: 0.004 mg/l				
Target: Freshwater sediments - \	0				
Target: Marine water sediments -					
	Triethanolamine - CAS: 102-71-6				
	Target: Fresh Water - Value: 0.32 mg/l				
Target: Marine water - Value: 0.0	5				
Target: Freshwater sediments - \					
Target: Marine water sediments -					
Target: Soil (agricultural) - Value:	: 0.151 mg/kg				
8.2. Exposure controls					
8.2.1. Appropriate engineering controls:					
None					
8.2.2. Individual protection measures, such as	personal protective equipment				
Eye protection:					
Use personal protective equipme	nt as required.				
Protection for skin:					
Use personal protective equipme	nt as required.				
Protection for hands:	•				
Use personal protective equipme	ent as required.				
Respiratory protection:					
Use personal protective equipme	nt as required.				
Thermal Hazards:					
None					
8.2.3. Environmental exposure controls:					
None					
Appropriate engineering controls:					
None					
SECTION 9: Physical and chemical properties					
9.1. Information on basic physical and chemical prop	perties				
Physical state:	Liquid				
Colour:	Cyan				
Odour:	Slightly				
Melting point / freezing point:	-14.3 °C				
Boiling point or initial boiling point and boiling	range:				
	No data available				
Flammability:	Non-flammable				
Lower and upper explosion limit:	No data available				
Flash point:	Does not flash until 100 °C / 212 ° F				
	(closed cup method, ASTM D 3278)				
Auto-ignition temperature:	No data available				
Decomposition temperature:	No data available				
pH:	8~9 at 20 °C				

Kinematic viscosity: Solubility in water: Vapour pressure: Density and/or relative density:

Relative vapour density: Particle characteristics:

9.2. Other information

Specific gravity (relative density) No data available Not Relevant No other relevant information

< 5 mm2/s

No data available

Complete

1.070

at 20 °C

at 20 °C

C13T334240_en Page n. 6 of 22



SECTION 10: Stability and reactivity

- 10.1. Reactivity
- Stable under normal conditions 10.2. Chemical stability
- Stable under normal conditions 10.3. Possibility of hazardous reactions
- None
- 10.4. Conditions to avoid Stable under normal conditions.
- 10.5. Incompatible materials None in particular.
- 10.6. Hazardous decomposition products None.

SECTION 11: Toxicological information

- 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008
 - Toxicological information of the product:
 - e) germ cell mutagenicity:
 - Test: Mutagenesis Species: Salmonella Typhimurium and Escherichia coli Negative
 - f) carcinogenicity:
 - Does not contain carcinogens (Ref. 1)
 - Toxicological information of the main substances found in the product:
 - Glycerol CAS: 56-81-5
 - a) acute toxicity:
 - Test: LD50 Route: Oral Species: Guinea pig = 7750 mg/kg Source: Journal of Industrial Hygiene and Toxicology. Vol. 23, Pg. 259, 1941
 - Test: LDLo Route: Oral Species: Human = 1428 mg/kg Source: "Toxicology of Drugs and Chemicals," Deichmann, W.B., New York, Academic Press, Inc., 1969Vol. -, Pg. 288, 1969.
 - 2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutyl ether CAS: 143-22-6
 - a) acute toxicity:
 - Test: LD50 Route: Dermal Species: Rabbit = 3.54 ml/kg Source: American Industrial Hygiene Association Journal. Vol. 23, Pg. 95, 1962.
 - Test: LD50 Route: Oral Species: Rat = 5300 mg/kg Source: Office of Toxic Substances Report. Vol. OTS,
 - 2-Pyrrolidone CAS: 616-45-5
 - a) acute toxicity:
 - Test: LD50 Route: Oral Species: Rat > 2000 mg/kg
 - Test: LD50 Route: Dermal Species: Rabbit > 2000 mg/kg
 - b) skin corrosion/irritation:
 - Test: Skin Irritant Species: Rabbit Non-irritant
 - c) serious eye damage/irritation:
 - Test: Eye Irritant Species: Rabbit Moderate irritant Based on available data, the classification criteria are not met
 - d) respiratory or skin sensitisation:
 - Test: Skin Sensitisation Route: LLNA Species: Mouse Negative e) germ cell mutagenicity:
 - Test: Mutagenesis Species: Salmonella Typhimurium and Escherichia coli Negative
 - E-C104
 - a) acute toxicity:



- Test: LD50 Route: Oral Species: Rat > 2000 mg/kg
- Test: LD50 Route: Dermal Species: Rat > 2000 mg/kg
- Test: LC50 Route: Inhalation Dust Species: Rat > 5 mg/l
- b) skin corrosion/irritation:
 - Test: Skin Irritant Species: Rabbit Non-irritant
- c) serious eye damage/irritation:
 - Test: Eye Irritant Species: Rabbit Minimal irritant
- d) respiratory or skin sensitisation:
- Test: Skin Sensitisation Route: LLNA Species: Mouse Non-sensitiser
- e) germ cell mutagenicity:
 - Test: Genotoxicity Negative

Test: Mutagenesis - Route: Dermal - Species: Salmonella Typhimurium and Escherichia coli Negative

- g) reproductive toxicity:
- Test: Reproductive Toxicity Route: Oral Species: Rat No
- 2,4,7,9-tetramethyldec-5-yne-4,7-diol CAS: 126-86-3
- a) acute toxicity:
- Test: LD50 Route: Dermal Species: Rat > 2000 mg/kg
- b) skin corrosion/irritation:
 - Test: Skin Irritant Species: Rabbit Mild irritant
- c) serious eye damage/irritation: Test: Eye Irritant - Species: Rabbit Highly irritating
- d) respiratory or skin sensitisation:
- Test: Skin Sensitisation Route: LLNA Species: Mouse Sensitiser e) germ cell mutagenicity:
- Test: Mutagenesis Species: Salmonella Typhimurium Negative
- Triethanolamine CAS: 102-71-6
- a) acute toxicity:

Test: LD50 - Route: Oral - Species: Guinea pig = 2200 mg/kg - Source: "Toxicometric Parameters of Industrial Toxic Chemicals Under Single Exposure," Izmerov, N.F., et al., Moscow, Centre of International Projects, GKNT, 1982Vol. -, Pg. 114, 1982.

Test: LD50 - Route: Oral - Species: Mouse = 5846 mg/kg - Source: Science Reports of the Research Institutes, Tohoku University, Series C: Medicine. Vol. 36(1-4), Pg. 10, 1989.

If not differently specified, the information required in Regulation (EU)2020/878 listed below must be considered as N.A.:

- a) acute toxicity;
- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- j) aspiration hazard.
- 11.2. Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration >= 0.1%

SECTION 12: Ecological information

12.1. Toxicity

C13T334240_en Page n. 8 of 22



Adopt good working practices, so that the product is not released into the environment. Toxicological information of the product:
No data available Toxicological information of the main substances found in the product: 2-Pyrrolidone - CAS: 616-45-5 a) Aquatic acute toxicity:
Endpoint: LC50 - Species: Fish > 4600 mg/l - Duration h: 96 Endpoint: EC50 - Species: Daphnia > 500 mg/l - Duration h: 24 Endpoint: EC50 - Species: Algae > 500 mg/l - Duration h: 72
E-C104
a) Aquatic acute toxicity: Endpoint: LC50 - Species: Fish > 97.9 mg/l - Duration h: 96 Endpoint: EC50 - Species: Daphnia = 60.7 mg/l - Duration h: 48 Endpoint: ErC50 - Species: Algae > 103 mg/l - Duration h: 72
f) Effects in sewage plants:
Endpoint: EC50 - Species: activated sludge > 100 mg/l - Duration h: 3 2,4,7,9-tetramethyldec-5-yne-4,7-diol - CAS: 126-86-3
a) Aquatic acute toxicity: Endpoint: LC50 - Species: Fish = 36 mg/l - Duration h: 96
Endpoint: EC50 - Species: Daphnia = 88 mg/l - Duration h: 48 Endpoint: EC50 - Species: Algae = 15 mg/l - Duration h: 72
c) Bacteria toxicity: Endpoint: EC50 - Species: activated sludge = 630 mg/l - Duration h: 0.5
12.2. Persistence and degradability
No data available
12.3. Bioaccumulative potential
No data available
12.4. Mobility in soil
No data available 12.5. Results of PBT and vPvB assessment
vPvB Substances: None - PBT Substances: None
12.6. Endocrine disrupting properties
No endocrine disruptor substances present in concentration >= 0.1%
12.7. Other adverse effects
None
SECTION 13: Disposal considerations
13.1. Waste treatment methods
Recover if possible. In so doing, comply with the local and national regulations currently force.
SECTION 14: Transport information

- 14.1. UN number or ID number
 - Not classified as dangerous in the meaning of transport regulations.
- 14.2. UN proper shipping name No data available
- 14.3. Transport hazard class(es)
- No data available
- 14.4. Packing group
 - No data available
- 14.5. Environmental hazards No data available
- 14.6. Special precautions for user No data available

C13T334240_en Page n. 9 of 22 Best-before date: Before 2026.04

in



14.7. Maritime transport in bulk according to IMO instruments No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) n. 2020/878 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Regulation (EU) n. 2016/918 (ATP 8 CLP) Regulation (EU) n. 2016/1179 (ATP 9 CLP) Regulation (EU) n. 2017/776 (ATP 10 CLP) Regulation (EU) n. 2018/669 (ATP 11 CLP) Regulation (EU) n. 2018/1480 (ATP 13 CLP) Regulation (EU) n. 2019/521 (ATP 12 CLP) Regulation (EU) n. 2020/217 (ATP 14 CLP) Regulation (EU) n. 2020/1182 (ATP 15 CLP) Regulation (EU) n. 2021/643 (ATP 16 CLP) Regulation (EC) n. 2021/849 (ATP 17 CLP) Regulation (EC) n. 2022/692 (ATP 18 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: Restrictions related to the product: No restriction. Restrictions related to the substances contained: **Restriction 75** Where applicable, refer to the following regulatory provisions : Directive 2012/18/EU (Seveso III) Regulation (EC) nr 648/2004 (detergents). Dir. 2004/42/EC (VOC directive) Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1 None

15.2. Chemical safety assessment No Chemical Safety Assessment has been carried out for the mixture.

SECTION 16: Other information

Full text of phrases referred to in Section 3: H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H360 May damage fertility or the unborn child.
H412 Harmful to aquatic life with long lasting effects.
H302 Harmful if swallowed.



H317 May cause an allergic skin reaction.H315 Causes skin irritation.H400 Very toxic to aquatic life.EUH208 Contains (name of sensitising substance). May produce an allergic reaction.

Hazard class and	Code	Description
hazard category		
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Skin Sens. 1	3.4.2/1	Skin Sensitisation, Category 1
Skin Sens. 1B	3.4.2/1B	Skin Sensitisation, Category 1B
Repr. 1B	3.7/1B	Reproductive toxicity, Category 1B
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

This safety data sheet has been completely updated in compliance to Regulation 2020/878.

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

Ref. 1 -IARC Monographs on the Evaluation Carcinogenic Risks to Humans (IARC: International Agency for Research on Cancer)
Journal of Occupational Health (JOH) (Japan Society of Occupational Health (JSOH))
TLVs and BEIs (ACGIH: American Conference of Governmental Industrial Hygienists)
IRIS Carcinogenic Assessment (IRIS: Integrated Risk Information System of US EPA)
National Toxicology Program (NTP) Report on Carcinogens (USA)
Annex VI of REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
MAK und BAT Werte Liste (DFG: German Research Foundation)
TRGS 905, Verzeichnis krebserzeugender, keimzell mutagener oder reproduktionstoxischer Stoffe (AGS: Committee on Hazardous Substances, Germany)

refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This Safety Data Sheet cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical
	Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.

C13T334240_en Page n. 11 of 22



GefStoffVO: GHS:	Ordinance on Hazardous Substances, Germany. Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.



	estance/mixture and of the company/undertaking
1.1. Product identifier	
Mixture identification:	
Trade name:	INK CARTRIDGE,C 33 (Best-before date: In and after 2026.04)
Trade code:	C13T334240
Hade code.	0131334240
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Recommended use:	
Ink for ink	
 1.3. Details of the supplier of the sat 	ety data sheet
Company:	
	UROPE B.V.
	ng, Atlas ArenA, Hoogoorddreef 5,1101 BA Amsterdam
	The Netherlands
Phone nu	
Competent person responsible	
	@epson.eu
Date:	31/05/2023
Revision:	6.0
1.4. Emergency telephone number	
Phone number:	+31-20-314-5000
United Kingdom;	01952 607111 Monday to Friday 9am to 5:30pm.
	Emergency Action: In the event of a medical enquiry involving
	this product, please contact your doctor or local hospital
	accident and emergency department.
Ireland;	+353 (01) 809 2566 or +353 (01) 809 2166
Malta;	2545 0000 or 21224071
SECTION 2: Hazards identification	

- 2.1. Classification of the substance or mixture
 - EC regulation criteria 1272/2008 (CLP)

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Adverse physicochemical, human health and environmental effects:

- No other hazards
- 2.2. Label elements

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP). Hazard pictograms:

None

Hazard statements:

None

Precautionary statements:

None

Special Provisions:

EUH210 Safety data sheet available on request.

EUH208 Contains 2,4,7,9-tetramethyldec-5-yne-4,7-diol. May produce an allergic reaction.

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one. May produce an allergic reaction.

Special provisions according to Annex XVII of REACH and subsequent amendments: None

2.3. Other hazards

C13T334240_en Page n. 13 of 22



No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1% Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

- 3.1. Substances
- No
- 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Numb	er	Classification
65% ~ 80%	Water	CAS: EC:	7732-18-5 231-791-2	The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).
7% ~ 10%	Glycerol	CAS: EC:	56-81-5 200-289-5	The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).
5% ~ 7%	2-[2-(2-butoxyethoxy)et hoxy]ethanol; TEGBE; triethylene glycol monobutyl ether	number: CAS: EC:	603-183-00-0 143-22-6 205-592-6 01-21194751 07-38	 3.3/1 Eye Dam. 1 H318 Specific Concentration Limits: C >= 30%: Eye Dam. 1 H318 20% <= C < 30%: Eye Irrit. 2 H319
1% ~ 3%	E-C104	EC: REACH No.:	700-815-8 01-21199296 31-38	4.1/C3 Aquatic Chronic 3 H412
1% ~ 3%	Lithium naphthalene-2-carboxy late	CAS: EC:	674347-28-5 700-040-5	 3.1/4/Oral Acute Tox. 4 H302 3.3/1 Eye Dam. 1 H318 Specific Concentration Limits: 15% <= C < 20%: Eye Dam. 1 H318 10% <= C < 15%: Eye Irrit. 2 H319 15% <= C < 20%: Acute Tox. 4 H302
0.1% ~ 0.25%	2,4,7,9-tetramethyldec- 5-yne-4,7-diol	CAS: EC: REACH No.:	126-86-3 204-809-1 01-21199543 90-39	 3.3/1 Eye Dam. 1 H318 3.4.2/1B Skin Sens. 1B H317 4.1/C3 Aquatic Chronic 3 H412
0.1% ~ 0.25%	Triethanolamine	CAS: EC: REACH No.:	102-71-6 203-049-8 01-21194864 82-31	The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).
0.0015% ~ 0.05%	1,2-benzisothiazol-3(2 H)-one; 1,2-benzisothiazolin-3- one	Index number: CAS: EC:	613-088-00-6 2634-33-5 220-120-9	 3.1/4/Oral Acute Tox. 4 H302 3.2/2 Skin Irrit. 2 H315 3.3/1 Eye Dam. 1 H318 3.4.2/1 Skin Sens. 1 H317 4.1/A1 Aquatic Acute 1 H400 Specific Concentration Limits: 0.005% <= C < 0.05%: EUH208 C >= 0.05%: Skin Sens. 1 H317



SECTION 4: First aid measures

- 4.1. Description of first aid measures
 - In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed Treatment: None

SECTION 5: Firefighting measures

- 5.1. Extinguishing media
 - Suitable extinguishing media:
 - Water.

Carbon dioxide (CO2).

- Extinguishing media which must not be used for safety reasons: None in particular.
- 5.2. Special hazards arising from the substance or mixture
 - Do not inhale explosion and combustion gases.
 - Burning produces heavy smoke.
- 5.3. Advice for firefighters
 - Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures
 - Wear personal protection equipment.
 - Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

- Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up
 - Wash with plenty of water.
- 6.4. Reference to other sections See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling Avoid contact with skin and eyes, inhalation of vapours and mists. See also section 8 for recommended protective equipment.

C13T334240_en Page n. 15 of 22 Best-before date: In and after 2026.04

Version 8.2 Revision 6.0



Advice on general occupational hygiene: Do not eat or drink while working. 7.2. Conditions for safe storage, including any incompatibilities Keep away from food, drink and feed. Incompatible materials: None in particular. Instructions as regards storage premises: Adequately ventilated premises. 7.3. Specific end use(s) None in particular **SECTION 8: Exposure controls/personal protection** 8.1. Control parameters Glycerol - CAS: 56-81-5 - OEL Type: OSHA - TWA: 5 mg/m3 - Notes: Respirable dust - OEL Type: OSHA - TWA: 15 mg/m3 - Notes: Total dust Triethanolamine - CAS: 102-71-6 - OEL Type: ACGIH - TWA(8h): 5 mg/m3 DNEL Exposure Limit Values Triethanolamine - CAS: 102-71-6 Worker Industry: 6.3 mg/kg/day - Consumer: 3.1 mg/kg/day - Exposure: Human Dermal - Frequency: Long Term, systemic effects Worker Industry: 5 mg/m3 - Consumer: 1.25 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects Consumer: 13 mg/kg/day - Exposure: Human Oral - Frequency: Short Term, systemic effects **PNEC Exposure Limit Values** 2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutyl ether -CAS: 143-22-6 Target: Fresh Water - Value: 1.5 mg/l Target: Freshwater sediments - Value: 5.77 mg/kg Target: Marine water - Value: 0.15 mg/l Target: Marine water sediments - Value: 0.13 mg/kg Target: Microorganisms in sewage treatments - Value: 200 mg/l 2,4,7,9-tetramethyldec-5-yne-4,7-diol - CAS: 126-86-3 Target: Fresh Water - Value: 0.04 mg/l Target: Marine water - Value: 0.004 mg/l Target: Freshwater sediments - Value: 0.32 mg/kg Target: Marine water sediments - Value: 0.032 mg/kg Triethanolamine - CAS: 102-71-6 Target: Fresh Water - Value: 0.32 mg/l Target: Marine water - Value: 0.032 mg/l Target: Freshwater sediments - Value: 1.7 mg/kg Target: Marine water sediments - Value: 0.17 mg/kg Target: Soil (agricultural) - Value: 0.151 mg/kg 8.2. Exposure controls 8.2.1. Appropriate engineering controls: None 8.2.2. Individual protection measures, such as personal protective equipment Eye protection: Use personal protective equipment as required. Protection for skin: Use personal protective equipment as required. Protection for hands: C13T334240 en Best-before date: In and after 2026.04



Use personal protective equipment as required. Respiratory protection: Use personal protective equipment as required. Thermal Hazards: None 8.2.3. Environmental exposure controls: None Appropriate engineering controls: None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical pro	perties		
Physical state:	Liquid		
Colour:	Cyan		
Odour:	Slightly		
Melting point / freezing point:	No data avail	No data available	
Boiling point or initial boiling point and boiling	range:		
	No data avail	able	
Flammability:	Non-flammab	Non-flammable	
Lower and upper explosion limit:	No data avail	No data available	
Flash point:	Does not flash.		
Auto-ignition temperature:	No data available		
Decomposition temperature:	No data avail	No data available	
pH:	8~9	at 20 °C	
Kinematic viscosity:	< 5 mm2/s	at 20 °C	
Solubility in water:	Complete		
Vapour pressure:	No data avail	No data available	
Relative vapour density:	No data available		
Particle characteristics:	Not Relevant		

9.2. Other information No other relevant information

SECTION 10: Stability and reactivity

- 10.1. Reactivity
 - Stable under normal conditions
- 10.2. Chemical stability
 - Stable under normal conditions
- 10.3. Possibility of hazardous reactions None
- 10.4. Conditions to avoid Stable under normal conditions.
- 10.5. Incompatible materials None in particular.
- 10.6. Hazardous decomposition products None.

SECTION 11: Toxicological information

- 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008
 - Toxicological information of the product:
 - e) germ cell mutagenicity:
 - Test: Mutagenesis Species: Salmonella Typhimurium and Escherichia coli Negative
 - f) carcinogenicity:

C13T334240_en Page n. 17 of 22

Best-before date: In and after 2026.04

Version 8.2 Revision 6.0



Does not contain carcinogens (Ref. 1) a) reproductive toxicity: Does not contain reproductive toxicity and developmental toxic substances (Ref. 2) Toxicological information of the main substances found in the product: Glycerol - CAS: 56-81-5 a) acute toxicity: Test: LD50 - Route: Oral - Species: Guinea pig = 7750 mg/kg - Source: Journal of Industrial Hygiene and Toxicology. Vol. 23, Pg. 259, 1941 Test: LDLo - Route: Oral - Species: Human = 1428 mg/kg - Source: "Toxicology of Drugs and Chemicals," Deichmann, W.B., New York, Academic Press, Inc., 1969Vol. -, Pg. 288, 1969. 2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutyl ether -CAS: 143-22-6 a) acute toxicity: Test: LD50 - Route: Dermal - Species: Rabbit = 3.54 ml/kg - Source: American Industrial Hygiene Association Journal. Vol. 23, Pg. 95, 1962. Test: LD50 - Route: Oral - Species: Rat = 5300 mg/kg - Source: Office of Toxic Substances Report. Vol. OTS. E-C104 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat > 2000 mg/kg Test: LD50 - Route: Dermal - Species: Rat > 2000 mg/kg Test: LC50 - Route: Inhalation Dust - Species: Rat > 5 mg/l b) skin corrosion/irritation: Test: Skin Irritant - Species: Rabbit Non-irritant c) serious eye damage/irritation: Test: Eye Irritant - Species: Rabbit Minimal irritant d) respiratory or skin sensitisation: Test: Skin Sensitisation - Route: LLNA - Species: Mouse Non-sensitiser e) germ cell mutagenicity: Test: Genotoxicity Negative Test: Mutagenesis - Route: Dermal - Species: Salmonella Typhimurium and Escherichia coli Negative g) reproductive toxicity: Test: Reproductive Toxicity - Route: Oral - Species: Rat No 2,4,7,9-tetramethyldec-5-yne-4,7-diol - CAS: 126-86-3 a) acute toxicity: Test: LD50 - Route: Dermal - Species: Rat > 2000 mg/kg b) skin corrosion/irritation: Test: Skin Irritant - Species: Rabbit Mild irritant c) serious eye damage/irritation: Test: Eye Irritant - Species: Rabbit Highly irritating d) respiratory or skin sensitisation: Test: Skin Sensitisation - Route: LLNA - Species: Mouse Sensitiser e) germ cell mutagenicity: Test: Mutagenesis - Species: Salmonella Typhimurium Negative Triethanolamine - CAS: 102-71-6 a) acute toxicity: Test: LD50 - Route: Oral - Species: Guinea pig = 2200 mg/kg - Source: "Toxicometric Parameters of Industrial Toxic Chemicals Under Single Exposure," Izmerov, N.F., et al., Moscow, Centre of International Projects, GKNT, 1982Vol. -, Pg. 114, 1982.



Test: LD50 - Route: Oral - Species: Mouse = 5846 mg/kg - Source: Science Reports of the Research Institutes, Tohoku University, Series C: Medicine. Vol. 36(1-4), Pg. 10, 1989.

If not differently specified, the information required in Regulation (EU)2020/878 listed below must be considered as N.A.:

a) acute toxicity;

b) skin corrosion/irritation;

c) serious eye damage/irritation;

- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;

f) carcinogenicity;

- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- i) aspiration hazard.
- 11.2. Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration >= 0.1%

SECTION 12: Ecological information

- 12.1. Toxicity
 - Adopt good working practices, so that the product is not released into the environment. Toxicological information of the product:
 - No data available
 - Toxicological information of the main substances found in the product:

E-C104

- a) Aquatic acute toxicity:
 - Endpoint: LC50 Species: Fish > 97.9 mg/l Duration h: 96 Endpoint: EC50 - Species: Daphnia = 60.7 mg/l - Duration h: 48 Endpoint: ErC50 - Species: Algae > 103 mg/l - Duration h: 72
- f) Effects in sewage plants:
- Endpoint: EC50 Species: activated sludge > 100 mg/l Duration h: 3
- 2,4,7,9-tetramethyldec-5-yne-4,7-diol CAS: 126-86-3

a) Aquatic acute toxicity:

- Endpoint: LC50 Species: Fish = 36 mg/l Duration h: 96 Endpoint: EC50 - Species: Daphnia = 88 mg/l - Duration h: 48
- Endpoint: EC50 Species: Algae = 15 mg/l Duration h: 72
- c) Bacteria toxicity:
 - Endpoint: EC50 Species: activated sludge = 630 mg/l Duration h: 0.5 and degradability
- 12.2. Persistence and degradability No data available
- 12.3. Bioaccumulative potential
 - No data available
- 12.4. Mobility in soil
 - No data available
- 12.5. Results of PBT and vPvB assessment
 - vPvB Substances: None PBT Substances: None
- 12.6. Endocrine disrupting properties
 - No endocrine disruptor substances present in concentration >= 0.1%
- 12.7. Other adverse effects
 - None

SECTION 13: Disposal considerations

C13T334240_en Page n. 19 of 22



13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

14.1. UN number or ID number

Not classified as dangerous in the meaning of transport regulations.

- 14.2. UN proper shipping name No data available
- 14.3. Transport hazard class(es) No data available
- 14.4. Packing group
 - No data available
- 14.5. Environmental hazards No data available
- 14.6. Special precautions for user No data available
- 14.7. Maritime transport in bulk according to IMO instruments No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) n. 2020/878 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Regulation (EU) n. 2016/918 (ATP 8 CLP) Regulation (EU) n. 2016/1179 (ATP 9 CLP) Regulation (EU) n. 2017/776 (ATP 10 CLP) Regulation (EU) n. 2018/669 (ATP 11 CLP) Regulation (EU) n. 2018/1480 (ATP 13 CLP) Regulation (EU) n. 2019/521 (ATP 12 CLP) Regulation (EU) n. 2020/217 (ATP 14 CLP) Regulation (EU) n. 2020/1182 (ATP 15 CLP) Regulation (EU) n. 2021/643 (ATP 16 CLP) Regulation (EU) n. 2021/849 (ATP 17 CLP) Regulation (EU) n. 2022/692 (ATP 18 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: Restrictions related to the product: No restriction. Restrictions related to the substances contained: Restriction 75 Where applicable, refer to the following regulatory provisions : Directive 2012/18/EU (Seveso III) Regulation (EC) nr 648/2004 (detergents).

C13T334240_en Page n. 20 of 22



Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1 None

15.2. Chemical safety assessment No Chemical Safety Assessment has been carried out for the mixture.

SECTION 16: Other information

Full text of phrases referred to in Section 3:

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H315 Causes skin irritation.

H400 Very toxic to aquatic life.

EUH208 Contains (name of sensitising substance). May produce an allergic reaction.

Hazard class and hazard category	Code	Description
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Skin Sens. 1	3.4.2/1	Skin Sensitisation, Category 1
Skin Sens. 1B	3.4.2/1B	Skin Sensitisation, Category 1B
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

Paragraphs modified from the previous revision:

SECTION 1: Identification of the substance/mixture and of the company/undertaking

SECTION 3: Composition/information on ingredients

SECTION 8: Exposure controls/personal protection

SECTION 9: Physical and chemical properties

SECTION 11: Toxicological information

SECTION 12: Ecological information

SECTION 15: Regulatory information

SECTION 16: Other information

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

Ref. 1 •IARC Monographs on the Evaluation Carcinogenic Risks to Humans (IARC: International Agency for Research on Cancer) •Journal of Occupational Health (JOH) (Japan Society of Occupational Health (JSOH)) •TLVs and BEIs (ACGIH: American Conference of Governmental Industrial Hygienists)

C13T334240_en Page n. 21 of 22



IRIS Carcinogenic Assessment (IRIS: Integrated Risk Information System of US EPA)
National Toxicology Program (NTP) Report on Carcinogens (USA)
Annex VI of REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
MAK und BAT Werte Liste (DFG: German Research Foundation)
TRGS 905, Verzeichnis krebserzeugender, keimzell mutagener oder reproduktionstoxischer Stoffe (AGS: Committee on Hazardous Substances, Germany)

Ref. 2 ·Annex VI of REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 ·TRGS 905, Verzeichnis krebserzeugender, keimzell mutagener oder reproduktionstoxischer Stoffe (AGS: Committee on Hazardous Substances, Germany)

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This Safety Data Sheet cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of
• TC	Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS: GefStoffVO:	European Inventory of Existing Commercial Chemical Substances. Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of
ono.	Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.