

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Mixture identification:

Trade name: Ink, T46D8

UFI: 86HP-GKRD-9J09-74AG

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended use:

Ink for inkjet printing

#### 1.3. Details of the supplier of the safety data sheet

Company:

EPSON EUROPE B.V.

Azie building, Atlas ArenA, Hoogoorddreef 5, 1101 BA Amsterdam

Zuidoost The Netherlands

Phone number: +31-20-314-5000

Competent person responsible for the safety data sheet:

chemicals@epson.eu

Date: 04/04/2024

Revision: 8.0

#### 1.4. Emergency telephone number

Phone number: +31-20-314-5000

United Kingdom; 01952 607111 Monday to Friday 9am to 5:30pm.  
Emergency Action: In the event of a medical enquiry involving this product, please contact your doctor or local hospital accident and emergency department.

Ireland; +353 (01) 809 2566 or +353 (01) 809 2166

Malta; 2545 0000 or 21224071

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)



Warning, Skin Sens. 1, May cause an allergic skin reaction.

Adverse physicochemical, human health and environmental effects:

No other hazards

#### 2.2. Label elements

Hazard pictograms:



Warning

Hazard statements:

H317 May cause an allergic skin reaction.

Precautionary statements:

P261 Avoid breathing dust/mist/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P501 Dispose of contents/container in accordance with applicable regulations.

Special Provisions:

None  
 Contains  
 Disperse Blue 360  
 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one  
 2-methylisothiazol-3(2H)-one  
 Special provisions according to Annex XVII of REACH and subsequent amendments:  
 None

2.3. Other hazards  
 No PBT, vPvB or endocrine disruptor substances present in concentration  $\geq 0.1\%$   
 Other Hazards:  
 No other hazards














### SECTION 3: Composition/information on ingredients






3.1. Substances

No

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

| Qty                | Name  | Ident. Number   | Classification  |
|--------------------|---|---|---|
| 50% ~<br>65%       | Water   | CAS: 7732-18-5<br>EC: 231-791-2                                   | The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).  |
| 15% ~<br>20%       | Glycerol  | CAS: 56-81-5<br>EC: 200-289-5                                     | The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).  |
| 1% ~ 3%            | Disperse Blue 360   | EC: 435-600-5   |  2.7/1 Flam. Sol. 1 H228<br> 4.1/C4 Aquatic Chronic 4 H413<br> 3.3/2 Eye Irrit. 2 H319<br> 3.4.2/1-1A-1B Skin Sens. 1,1A,1B H317<br> 3.9/2 STOT RE 2 H373  |
| 0.25% ~<br>0.5%    | Triethanolamine   | CAS: 102-71-6<br>EC: 203-049-8<br>REACH No.: 01-21194864<br>82-31 | The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).  |
| 0.0015%<br>~ 0.05% | 1,2-benzisothiazol-3(2H)-one;<br>1,2-benzisothiazolin-3-one | Index number: 613-088-00-6<br>CAS: 2634-33-5<br>EC: 220-120-9     |  3.1/4/Oral Acute Tox. 4 H302<br> 3.2/2 Skin Irrit. 2 H315<br> 3.3/1 Eye Dam. 1 H318<br> 3.4.2/1 Skin Sens. 1 H317<br> 4.1/A1 Aquatic Acute 1 H400<br>Specific Concentration Limits:<br>0.005% $\leq$ C < 0.05%: EUH208<br>C $\geq$ 0.05%: Skin Sens. 1 H317 |
| <<br>0.0015%       | 2-methylisothiazol-3(2H)-one                                | Index number: 613-326-00-9<br>CAS: 2682-20-4<br>EC: 220-239-6     |  3.1/2/Inhal Acute Tox. 2 H330<br> 3.1/3/Dermal Acute Tox. 3 H311<br> 3.1/3/Oral Acute Tox. 3 H301   |

|  |  |  |   |
|--|--|--|---|
|  |  |  |  3.2/1B Skin Corr. 1B H314<br> 3.3/1 Eye Dam. 1 H318<br> 3.4.2/1A Skin Sens. 1A H317<br> 4.1/A1 Aquatic Acute 1 H400<br>M=10.<br> 4.1/C1 Aquatic Chronic 1<br>H410 M=1.<br>EUH071<br>Specific Concentration Limits:<br>C >= 0.0015%: Skin Sens. 1A<br>H317 |
|--|--|--|---|

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose off safely.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

#### 4.2. Most important symptoms and effects, both acute and delayed

None

#### 4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

None

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO<sub>2</sub>).

Extinguishing media which must not be used for safety reasons:

None in particular.

#### 5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

#### 5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

### SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures
  - Wear personal protection equipment.
  - Remove persons to safety.
  - See protective measures under point 7 and 8.
- 6.2. Environmental precautions
  - Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.
  - Retain contaminated washing water and dispose it.
  - In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.
  - Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up
  - Wash with plenty of water.
- 6.4. Reference to other sections
  - See also section 8 and 13

### SECTION 7: Handling and storage

- 7.1. Precautions for safe handling
  - Avoid contact with skin and eyes, inhalation of vapours and mists.
  - Don't use empty container before they have been cleaned.
  - Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.
  - See also section 8 for recommended protective equipment.
  - Advice on general occupational hygiene:
    - Contaminated clothing should be changed before entering eating areas.
    - Do not eat or drink while working.
- 7.2. Conditions for safe storage, including any incompatibilities
  - Keep away from food, drink and feed.
  - Incompatible materials:
    - None in particular.
  - Instructions as regards storage premises:
    - Adequately ventilated premises.
- 7.3. Specific end use(s)
  - None in particular

### SECTION 8: Exposure controls/personal protection

- 8.1. Control parameters
  - Glycerol - CAS: 56-81-5
    - OEL Type: OSHA - TWA: 5 mg/m<sup>3</sup> - Notes: Respirable dust
    - OEL Type: OSHA - TWA: 15 mg/m<sup>3</sup> - Notes: Total dust
  - Triethanolamine - CAS: 102-71-6
    - OEL Type: ACGIH - TWA(8h): 5 mg/m<sup>3</sup>
  - DNEL Exposure Limit Values
    - Triethanolamine - CAS: 102-71-6
      - Worker Industry: 6.3 mg/kg/day - Consumer: 3.1 mg/kg/day - Exposure: Human
      - Dermal - Frequency: Long Term, systemic effects
      - Worker Industry: 5 mg/m<sup>3</sup> - Consumer: 1.25 mg/m<sup>3</sup> - Exposure: Human
      - Inhalation - Frequency: Long Term, systemic effects
      - Consumer: 13 mg/kg/day - Exposure: Human Oral - Frequency: Short Term, systemic effects
  - PNEC Exposure Limit Values
    - Triethanolamine - CAS: 102-71-6
      - Target: Fresh Water - Value: 0.32 mg/l

Target: Marine water - Value: 0.032 mg/l  
 Target: Freshwater sediments - Value: 1.7 mg/kg  
 Target: Marine water sediments - Value: 0.17 mg/kg  
 Target: Soil (agricultural) - Value: 0.151 mg/kg

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls:

None

#### 8.2.2. Individual protection measures, such as personal protective equipment

##### Eye protection:

Use close fitting safety goggles, don't use eye lens.

##### Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

##### Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

##### Respiratory protection:

Use personal protective equipment as required.

##### Thermal Hazards:

None

#### 8.2.3. Environmental exposure controls:

None

#### Appropriate engineering controls:

None

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|   |   |
|---|---|
| Physical state:   | Liquid  |
| Colour:   | Black   |
| Odour:  | Slightly  |
| Melting point / freezing point:                           | No data available   |
| Boiling point or initial boiling point and boiling range: | No data available   |
| Flammability:   | Non-flammable   |
| Lower and upper explosion limit:                          | No data available   |
| Flash point:  | Does not flash until 100 °C / 212 ° F<br>(closed cup method, ASTM D 3278) |
| Auto-ignition temperature:                                | No data available   |
| Decomposition temperature:                                | No data available   |
| pH:   | 7.5 ~ 8.7 at 20 °C  |
| Kinematic viscosity:                                      | No data available   |
| Solubility in water:                                      | Complete  |
| Vapour pressure:  | No data available   |
| Relative vapour density:                                  | No data available   |
| Particle characteristics:                                 | Not Relevant  |

### 9.2. Other information

Viscosity: < 5 mPa·s at 20 °C

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Stable under normal conditions

### 10.2. Chemical stability

Stable under normal conditions

- 10.3. Possibility of hazardous reactions  
None
- 10.4. Conditions to avoid  
Stable under normal conditions.
- 10.5. Incompatible materials  
None in particular.
- 10.6. Hazardous decomposition products  
Acrolein (CAS #107-02-8);  
When glycerols is heated over 300°C, it will decompose into acrolein.

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological information of the product:

- f) carcinogenicity:  
Does not contain carcinogens (Ref. 1)
- g) reproductive toxicity:  
Does not contain reproductive toxicity and developmental toxic substances (Ref. 2)

Toxicological information of the main substances found in the product:

Glycerol - CAS: 56-81-5

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Guinea pig = 7750 mg/kg - Source: Journal of Industrial Hygiene and Toxicology. Vol. 23, Pg. 259, 1941

Test: LDLo - Route: Oral - Species: Human = 1428 mg/kg - Source: "Toxicology of Drugs and Chemicals," Deichmann, W.B., New York, Academic Press, Inc., 1969Vol. -, Pg. 288, 1969.

Disperse Blue 360

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 2000 mg/kg

Test: LD50 - Route: Dermal - Species: Rat > 2000 mg/kg

e) germ cell mutagenicity:

Test: Mutagenesis - Species: Salmonella Typhimurium Positive

Triethanolamine - CAS: 102-71-6

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Guinea pig = 2200 mg/kg - Source:

"Toxicometric Parameters of Industrial Toxic Chemicals Under Single Exposure," Izmerov, N.F., et al., Moscow, Centre of International Projects, GKNT, 1982Vol. -, Pg. 114, 1982.

Test: LD50 - Route: Oral - Species: Mouse = 5846 mg/kg - Source: Science Reports of the Research Institutes, Tohoku University, Series C: Medicine. Vol. 36(1-4), Pg. 10, 1989.

If not differently specified, the information required in Regulation (EU)2020/878 listed below must be considered as N.A.:

- a) acute toxicity;
- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- j) aspiration hazard.

### 11.2. Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration  $\geq 0.1\%$

## SECTION 12: Ecological information

### 12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

Toxicological information of the product:

No data available

Toxicological information of the main substances found in the product:

No data available

### 12.2. Persistence and degradability

No data available

### 12.3. Bioaccumulative potential

No data available

### 12.4. Mobility in soil

No data available

### 12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

### 12.6. Endocrine disrupting properties

No endocrine disruptor substances present in concentration  $\geq 0.1\%$

### 12.7. Other adverse effects

None

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

## SECTION 14: Transport information

### 14.1. UN number or ID number

Not classified as dangerous in the meaning of transport regulations.

### 14.2. UN proper shipping name

No data available

### 14.3. Transport hazard class(es)

No data available

### 14.4. Packing group

No data available

### 14.5. Environmental hazards

No data available

### 14.6. Special precautions for user

No data available

### 14.7. Maritime transport in bulk according to IMO instruments

No data available

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 2020/878

Regulation (EU) n. 286/2011 (ATP 2 CLP)  
Regulation (EU) n. 618/2012 (ATP 3 CLP)  
Regulation (EU) n. 487/2013 (ATP 4 CLP)  
Regulation (EU) n. 944/2013 (ATP 5 CLP)  
Regulation (EU) n. 605/2014 (ATP 6 CLP)  
Regulation (EU) n. 2015/1221 (ATP 7 CLP)  
Regulation (EU) n. 2016/918 (ATP 8 CLP)  
Regulation (EU) n. 2016/1179 (ATP 9 CLP)  
Regulation (EU) n. 2017/776 (ATP 10 CLP)  
Regulation (EU) n. 2018/669 (ATP 11 CLP)  
Regulation (EU) n. 2018/1480 (ATP 13 CLP)  
Regulation (EU) n. 2019/521 (ATP 12 CLP)  
Regulation (EU) n. 2020/217 (ATP 14 CLP)  
Regulation (EU) n. 2020/1182 (ATP 15 CLP)  
Regulation (EU) n. 2021/643 (ATP 16 CLP)  
Regulation (EU) n. 2021/849 (ATP 17 CLP)  
Regulation (EU) n. 2022/692 (ATP 18 CLP)  
Regulation (EU) n. 2023/1434 (ATP 19 CLP)  
Regulation (EU) n. 2023/1435 (ATP 20 CLP)

Restrictions related to the product or the substances contained according to Annex XVII  
Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

Restriction 3

Restriction 40

Restrictions related to the substances contained:

Restriction 75

Where applicable, refer to the following regulatory provisions :

Directive 2012/18/EU (Seveso III)

Regulation (EC) nr 648/2004 (detergents).

Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

None

### 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

## SECTION 16: Other information

Full text of phrases referred to in Section 3:

H228 Flammable solid.

H413 May cause long lasting harmful effects to aquatic life.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H373 May cause damage to organs through prolonged or repeated exposure if swallowed.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H400 Very toxic to aquatic life.

EUH208 Contains (name of sensitising substance). May produce an allergic reaction.

H330 Fatal if inhaled.

H311 Toxic in contact with skin.

H301 Toxic if swallowed.

H314 Causes severe skin burns and eye damage.

H410 Very toxic to aquatic life with long lasting effects.



EUH071 Corrosive to the respiratory tract.

| Hazard class and hazard category | Code          | Description  |
|----------------------------------|---------------|--|
| Flam. Sol. 1                     | 2.7/1         | Flammable solid, Category 1                                    |
| Acute Tox. 2                     | 3.1/2/Inhal   | Acute toxicity (inhalation), Category 2                        |
| Acute Tox. 3                     | 3.1/3/Dermal  | Acute toxicity (dermal), Category 3                            |
| Acute Tox. 3                     | 3.1/3/Oral    | Acute toxicity (oral), Category 3                              |
| Acute Tox. 4                     | 3.1/4/Oral    | Acute toxicity (oral), Category 4                              |
| Skin Corr. 1B                    | 3.2/1B        | Skin corrosion, Category 1B                                    |
| Skin Irrit. 2                    | 3.2/2         | Skin irritation, Category 2                                    |
| Eye Dam. 1                       | 3.3/1         | Serious eye damage, Category 1                                 |
| Eye Irrit. 2                     | 3.3/2         | Eye irritation, Category 2                                     |
| Skin Sens. 1                     | 3.4.2/1       | Skin Sensitisation, Category 1                                 |
| Skin Sens. 1,1A,1B               | 3.4.2/1-1A-1B | Skin Sensitisation, Category 1,1A,1B                           |
| Skin Sens. 1A                    | 3.4.2/1A      | Skin Sensitisation, Category 1A                                |
| STOT RE 2                        | 3.9/2         | Specific target organ toxicity - repeated exposure, Category 2 |
| Aquatic Acute 1                  | 4.1/A1        | Acute aquatic hazard, category 1                               |
| Aquatic Chronic 1                | 4.1/C1        | Chronic (long term) aquatic hazard, category 1                 |
| Aquatic Chronic 4                | 4.1/C4        | Chronic (long term) aquatic hazard, category 4                 |

Paragraphs modified from the previous revision:

SECTION 1: Identification of the substance/mixture and of the company/undertaking

SECTION 6: Accidental release measures

SECTION 15: Regulatory information

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

| Classification according to Regulation (EC) Nr. 1272/2008 | Classification procedure |
|---|--------------------------|
| Skin Sens. 1, H317  | Calculation method       |

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

- Ref. 1
- IARC Monographs on the Evaluation Carcinogenic Risks to Humans (IARC: International Agency for Research on Cancer)
  - Journal of Occupational Health (JOH) (Japan Society of Occupational Health (JSOH))
  - TLVs and BEIs (ACGIH: American Conference of Governmental Industrial Hygienists)
  - IRIS Carcinogenic Assessment (IRIS: Integrated Risk Information System of US EPA)
  - National Toxicology Program (NTP) Report on Carcinogens (USA)
  - Annex VI of REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
  - MAK und BAT Werte Liste (DFG: German Research Foundation)
  - TRGS 905, Verzeichnis krebserzeugender, keimzell mutagener oder reproduktionstoxischer Stoffe (AGS: Committee on Hazardous Substances, Germany)

- Ref. 2 -Annex VI of REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006  
 -TRGS 905, Verzeichnis krebserzeugender, keimzell mutagener oder reproduktionstoxischer Stoffe (AGS: Committee on Hazardous Substances, Germany)

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This Safety Data Sheet cancels and replaces any preceding release.

|             |  |
|-------------|--|
| ADR:        | European Agreement concerning the International Carriage of Dangerous Goods by Road. |
| ATE:        | Acute Toxicity Estimate  |
| ATEmix:     | Acute toxicity Estimate (Mixtures)   |
| CAS:        | Chemical Abstracts Service (division of the American Chemical Society).              |
| CLP:        | Classification, Labeling, Packaging.   |
| DNEL:       | Derived No Effect Level.   |
| EINECS:     | European Inventory of Existing Commercial Chemical Substances.                       |
| GefStoffVO: | Ordinance on Hazardous Substances, Germany.  |
| GHS:        | Globally Harmonized System of Classification and Labeling of Chemicals.              |
| IATA:       | International Air Transport Association.   |
| IATA-DGR:   | Dangerous Goods Regulation by the "International Air Transport Association" (IATA).  |
| ICAO:       | International Civil Aviation Organization.   |
| ICAO-TI:    | Technical Instructions by the "International Civil Aviation Organization" (ICAO).    |
| IMDG:       | International Maritime Code for Dangerous Goods.                                     |
| INCI:       | International Nomenclature of Cosmetic Ingredients.                                  |
| KSt:        | Explosion coefficient.   |
| LC50:       | Lethal concentration, for 50 percent of test population.                             |
| LD50:       | Lethal dose, for 50 percent of test population.                                      |
| PNEC:       | Predicted No Effect Concentration.   |
| RID:        | Regulation Concerning the International Transport of Dangerous Goods by Rail.        |
| STEL:       | Short Term Exposure limit.   |
| STOT:       | Specific Target Organ Toxicity.  |
| TLV:        | Threshold Limiting Value.  |
| TWA:        | Time-weighted average  |
| WGK:        | German Water Hazard Class.   |