

## Safety Data Sheet

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier  
 Mixture identification:  
 Trade name: Ink Cartridge, Cyan/Light Cyan T489
- 1.2. Relevant identified uses of the substance or mixture and uses advised against
- 1.3. Details of the supplier of the safety data sheet  
 Company:  
 EPSON EUROPE B.V.  
 Azie building, Atlas ArenA, Hoogoorddreef 5,1101 BA Amsterdam  
 Zuidoost The Netherlands  
 Phone number: +31-20-314-5000  
 Competent person responsible for the safety data sheet:  
 chemicals@epson-europe.com  
 Date: 02/02/2017  
 Revision: 1.0
- 1.4. Emergency telephone number  
 Phone number: +31-20-314-5000  
 Giftnotruf Berlin; +48 (0) 30 30686 790

### SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture  
 EC regulation criteria 1272/2008 (CLP)  
 The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).  
 Adverse physicochemical, human health and environmental effects:  
 No other hazards
- 2.2. Label elements  
 The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).  
 Hazard pictograms:  
 None  
 Hazard statements:  
 None  
 Precautionary statements:  
 None  
 Special Provisions:  
 EUH210 Safety data sheet available on request.  
 Special provisions according to Annex XVII of REACH and subsequent amendments:  
 None
- 2.3. Other hazards  
 vPvB Substances: None - PBT Substances: None  
 Other Hazards:  
 No other hazards



### SECTION 3: Composition/information on ingredients

- 3.1. Substances  
 No
- 3.2. Mixtures  
 Hazardous components within the meaning of the CLP regulation and related classification:



<Cyan ink>

Qty	Name	Ident. Number	Classification
50% ~	Water	CAS: 7732-18-5	The product is not classified as

## Safety Data Sheet

65%		EC: 231-791-2	dangerous according to Regulation EC 1272/2008 (CLP).
10% ~ 12.5%	Glycerol	CAS: 56-81-5 EC: 200-289-5	The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).
7% ~ 10%	2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutyl ether	Index number: 603-183-00-0 CAS: 143-22-6 EC: 205-592-6 REACH No.: 01-21194751 07-38	 3.3/1 Eye Dam. 1 H318
7% ~ 10%	ethanediol; ethylene glycol	Index number: 603-027-00-1 CAS: 107-21-1 EC: 203-473-3	 3.1/4/Oral Acute Tox. 4 H302
0.5% ~ 1%	Triethanol amine	CAS: 102-71-6 EC: 203-049-8	The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

<Light cyan ink>

Qty	Name	Ident. Number	Classification
50% ~ 65%	Water	CAS: 7732-18-5 EC: 231-791-2	The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).
15% ~ 20%	Glycerol	CAS: 56-81-5 EC: 200-289-5	The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).
12.5% ~ 15%	2,2' -oxybisethanol; diethylene glycol	Index number: 603-140-00-6 CAS: 111-46-6 EC: 203-872-2	 3.1/4/Oral Acute Tox. 4 H302
5% ~ 7%	2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutyl ether	Index number: 603-183-00-0 CAS: 143-22-6 EC: 205-592-6 REACH No.: 01-21194751 07-38	 3.3/1 Eye Dam. 1 H318
0.5% ~ 1%	Triethanol amine	CAS: 102-71-6 EC: 203-049-8	The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

## Safety Data Sheet

- Remove casualty to fresh air and keep warm and at rest.
- 4.2. Most important symptoms and effects, both acute and delayed  
None
- 4.3. Indication of any immediate medical attention and special treatment needed  
Treatment:  
None

### SECTION 5: Firefighting measures

- 5.1. Extinguishing media  
Suitable extinguishing media:  
Water.  
Carbon dioxide (CO<sub>2</sub>).  
Extinguishing media which must not be used for safety reasons:  
None in particular.
- 5.2. Special hazards arising from the substance or mixture  
Do not inhale explosion and combustion gases.  
Burning produces heavy smoke.
- 5.3. Advice for firefighters  
Use suitable breathing apparatus .  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Move undamaged containers from immediate hazard area if it can be done safely.

### SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures  
Wear personal protection equipment.  
Remove persons to safety.  
See protective measures under point 7 and 8.
- 6.2. Environmental precautions  
Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.  
Retain contaminated washing water and dispose it.  
In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.  
Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up  
Wash with plenty of water.
- 6.4. Reference to other sections  
See also section 8 and 13

### SECTION 7: Handling and storage

- 7.1. Precautions for safe handling  
Avoid contact with skin and eyes, inhalation of vapours and mists.  
Do not eat or drink while working.  
See also section 8 for recommended protective equipment.
- 7.2. Conditions for safe storage, including any incompatibilities  
Keep away from food, drink and feed.  
Incompatible materials:  
None in particular.  
Instructions as regards storage premises:  
Adequately ventilated premises.
- 7.3. Specific end use(s)  
None in particular

## Safety Data Sheet

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Glycerol - CAS: 56-81-5

- OEL Type: OSHA - LTE: 5 mg/m<sup>3</sup> - Notes: PEL, as mist, respirable fraction

- OEL Type: OSHA - LTE: 15 mg/m<sup>3</sup> - Notes: PEL, as mist, total dust

ethanediol; ethylene glycol - CAS: 107-21-1

- OEL Type: EU - LTE(8h): 52 mg/m<sup>3</sup>, 20 ppm - STE: 104 mg/m<sup>3</sup>, 40 ppm - Notes:

Bold-type: Indicative Occupational Exposure Limit Values [2,3] and Limit Values for Occupational Exposure [4] (for references see bibliography)

- OEL Type: ACGIH - STE: C 100 mg/m<sup>3</sup> - Notes: A4 (H) - URT and eye irr

DNEL Exposure Limit Values

No data available

PNEC Exposure Limit Values

2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutyl ether - CAS: 143-22-6

Target: Fresh Water - Value: 1.5 mg/l

Target: Freshwater sediments - Value: 5.77 mg/kg

Target: Marine water - Value: 0.15 mg/l

Target: Marine water sediments - Value: 0.13 mg/kg

Target: Microorganisms in sewage treatments - Value: 200 mg/l

#### 8.2. Exposure controls

Eye protection:

Not needed for normal use. Anyway, operate according good working practices.

Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

Not needed for normal use.

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

None

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Appearance and colour:

Cyan Liquid / Light Cyan Liquid

Odour:

Slightly

Odour threshold:

No data available

pH:

8.8 ~ 10.2 at 20°C (Cyan ink)

9.2 ~ 10.6 at 20°C (Light cyan ink)

Melting point / freezing point:

No data available

Initial boiling point and boiling range:

No data available

Solid/gas flammability:

No data available

Upper/lower flammability or explosive limits:

No data available

Vapour density:

No data available

Flash point:

Does not flash until 95 °C / 203 ° F  
(closed cup method, ASTM D 3278)

Evaporation rate:

No data available

Vapour pressure:

No data available

Relative density:

No data available (Cyan ink)

1.068 at 20°C (Light cyan ink)

## Safety Data Sheet

Solubility in water:	Complete
Solubility in oil:	No data available
Partition coefficient (n-octanol/water):	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
Viscosity:	< 5 mPa·s at 20 °C
Explosive properties:	No data available
Oxidizing properties:	No data available
9.2. Other information	
Miscibility:	No data available
Fat Solubility:	No data available
Conductivity:	No data available

### SECTION 10: Stability and reactivity

- 10.1. Reactivity  
Stable under normal conditions
- 10.2. Chemical stability  
Stable under normal conditions
- 10.3. Possibility of hazardous reactions  
None
- 10.4. Conditions to avoid  
Stable under normal conditions.
- 10.5. Incompatible materials  
None in particular.
- 10.6. Hazardous decomposition products  
None.

### SECTION 11: Toxicological information

- 11.1. Information on toxicological effects
  - Toxicological information of the mixture:
    - a) acute toxicity:  
Test: LD50 - Route: Oral - Species: Rat > 2000 mg/kg  
Test: LD50 - Route: Dermal - Species: Rat > 2000 mg/kg
    - b) skin corrosion/irritation:  
Test: Skin Irritant - Species: Rabbit Non-irritant
    - c) serious eye damage/irritation:  
Test: Eye Irritant - Species: Rabbit Non-irritant
    - d) respiratory or skin sensitisation:  
Test: Skin Sensitisation - Route: Maximisation Assay - Species: Guinea pig  
Non-sensitiser
    - e) germ cell mutagenicity:  
Test: Mutagenesis - Species: Salmonella Typhimurium and Escherichia coli  
Negative
    - f) carcinogenicity:  
Does not contain carcinogens (Ref. 1)
    - g) reproductive toxicity:  
Does not contain reproductive toxicity and developmental toxic substances (Ref. 2)
  - Toxicological information of the main substances found in the mixture:  
Glycerol - CAS: 56-81-5
    - a) acute toxicity:  
Test: LD50 - Route: Oral - Species: Guinea pig = 7750 mg/kg - Source: Journal of Industrial Hygiene and Toxicology. Vol. 23, Pg. 259, 1941

## Safety Data Sheet

- Test: LDLo - Route: Oral - Species: Human = 1428 mg/kg - Source: "Toxicology of Drugs and Chemicals," Deichmann, W.B., New York, Academic Press, Inc., 1969Vol. -, Pg. 288, 1969.
- 2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutyl ether - CAS: 143-22-6
- a) acute toxicity:  
Test: LD50 - Route: Dermal - Species: Rabbit = 3.54 ml/kg - Source: American Industrial Hygiene Association Journal. Vol. 23, Pg. 95, 1962.  
Test: LD50 - Route: Oral - Species: Rat = 5300 mg/kg - Source: Office of Toxic Substances Report. Vol. OTS,
- 2,2'-oxybisethanol; diethylene glycol - CAS: 111-46-6
- b) skin corrosion/irritation:  
Test: Skin Irritant - Species: Rabbit Mild irritant - Source: SPL 1307/345
- e) germ cell mutagenicity:  
Test: Mutagenesis - Species: Salmonella Typhimurium and Escherichia coli Negative
- ethanediol; ethylene glycol - CAS: 107-21-1
- a) acute toxicity:  
Test: LDLo - Route: Oral - Species: Human = 398 mg/kg - Source: Sudebno-Meditsinskaya Ekspertiza. Forensic Medical Examination. Vol. 26(2), Pg. 48, 1983.  
Test: LDLo - Route: Oral - Species: Human = 786 mg/kg - Source: European Journal of Toxicology and Environmental Hygiene. Vol. 9, Pg. 373, 1976.
- Triethanol amine - CAS: 102-71-6
- a) acute toxicity:  
Test: LD50 - Route: Oral - Species: Guinea pig = 2200 mg/kg - Source: "Toxicometric Parameters of Industrial Toxic Chemicals Under Single Exposure," Izmerov, N.F., et al., Moscow, Centre of International Projects, GKNT, 1982Vol. -, Pg. 114, 1982.  
Test: LD50 - Route: Oral - Species: Mouse = 5846 mg/kg - Source: Science Reports of the Research Institutes, Tohoku University, Series C: Medicine. Vol. 36(1-4), Pg. 10, 1989.

If not differently specified, the information required in Regulation (EU) 2015/830 listed below must be considered as 'No data available':

- a) acute toxicity;
- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- j) aspiration hazard.

### SECTION 12: Ecological information

#### 12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.  
No data available

#### 12.2. Persistence and degradability

No data available

#### 12.3. Bioaccumulative potential

No data available

## Safety Data Sheet

- 12.4. Mobility in soil  
No data available
- 12.5. Results of PBT and vPvB assessment  
vPvB Substances: None - PBT Substances: None
- 12.6. Other adverse effects  
None

### SECTION 13: Disposal considerations

- 13.1. Waste treatment methods  
Recover if possible. In so doing, comply with the local and national regulations currently in force.

### SECTION 14: Transport information

- 14.1. UN number  
Not classified as dangerous in the meaning of transport regulations.
- 14.2. UN proper shipping name  
No data available
- 14.3. Transport hazard class(es)  
No data available
- 14.4. Packing group  
No data available
- 14.5. Environmental hazards  
No data available
- 14.6. Special precautions for user  
No data available
- 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code  
No data available

### SECTION 15: Regulatory information

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
  - Dir. 98/24/EC (Risks related to chemical agents at work)
  - Dir. 2000/39/EC (Occupational exposure limit values)
  - Regulation (EC) n. 1907/2006 (REACH)
  - Regulation (EC) n. 1272/2008 (CLP)
  - Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013
  - Regulation (EU) 2015/830
  - Regulation (EU) n. 286/2011 (ATP 2 CLP)
  - Regulation (EU) n. 618/2012 (ATP 3 CLP)
  - Regulation (EU) n. 487/2013 (ATP 4 CLP)
  - Regulation (EU) n. 944/2013 (ATP 5 CLP)
  - Regulation (EU) n. 605/2014 (ATP 6 CLP)
- Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:
  - Restrictions related to the product:  
No restriction.
  - Restrictions related to the substances contained:  
No restriction.
- Where applicable, refer to the following regulatory provisions :
  - Directive 2003/105/CE ('Activities linked to risks of serious accidents') and subsequent amendments.
  - Regulation (EC) nr 648/2004 (detergents).
  - 1999/13/EC (VOC directive)

Provisions related to directives 82/501/EC(Seveso), 96/82/EC(Seveso II):



## Safety Data Sheet

No data available

15.2. Chemical safety assessment  
No

### SECTION 16: Other information

Full text of phrases referred to in Section 3:  
H318 Causes serious eye damage.  
H302 Harmful if swallowed.

Hazard class and hazard category	Code	Description
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Eye Dam. 1	3.3/1	Serious eye damage, Category 1

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities  
SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold  
CCNL - Appendix 1

- Ref. 1 ·IARC Monographs on the Evaluation Carcinogenic Risks to Humans (IARC: International Agency for Research on Cancer)  
·Journal of Occupational Health (JOH) (Japan Society of Occupational Health (JSOH))  
·TLVs and BEIs (ACGIH: American Conference of Governmental Industrial Hygienists)  
·IRIS Carcinogenic Assessment (IRIS: Integrated Risk Information System of US EPA)  
·National Toxicology Program (NTP) Report on Carcinogens  
·Annex VI of REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006  
·MAK und BAT Werte Liste (DFG: German Research Foundation)  
·TRGS 905, Verzeichnis krebserzeugender, keimzell mutagener oder reproduktionstoxischer Stoffe (AGS: Committee on Hazardous Substances, Germany)
- Ref. 2 ·Annex VI of REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006  
·TRGS 905, Verzeichnis krebserzeugender, keimzell mutagener oder reproduktionstoxischer Stoffe (AGS: Committee on Hazardous Substances, Germany)

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This Safety Data Sheet cancels and replaces any preceding release.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.  
CAS: Chemical Abstracts Service (division of the American Chemical Society).  
CLP: Classification, Labeling, Packaging.  
DNEL: Derived No Effect Level.  
EINECS: European Inventory of Existing Commercial Chemical Substances.



## Safety Data Sheet

GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
LTE:	Long-term exposure.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STE:	Short-term exposure.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWATLV:	Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).
WGK:	German Water Hazard Class.