

# SAFETY DATA SHEET

Issue Date 27-Sep-2019 (DD-MM-YYYY)

Revision date 19-Jul-2023 (DD-MM-YYYY) Version 2.2

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name	INK BOTTLE, VR, 1000ML
	UFI:YTDD-2XS0-2H4T-SPXV

Product code

Pure substance/mixture mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Importer / Supplier

T49VA

- Recommended Use Ink jet ink (UV curing)
- Uses advised against No information available

#### 1.3. Details of the supplier of the safety data sheet

Company Name EPSON EUROPE B.V. Azie building, Atlas ArenA, Hoogoorddreef 5,1101 BA Amsterdam Zuidoost The Netherlands Phone number: +31-20-314-5000

For further information, please contact

Contact Point	+31-20-314-5000	
Email address	chemicals@epson.eu	
1.4. Emergency telephone number	-	
Emergency telephone	Giftnotruf Berlin;	+31-20-314-5000 +49 (0)30 30686 790 +32 (0)70 245 245 +43 1 406 43 43

### **Section 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008	
skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 1 - (H318)
Skin sensitization	Category 1B - (H317)
Reproductive toxicity	Category 2 - (H361)
Specific target organ toxicity (single exposure)	Category 3 - (H335)
Specific target organ toxicity (repeated exposure)	Category 2 - (H373)
Acute aquatic toxicity	Category 1 - (H400)



#### Chronic aquatic toxicity

2.2. Label elements



signal word DANGER

#### Hazard Statements

- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H335 May cause respiratory irritation
- H373 May cause damage to organs through prolonged or repeated exposure
- H410 Very toxic to aquatic life with long lasting effects
- H361 Suspected of damaging fertility or the unborn child

Contains 2-Propenoic acid, 1,7,7-trimethylbicyclo[2.2.1]hept-2-yl ester, exo-

- 1,6-Hexanediol diacrylate
- Morpholine, 4-(1-oxo-2-propenyl)-
- 2-Propenoic acid, phenylmethyl ester
- Diphenyl-2,4,6-trimethylbenzoyl phosphine oxide
- Poly[oxy(methyl-1,2-ethanediyl)], .alpha.,.alpha.',.alpha.''-1,2,3-propanetriyltris[.omega.-[(1-oxo-2-propenyl)oxy]-
- 2,5-Cyclohexadien-1-one, 2,6-bis(1,1-dimethylethyl)-4-(phenylmethylene)-

EUH208 - May produce an allergic reaction

#### precautionary statements

4-Methoxyphenol

- P264 Wash hands thoroughly after handling
- P302 + P352 IF ON SKIN: Wash with plenty of soap and water
- P332 + P313 If skin irritation occurs: Get medical advice/attention
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P310 Immediately call a POISON CENTER or doctor/physician
- P272 Contaminated work clothing should not be allowed out of the workplace
- P333 + P313 If skin irritation or rash occurs: Get medical advice/attention
- P363 Wash contaminated clothing before reuse
- P501 Dispose of contents/ container in accordance with applicable regulations
- P201 Obtain special instructions before use
- P202 Do not handle until all safety precautions have been read and understood
- P308 + P313 IF exposed or concerned: Get medical advice/attention
- P405 Store locked up
- P271 Use only outdoors or in a well-ventilated area
- P312 Call a POISON CENTER or doctor if you feel unwell
- P403 + P233 Store in a well-ventilated place. Keep container tightly closed
- P260 Do not breathe dust/fume/gas/mist/vapors/spray
- P314 Get medical advice/attention if you feel unwell
- P273 Avoid release to the environment
- P391 Collect spillage
- P280 Wear protective gloves/protective clothing/eye protection/face protection
- P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing



T49VA Revision date 19-Jul-2023 (DD-MM-YYYY) Version 2.2

2.3. Other hazards

**Other Hazards** 

General Hazards

No information available

MAY BE HARMFUL IF SWALLOWED

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

#### 3.2 mixtures

### Ingredients contributing to the classification of the mixture, etc.

Chamical name				Classification	Classification	REACH
Chemical name	EC No	CAS No	weight-%	according to 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP] / Other	REACH registration number
2-Propenoic acid, 1,7,7-trimethylbicyclo[2.2.1] hept-2-yl ester, exo-	227-561-6	5888-33-5	50-60	Xi; R36/37/38-43 N; R50-53	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Skin Sens. 1B (H317) STOT SE 3 (H335) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	-
1,6-Hexanediol diacrylate	235-921-9	13048-33-4	10-20	Xi; R36/38 R43	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	-
Morpholine, 4-(1-oxo-2-propenyl)-	-	5117-12-4	10-20	Xn; R22-48/22 Xi; R41 R43	Acute Tox. 4 (H302) Eye Dam. 1 (H318) Skin Sens. 1 (H317) STOT RE 2 (H373)	-
2-Propenoic acid, phenylmethyl ester	219-673-9	2495-35-4	5-10	Xi; R36/38-43	Skin Irrit. 2 (H315) Eye Irrit. 2A (H319) Skin Sens. 1 (H317)	-
Diphenyl-2,4,6-trimethylben zoyl phosphine oxide	278-355-8	75980-60-8	5-10	Repr.Cat.3; R62	Repr. 2 (H361f) Repr. 2 (H361)	-
Poly[oxy(methyl-1,2-ethane diyl)], .alpha.,.alpha.',.alpha .''-1,2,3-propanetriyltris[.om ega[(1-oxo-2-propenyl)ox y]-	-	52408-84-1	< 1	Xi; R36-43	Eye Irrit. 2A (H319) Skin Sens. 1 (H317)	-
2,5-Cyclohexadien-1-one, 2,6-bis(1,1-dimethylethyl)-4 -(phenylmethylene)-	-	7078-98-0	< 1	R43 R53	Skin Sens. 1 (H317) Aquatic Chronic 4 (H413)	-
4-Methoxyphenol	205-769-8	150-76-5	< 1	Xn; R22 Xi; R36 R43	Acute Tox. 4 (H302) Eye Irrit. 2 (H319) Skin Sens. 1 (H317)	-



		Skin Irrit. 2 (H315)	
		Aquatic Acute 3	
		(H402)	

Full text of R-phrases: see section 16

### Full text of H- and EUH-phrases: see section 16

# Section 4: FIRST AID MEASURES

#### 4.1. Description of first aid measures

General advice	If symptoms persist, call a physician Do not breathe dust/fume/gas/mist/vapors/spray Do not get in eyes, on skin, or on clothing May produce an allergic reaction
Inhalation	Remove to fresh air If breathing is irregular or stopped, administer artificial respiration Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation Call a physician Artificial respiration and/or oxygen may be necessary Move to fresh air in case of accidental inhalation of vapors If symptoms persist, call a physician IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Seek immediate medical attention/advice IF INHALED: Call a POISON CENTER or doctor if you feel unwell
Skin contact	Consult a physician if necessary Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes Wash contaminated clothing before reuse Wash off immediately with soap and plenty of water If skin irritation persists, call a physician Get medical attention if irritation develops and persists
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes Keep eye wide open while rinsing If symptoms persist, call a physician Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes If eye irritation persists: Get medical advice/attention
INGESTION	Do NOT induce vomiting Clean mouth with water and drink afterwards plenty of water If symptoms persist, call a physician Clean mouth with water Never give anything by mouth to an unconscious person Call a physician Potential for aspiration if swallowed Get medical attention
Self-protection of the first aider	Use personal protection recommended in Section 8
4.2 Most important symptoms and	affects both acute and delayed

4.2. Most important symptoms and effects, both acute and delayed



#### 4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians	May cause sensitization of susceptible persons
	Treat symptomatically

Section 5: FIRE FIGHTING MEASURES				
5.1. Extinguishing media				
Suitable Extinguishing Media	CO2, dry chemical, dry sand, alcohol-resistant foam, mist of alkali salts water Move containers from fire area if you can do it without risk Use extinguishing measures that are appropriate to local circumstances and the surrounding environment Remove combustible materials from their surroundings immediately			
Unsuitable Extinguishing Media	Do not use a solid water stream as it may scatter and spread fire			
5.2. Special hazards arising from th	e substance or mixture			
Specific hazards arising from the chemical	In the event of fire and/or explosion do not breathe fumes May cause sensitization by inhalation and skin contact Thermal decomposition can lead to release of irritating and toxic gases and vapors The product causes irritation of eyes, skin and mucous membranes			
5.3. Advice for firefighters				
Special protective equipment for fire-fighters	Wear self contained breathing apparatus for fire fighting if necessary Use personal protective equipment as required In the event of fire and/or explosion do not breathe fumes Special protective equipment for fire-fighters			
Special Extinguishing Media	Cool container with water spray			
Flammable properties	May re-ignite after fire is extinguished Flammable/combustible material			

# Section 6: ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes or clothing Use personal protective equipment as required Evacuate personnel to safe areas Keep people away from and upwind of spill/leak Stay upwind ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area) Avoid contact with skin, eyes and inhalation of vapors In the case of vapor formation use a respirator with filter model In case of fire: Stop leak if safe to do so Do not touch damaged containers or spilled material unless wearing appropriate protective clothing Ensure adequate ventilation, especially in confined areas Take precautionary measures against static discharges
----------------------	---



6.2. Environmental precautions

other information

Environmental Precautions	Prevent entry into waterways, sewers, basements or confined areas Do not flush into surface water or sanitary sewer system Prevent further leakage or spillage if safe to do so Prevent product from entering drains See Section 12 for additional Ecological Information Dispose of contents/container to an approved waste disposal plant Avoid release to the environment Collect spillage		
6.3. Methods and material for c	ontainment and cleaning up		
Methods for Containment	Prevent further leakage or spillage if safe to do so		
Methods for cleaning up	Cover liquid spill with sand, earth or other non-combustible absorbent material Cover powder spill with plastic sheet or tarp to minimize spreading Pick up and transfer to properly labeled containers		

Soak up with inert absorbent material

Use only non-sparking tools

Dam up

Ventilate the area

### 6.4. Reference to other sections

# Section 7: HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

Advice on safe handling	Avoid contact with skin, eyes or clothing Wash contaminated clothing before reuse Do not eat, drink or smoke when using this product Use personal protection recommended in Section 8 Do not breathe dust/fume/gas/mist/vapors/spray Use with local exhaust ventilation Take precautionary measures against static discharges Use only in well-ventilated areas Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea Wash hands thoroughly and gargle after handling Burn or dispose of the wiping cloths used to clean up the product at once
General Hygiene Considerations	When using do not eat, drink or smoke Wash contaminated clothing before reuse Regular cleaning of equipment, work area and clothing is recommended
7.2. Conditions for safe storage, inc	luding any incompatibilities
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place Keep out of the reach of children Keep in properly labeled containers Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity) Use spark-proof tools and explosion-proof equipment Incompatible with oxidizing agents The product shall be stored in the original containers/vessels



Polymerisation is caused by ultra violet rays or heat. Store in a cool, dark and well-ventilated place. Containers/vessels should be tightly closed

#### 7.3. Specific end use(s)

### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

Chemical name	European Union	United Kingdom	France	Spain	Germany
4-Methoxyphenol	-	-	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	-

Chemical name	Italy	Portugal	Netherlands	Finland	Denmark
4-Methoxyphenol	-	TWA: 5 mg/m <sup>3</sup>	-	-	TWA: 5 mg/m <sup>3</sup>

Chemical name	Austria	Switzerland	Poland	Norway	Ireland	Sweden	Czech Republic	Luxembourg
4-Methoxyphenol	STEL: 10	-	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	-	-	-
	mg/m <sup>3</sup>		_	STEL: 10	STEL: 15			
	TWA: 5 mg/m <sup>3</sup>			mg/m³	mg/m <sup>3</sup>			

Derived No Effect Level (DNEL)	No information available
--------------------------------	--------------------------

Predicted No Effect Concentration No information available (PNEC)

8.2. Exposure controls

Engineering Controls	Ensure adequate ventilation, especially in confined areas
	Showers
	Eyewash stations
	Ventilation systems

#### Personal protective equipment

Eye/face Protection	Tight sealing safety goggles Face protection shield Wear safety glasses with side shields (or goggles)
Hand Protection	Wear protective gloves
Skin and Body Protection	Suitable protective clothing Wear suitable protective clothing Apron Gloves made of plastic or rubber Protective shoes or boots
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment Respirator cartridge should be exchanged at regular intervals or at proper time according to breakthrough time



Revision date 19-Jul-2023 (DD-MM-YYYY) Version 2.2

**T49VA** 

**Environmental exposure controls** 

Do not allow into any sewer, on the ground or into any body of water

# Section 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Physical State	liquid		
appearance	No information available	ODR	characteristic odour
color	colored	odor threshold	No information available
Durante	Malara a	Demender Method	
Property	<u>Values</u>	Remarks • Method	
pH	not applicable		
Melting point/freezing point	no data available		
Boiling point/boiling range	no data available	No information available	
Flash Point	≧94°C	Ceta Closed Cup	
Evaporation Rate	no data available	No information available	
Combustibility	no data available		
Flammability Limits in Air			
Upper flammability limits	no data available		
Lower Flammability Limit	no data available		
vapor pressure	no data available	No information available	
Vapor Density	no data available	No information available	
Specific gravity	1.00-1.10		
solubility(ies)			
Water solubility	Immiscible in water		
Organic Solvent Solubility	soluble in organic solvents		
Partition coefficient	no data available	No information available	
Autoignition Temperature	no data available	No information available	
decomposition temperature	no data available	No information available	
Kinematic viscosity	no data available		
Explosive properties	No information available		
Oxidizing properties	No information available		
9.2. Other information			
Softening point	no data available		

### Softening point Density

no data available no data available

Chemical name	Boiling point °C	Density	vapor pressure	Vapor Density	Flash Point	Autoignition Temperature
1,6-Hexanediol diacrylate	-	-	0.0005 mmHg at 21 °C	-	132 °C closed cup	-
2-Propenoic acid, phenylmethyl ester	228 °C 1013.25 hPa	1.0573 g/cm3 at 20 °C	-	-	-	-
4-Methoxyphenol	243 - 246 °C	-	-	4.3	132 °C open cup	421 °C

# Section 10: STABILITY AND REACTIVITY

#### 10.1. Reactivity

Remarks 10.2. Chemical stability

stability

no data available

Stable under normal conditions Polymerization can occur Heating may cause an explosion



#### Explosion data

Sensitivity to Mechanical Impact May be ignited by heat, sparks or flames Sensitivity to Static Discharge May be ignited by heat, sparks or flames

10.3. Possibility of hazardous reactions

10.4. Conditions to avoid	
Conditions to Avoid	Take precautionary measures against static discharges Extremes of temperature and direct sunlight Heat
10.5. Incompatible materials	

Incompatible Materials Heat; Strong acids; OXIDIZERS; Alkali; light; peroxides; radical initiators

#### 10.6. Hazardous decomposition products

Hazardous Decomposition Products May emit toxic fumes under fire conditions

### Section 11: TOXICOLOGICAL INFORMATION

Repeated or prolonged contact may cause allergic reactions in very susceptible persons May cause sensitization by skin contact May cause sensitization by inhalation and skin contact

#### 11.1. Information on toxicological effects

Acute toxicity

Inhalation	Reference to other sections; 4
Eye contact	Reference to other sections; 4
Skin contact	Reference to other sections; 4
INGESTION	Reference to other sections; 4

Unknown acute toxicity

10.0% of the mixture consists of ingredient(s) of unknown toxicity

#### The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 5,000.00

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50	Classification according to 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP] / Other	Japan GHS Classification / Other
2-Propenoic acid, 1,7,7-trimethylbicyclo[2.2.1] hept-2-yl ester, exo-	-	-	-	Xi; R36/37/38-43 N; R50-53	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Skin Sens. 1B (H317) STOT SE 3 (H335) Aquatic Acute 1 (H400) Aquatic Chronic 1	Skin Irrit. 2 Eye Irrit. 2 Skin Sens. 1B STOT SE 3 Aquatic Acute 1 Aquatic Chronic 1



**T49VA** 

Revision date 19-Jul-2023 (DD-MM-YYYY)

rsion	

						Version 2.2
					(H410)	
1,6-Hexanediol diacrylate	-	-	-	Xi; R36/38 R43	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	Aquatic Chronic 1 Aquatic Acute 1 Skin Sens. 1
Morpholine, 4-(1-oxo-2-propenyl)-	-	-	-	Xn; R22-48/22 Xi; R41 R43	Acute Tox. 4 (H302) Eye Dam. 1 (H318) Skin Sens. 1 (H317) STOT RE 2 (H373)	-
2-Propenoic acid, phenylmethyl ester	-	-	-	Xi; R36/38-43	Skin Irrit. 2 (H315) Eye Irrit. 2A (H319) Skin Sens. 1 (H317)	Skin Irrit. 2 Eye Irrit. 2A Skin Sens. 1
Diphenyl-2,4,6-trimethylben zoyl phosphine oxide	-	-	-	Repr.Cat.3; R62	Repr. 2 (H361f) Repr. 2 (H361)	-
Poly[oxy(methyl-1,2-ethane diyl)], .alpha.,.alpha.',.alpha .''-1,2,3-propanetriyltris[.om ega[(1-oxo-2-propenyl)ox y]-	-	-	-	Xi; R36-43	Eye Irrit. 2A (H319) Skin Sens. 1 (H317)	Eye Irrit. 2A Skin Sens. 1
2,5-Cyclohexadien-1-one, 2,6-bis(1,1-dimethylethyl)-4 -(phenylmethylene)-	-	-	-	R43 R53	Skin Sens. 1 (H317) Aquatic Chronic 4 (H413)	-
4-Methoxyphenol	1600 mg/kg (Rat)	-	-	Xn; R22 Xi; R36 R43	Acute Tox. 4 (H302) Eye Irrit. 2 (H319) Skin Sens. 1 (H317) Skin Irrit. 2 (H315) Aquatic Acute 3 (H402)	Skin Irrit. 2 Eye Irrit. 2A Aquatic Acute 3 Acute Tox. Oral 4

#### **GHS/CLP Classification Note:**

Acute Tox. Der. : Acute toxicity - Dermal, Acute Tox. Inh. (D/M) : Acute toxicity - Inhalation - Dusts and Mists, Acute Tox. Inh. (Gas) :Acute toxicity - Inhalation - Gases, Acute Tox. Inh. (Vap) :Acute toxicity - Inhalation - Vapours, Acute Tox. Oral :Acute toxicity - Oral, Aquatic Acute :Acute Hazardous to the aquatic environment, Aquatic Chronic :Chronic Hazardous to the aquatic environment, Asp. Tox. :Aspiration hazard, Carc. :Carcinogenicity, Expl. :Explosives, Eye Dam. :Serious eye damage, Eye Irrit. :Eye irritation, Flam. Gas :Flammable gases (including chemically unstable gases), Flam. Liq. :Flammable liquids, Flam. Solid : Flammable solids, Lact. : Effects on or via lactation, Met. Corr. : Corrosive to metals, Muta. : Germ cell mutagenicity, Org. Perox. :Organic peroxides, Ox. Gas :Oxidizing gases, Ox. Liq. :Oxidizing liquids, Ox. Sol. :Oxidizing solids, Press. Gas :Gases under pressure, Pyr. Liq. :Pyrophoric liquids, Pyr. Sol. :Pyrophoric solids, Repr. :Reproductive toxicity, Resp. Sens. :Respiratory sensitization, Self-heat. :Self-heating substances and mixtures, Self-react. :Self-reactive substances and mixtures, Skin Corr. :Skin corrosion, Skin Irrit. :Skin irritation, Skin Sens. :Skin sensitization, STOT RE :Specific target organ toxicity - Repeated exposure, STOT SE :Specific target organ toxicity - Single exposure, Water-react. :Substances and mixtures which, in contact with water emit flammable gases

skin corrosion/irritation	No information available
Serious eye damage/eye irritation	No information available
Sensitization	No information available
Germ cell mutagenicity	No information available
Carcinogenicity	No information available



Reproductive toxicity	No information available
STOT - single exposure	No information available
STOT - repeated exposure	No information available
Aspiration hazard	No information available

# Section 12: ECOLOGICAL INFORMATION

#### 12.1. Toxicity

38.6% of the mixture consists of component(s) of unknown hazards to the aquatic environment

#### 12.2. Persistence and degradability

Persistence and degradability No information available

#### 12.3. Bioaccumulative potential

Bioaccumulation

No information available

Chemical name	Partition coefficient
4-Methoxyphenol	1.34

#### 12.4. Mobility in soil

Mobility in soil No information available

#### 12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available

#### 12.6. Other adverse effects

Other adverse effects

No information available

# Section 13: DISPOSAL CONSIDERATIONS

#### 13.1. Waste treatment methods

Waste from Residues/Unused Products	Should not be released into the environment Disposal should be in accordance with applicable regional, national and local laws and regulations
Contaminated packaging	Improper disposal or reuse of this container may be dangerous and illegal
other information	Waste codes should be assigned by the user based on the application for which the product was used Store in a tightly sealed drum to prevent the spillage of the content



# Section 14: TRANSPORT INFORMATION

	Containers/vessels must be leakage-free. Loading must be done to prevent containers from falling, dropping down and being damaged Take necessary steps to prevent collapse Use opaque containers/vessels for storage and transport
UN Number Packing Group ERG Code Proper Shipping Name	UN3082 III 171 Environmentally hazardous substances, liquid, n.o.s
IMDG 14.1 UN Number 14.2 Proper Shipping Name 14.3 Hazard Class 14.4 Packing Group Environmental hazard 14.6 Special Provisions EmS-No 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	UN3082 Environmentally hazardous substances, liquid, n.o.s 9 III yes None F-A, S-F <b>co</b> No information available
RID14.1UN Number14.2Proper Shipping Name14.3Hazard Class14.4Packing Group14.5Environmental hazard Classification code14.6Special Provisions	UN3082 Environmentally hazardous substances, liquid, n.o.s 9 III yes M6 None
ADR 14.1 UN Number 14.2 Proper Shipping Name 14.3 Hazard Class Labels 14.4 Packing Group 14.5 Environmental hazard 14.6 Special Provisions Classification code Tunnel restriction code	UN3082 Environmentally hazardous substances, liquid, n.o.s 9 9 III yes None M6 (E)
ICAO (air) 14.1 UN Number 14.2 Proper Shipping Name 14.3 Hazard Class 14.4 Packing Group 14.5 Environmental hazard 14.6 Special Provisions	UN3082 Environmentally hazardous substances, liquid, n.o.s 9 III yes None
IATA_ 14.1 UN Number 14.2 Proper Shipping Name	UN3082 Environmentally hazardous substances, liquid, n.o.s



14.3	Hazard Class	9
14.4	Packing Group	111
14.5	Environmental hazard	yes
14.6	Special Provisions	None
E	RG Code	9L

### Section 15: REGULATORY INFORMATION

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemical name	CAS No	French RG number	Seveso III Derective
2-Propenoic acid, 1,7,7-trimethylbicyclo[2.2.1]hept-2-yl ester, exo-	5888-33-5	-	No information available
1,6-Hexanediol diacrylate	13048-33-4	-	No information available
Morpholine, 4-(1-oxo-2-propenyl)-	5117-12-4	-	No information available
2-Propenoic acid, phenylmethyl ester	2495-35-4	-	No information available
Diphenyl-2,4,6-trimethylbenzoyl phosphine oxide	75980-60-8	-	No information available
Poly[oxy(methyl-1,2-ethanediyl)], .alpha.,.al oha.',.alpha.''-1,2,3-propanetriyltris[.omega [(1-oxo-2-propenyl)oxy]-	52408-84-1	-	No information available
2,5-Cyclohexadien-1-one, 2,6-bis(1,1-dimethylethyl)-4-(phenylmethyle ne)-	7078-98-0	-	No information available
4-Methoxyphenol	150-76-5	RG 65	No information available

#### **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

SVHC Substances	Substances in candidate list (Art. 59 Reg. 1907/2006, REACH): Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide SVHC
Authorisations and/or restrictions on use:	This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

#### TSCA SNUR's Component Information

This product contains a substance subject to a TSCA section 5 SNUR codified at 40 C.F.R. 721.5185. Please refer to 40 C.F.R. Part 721 and 40 C.F.R. 721.5185. (Morpholine, 4-(1-oxo-2-propenyl)-)

### **Section 16: OTHER INFORMATION**

#### Full text of R-phrases referred to under sections 2 and 3

- R22 Harmful if swallowed
- R36 Irritating to eyes
- R41 Risk of serious damage to eyes
- R43 May cause sensitization by skin contact
- R50 Very toxic to aquatic organisms
- R62 Possible risk of impaired fertility

#### R36/37/38 - Irritating to eyes, respiratory system and skin



#### T49VA Revision date 19-Jul-2023 (DD-MM-YYYY) Version 2.2

R36/38 - Irritating to eyes and skin

R37/38 - Irritating to respiratory system and skin

R48/22 - Harmful: danger of serious damage to health by prolonged exposure if swallowed

R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

#### Full text of H-Statements referred to under section 3

H302 - Harmful if swallowed
H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H318 - Causes serious eye damage
H319 - Causes serious eye irritation
H335 - May cause respiratory irritation
H361 - Suspected of damaging fertility or the unborn child
H361f - Suspected of damaging fertility
H373 - May cause damage to organs through prolonged or repeated exposure if inhaled
H400 - Very toxic to aquatic life
H402 - Harmful to aquatic life
H410 - Very toxic to aquatic life with long lasting effects
H413 - May cause long lasting harmful effects to aquatic life
Key literature references and
LOLI Database (ChemADVISOR, Inc.)

sources for data		
Issue Date	27-Sep-2019	(DD-MM-YYYY)
Revision date	19-Jul-2023	

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

#### Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet