

SECTION 1: Identification of the subs	tance/mixture and of the company/undertaking
Mixture identification:	
Trade name:	T7251
Trade code:	C13T725100
UFI:	WAJN-CKJ7-QJ02-1AJ1
1.2. Relevant identified uses of the su Recommended use:	bstance or mixture and uses advised against
Ink for inkjet	t printing
1.3. Details of the supplier of the safe	ty data sheet
Company:	
EPSON EU	ROPE B.V.
Azie building	g, Atlas ArenA, Hoogoorddreef 5,1101 BA Amsterdam
	e Netherlands
Phone num	ber: +31-20-314-5000
Competent person responsible	for the safety data sheet:
chemicals@epson.eu	
Date:	27/10/2022
Revision:	4.0
1.4. Emergency telephone number	
Phone number:	+31-20-314-5000
United Kingdom;	01952 607111 Monday to Friday 9am to 5:30pm.
••••••••••••••••••••••••••••••••••••••	Emergency Action: In the event of a medical enquiry involving
	this product, please contact your doctor or local hospital
	accident and emergency department.
Ireland;	+353 (01) 809 2566 or +353 (01) 809 2166
Malta;	2545 0000 or 21224071
mana,	

#### **SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

Danger, Repr. 1B, May damage fertility or the unborn child.

Adverse physicochemical, human health and environmental effects: No other hazards

2.2. Label elements

Hazard pictograms:



Danger

Hazard statements:

H360 May damage fertility or the unborn child.

Precautionary statements:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with applicable regulations. Special Provisions:

C13T725100\_en Page n. 1 of 10



EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one. May produce an allergic reaction.

Contains

2-Pyrrolidone

Special provisions according to Annex XVII of REACH and subsequent amendments: None

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1% Other Hazards: No other hazards

### **SECTION 3: Composition/information on ingredients**

3.1. Substances

No

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Numb	er	Classification
50% ~ 65%	Water	CAS: EC:	7732-18-5 231-791-2	The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).
12.5% ~ 15%	Glycerol	CAS: EC:	56-81-5 200-289-5	The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).
3% ~ 5%	Carbon black	CAS: EC:	1333-86-4 215-609-9	The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).
3% ~ 5%	2-Pyrrolidone	CAS: EC: REACH No.:	616-45-5 210-483-1 01-21194754 71-37	<ul> <li>3.3/2 Eye Irrit. 2 H319</li> <li>3.7/1B Repr. 1B H360</li> <li>Specific Concentration Limits: C &gt;= 3%: Repr. 1B H360</li> </ul>
1% ~ 3%	2-[2-(2-butoxyethoxy)et hoxy]ethanol; TEGBE; triethylene glycol monobutyl ether	number: CAS: EC:	603-183-00-0 143-22-6 205-592-6 01-21194751 07-38	<ul> <li>3.3/1 Eye Dam. 1 H318</li> <li>Specific Concentration Limits:</li> <li>C &gt;= 30%: Eye Dam. 1 H318</li> <li>20% &lt;= C &lt; 30%: Eye Irrit. 2 H319</li> </ul>
0.0015% ~ 0.05%	1,2-benzisothiazol-3(2 H)-one; 1,2-benzisothiazolin-3- one	Index number: CAS: EC:	613-088-00-6 2634-33-5 220-120-9	<ul> <li>3.1/4/Oral Acute Tox. 4 H302</li> <li>3.2/2 Skin Irrit. 2 H315</li> <li>3.3/1 Eye Dam. 1 H318</li> <li>3.4.2/1 Skin Sens. 1 H317</li> <li>4.1/A1 Aquatic Acute 1 H400 Specific Concentration Limits: 0.005% &lt;= C &lt; 0.05%: EUH208 C &gt;= 0.05%: Skin Sens. 1 H317</li> </ul>

#### **SECTION 4: First aid measures**

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

C13T725100\_en Page n. 2 of 10



Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose off safely.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

- 4.2. Most important symptoms and effects, both acute and delayed
  - None
- 4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Treatment:

None

### **SECTION 5: Firefighting measures**

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

- 5.3. Advice for firefighters
  - Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

#### **SECTION 6: Accidental release measures**

- 6.1. Personal precautions, protective equipment and emergency procedures
  - Wear personal protection equipment.
  - Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

- 6.3. Methods and material for containment and cleaning up
  - Wash with plenty of water.
- 6.4. Reference to other sections See also section 8 and 13

### **SECTION 7: Handling and storage**

C13T725100\_en Page n. 3 of 10



7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists. Exercise the greatest care when handling or opening the container. Don't use empty container before they have been cleaned. Before making transfer operations, assure that there aren't any incompatible material residuals in the containers. See also section 8 for recommended protective equipment. Advice on general occupational hygiene: Contamined clothing should be changed before entering eating areas. Do not eat or drink while working.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

- Incompatible materials:
- None in particular.

Instructions as regards storage premises:

- Adequately ventilated premises.
- 7.3. Specific end use(s)
  - None in particular

### **SECTION 8: Exposure controls/personal protection**

- 8.1. Control parameters
  - Glycerol CAS: 56-81-5
    - OEL Type: OSHA TWA: 5 mg/m3 Notes: Respirable dust
    - OEL Type: OSHA TWA: 15 mg/m3 Notes: Total dust
  - Carbon black CAS: 1333-86-4
    - OEL Type: ACGIH TWA(8h): 3 mg/m3
    - OEL Type: OSHA TWA: 3.5 mg/m3
    - OEL Type: JSOH TWA: 1 mg/m3 Notes: as Class 2 Dusts (Respirable dust)
    - OEL Type: JSOH TWA: 4 mg/m3 Notes: as Class 2 Dusts (Total dust)
  - Notes: as total dust

DNEL Exposure Limit Values

2-Pyrrolidone - CAS: 616-45-5

Worker Industry: 13.23 mg/m3 - Worker Professional: 1.985 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects Worker Industry: 1.876 mg/kg/day - Worker Professional: 0.67 mg/kg/day -

Exposure: Human Dermal - Frequency: Long Term, systemic effects

Worker Professional: 0.67 mg/kg/day - Exposure: Human Oral - Frequency: Long Term, systemic effects

- PNEC Exposure Limit Values
  - 2-Pyrrolidone CAS: 616-45-5
    - Target: Fresh Water Value: 0.5 mg/l

Target: Freshwater sediments - Value: 2.17 mg/kg

- Target: Marine water Value: 0.05 mg/l
- Target: Marine water sediments Value: 0.217 mg/kg

Target: Microorganisms in sewage treatments - Value: 10 mg/l

- 2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutyl ether -
- CAS: 143-22-6

Target: Fresh Water - Value: 1.5 mg/l

Target: Freshwater sediments - Value: 5.77 mg/kg

Target: Marine water - Value: 0.15 mg/l

Target: Marine water sediments - Value: 0.13 mg/kg

- Target: Microorganisms in sewage treatments Value: 200 mg/l
- 8.2. Exposure controls
  - 8.2.1. Appropriate engineering controls:

C13T725100\_en Page n. 4 of 10



None 8.2.2. Individual protection measures, such as personal protective equipment Eve protection: Use close fitting safety goggles, don't use eye lens. Protection for skin: Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton. Protection for hands: Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber. Respiratory protection: Use personal protective equipment as required. Thermal Hazards: None 8.2.3. Environmental exposure controls: None Appropriate engineering controls: None

### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical prop	erties
Physical state:	Liquid
Colour:	Black
Odour:	Slightly
Melting point / freezing point:	No data available
Boiling point or initial boiling point and boiling r	ange:
	No data available
Flammability:	Non-flammable
Lower and upper explosion limit:	No data available
Flash point:	Does not flash until 95 °C / 203 ° F
	(closed cup method, ASTM D 3278)
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
pH:	7.4 ~ 8.4 at 20 °C
Kinematic viscosity:	No data available
Solubility in water:	Complete
Vapour pressure:	No data available
Relative vapour density:	No data available
Particle characteristics:	Not Relevant
9.2. Other information	
Viscosity:	< 5 mPa⋅s at 20 °C

#### **SECTION 10: Stability and reactivity**

- 10.1. Reactivity
- Stable under normal conditions 10.2. Chemical stability
- Stable under normal conditions
- 10.3. Possibility of hazardous reactions None
- 10.4. Conditions to avoid Stable under normal conditions.
- 10.5. Incompatible materials None in particular.

C13T725100\_en Page n. 5 of 10



10.6. Hazardous decomposition products

Acrolein (CAS #107-02-8);

When glycerols is heated over 300°C, it will decompose into acrolein.

#### **SECTION 11: Toxicological information**

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological information of the product:

a) acute toxicity:

Based on available data, the classification criteria are not met

e) germ cell mutagenicity:

Test: Mutagenesis - Species: Salmonella Typhimurium and Escherichia coli Negative

f) carcinogenicity:

Components do not come under carcinogens (Ref. 1), except for Carbon black Toxicological information of the main substances found in the product:

Glycerol - CAS: 56-81-5

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Guinea pig = 7750 mg/kg - Source: Journal of Industrial Hygiene and Toxicology. Vol. 23, Pg. 259, 1941

Test: LDLo - Route: Oral - Species: Human = 1428 mg/kg - Source: "Toxicology of Drugs and Chemicals," Deichmann, W.B., New York, Academic Press, Inc., 1969Vol. -, Pg. 288, 1969.

Carbon black - CAS: 1333-86-4

a) acute toxicity:

Test: LD50 - Route: Dermal - Species: Rabbit > 3 g/kg - Source: Acute Toxicity Data. Journal of the American College of Toxicology, Part B. Vol. 15 Test: LD50 - Route: Oral - Species: Rat > 15400 mg/kg - Source: Acute Toxicity Data. Journal of the American College of Toxicology, Part B. Vol. 15

2-Pyrrolidone - CAS: 616-45-5

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 2000 mg/kg

Test: LD50 - Route: Dermal - Species: Rabbit > 2000 mg/kg

b) skin corrosion/irritation:

Test: Skin Irritant - Species: Rabbit Non-irritant

c) serious eye damage/irritation:

Test: Eye Irritant - Species: Rabbit Moderate irritant - Based on available data, the classification criteria are not met

d) respiratory or skin sensitisation:

Test: Skin Sensitisation - Route: LLNA - Species: Mouse Negative

e) germ cell mutagenicity:

Test: Mutagenesis - Species: Salmonella Typhimurium and Escherichia coli Negative

2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutyl ether - CAS: 143-22-6

a) acute toxicity:

Test: LD50 - Route: Dermal - Species: Rabbit = 3.54 ml/kg - Source: American Industrial Hygiene Association Journal. Vol. 23, Pg. 95, 1962.

Test: LD50 - Route: Oral - Species: Rat = 5300 mg/kg - Source: Office of Toxic Substances Report. Vol. OTS,

Carbon black - CAS: 1333-86-4

With excessive exposure, carbon black has been listed as a possible human carcinogen. However, as engineered within this ink cartridge, emissions to air of carbon black during normal printing use have not been found. IARC, the



International Agency for Research on Cancer, has found printing inks to be not classifiable as human carcinogens.

If not differently specified, the information required in Regulation (EU)2020/878 listed below must be considered as N.A.:

a) acute toxicity;

b) skin corrosion/irritation;

c) serious eye damage/irritation;

d) respiratory or skin sensitisation;

e) germ cell mutagenicity;

f) carcinogenicity;

g) reproductive toxicity;

h) STOT-single exposure;

i) STOT-repeated exposure;

j) aspiration hazard.

11.2. Information on other hazards Endocrine disrupting properties:

No endocrine disruptor substances present in concentration >= 0.1%

### **SECTION 12: Ecological information**

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. Toxicological information of the product:

- a) Aquatic acute toxicity:
- Based on available data, the classification criteria are not met Toxicological information of the main substances found in the product:
  - 2-Pyrrolidone CAS: 616-45-5

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 4600 mg/l - Duration h: 96 Endpoint: EC50 - Species: Daphnia > 500 mg/l - Duration h: 24 Endpoint: EC50 - Species: Algae > 500 mg/l - Duration h: 72

- 12.2. Persistence and degradability No data available
- 12.3. Bioaccumulative potential
- No data available
- 12.4. Mobility in soil

No data available

- 12.5. Results of PBT and vPvB assessment
- vPvB Substances: None PBT Substances: None
- 12.6. Endocrine disrupting properties No endocrine disruptor substar

No endocrine disruptor substances present in concentration >= 0.1%

12.7. Other adverse effects None

#### **SECTION 13: Disposal considerations**

13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

### **SECTION 14: Transport information**

14.1. UN number or ID number

Not classified as dangerous in the meaning of transport regulations.

14.2. UN proper shipping name No data available

C13T725100\_en

Page n. 7 of 10



- 14.3. Transport hazard class(es) No data available
- 14.4. Packing group
  - No data available
- 14.5. Environmental hazards No data available
- 14.6. Special precautions for user No data available
- 14.7. Maritime transport in bulk according to IMO instruments No data available

### **SECTION 15: Regulatory information**

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) n. 2020/878 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Regulation (EU) n. 2016/918 (ATP 8 CLP) Regulation (EU) n. 2016/1179 (ATP 9 CLP) Regulation (EU) n. 2017/776 (ATP 10 CLP) Regulation (EU) n. 2018/669 (ATP 11 CLP) Regulation (EU) n. 2018/1480 (ATP 13 CLP) Regulation (EU) n. 2019/521 (ATP 12 CLP) Regulation (EU) n. 2020/217 (ATP 14 CLP) Regulation (EU) n. 2020/1182 (ATP 15 CLP) Regulation (EU) n. 2021/643 (ATP 16 CLP) Regulation (EC) n. 2021/849 (ATP 17 CLP) Regulation (EC) n. 2022/692 (ATP 18 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: Restrictions related to the product: **Restriction 3** Restrictions related to the substances contained: Restriction 75 Where applicable, refer to the following regulatory provisions : Directive 2012/18/EU (Seveso III) Regulation (EC) nr 648/2004 (detergents). Dir. 2004/42/EC (VOC directive) Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1 None
- 15.2. Chemical safety assessment No Chemical Safety Assessment has been carried out for the mixture.



### **SECTION 16: Other information**

Full text of phrases referred to in Section 3:

H319 Causes serious eye irritation.

H360 May damage fertility or the unborn child.

H318 Causes serious eye damage.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

EUH208 Contains (name of sensitising substance). May produce an allergic reaction.

Hazard class and hazard category	Code	Description
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Skin Sens. 1	3.4.2/1	Skin Sensitisation, Category 1
Repr. 1B	3.7/1B	Reproductive toxicity, Category 1B
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1

This safety data sheet has been completely updated in compliance to Regulation 2020/878. Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Repr. 1B, H360	Calculation method

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

Ref. 1 •IARC Monographs on the Evaluation Carcinogenic Risks to Humans (IARC: International Agency for Research on Cancer)

-Journal of Occupational Health (JOH) (Japan Society of Occupational Health (JSOH)) •TLVs and BEIs (ACGIH: American Conference of Governmental Industrial Hygienists) •IRIS Carcinogenic Assessment (IRIS: Integrated Risk Information System of US EPA) •National Toxicology Program (NTP) Report on Carcinogens (USA)

-Annex VI of REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 -MAK und BAT Werte Liste (DFG: German Research Foundation)

•TRGS 905, Verzeichnis krebserzeugender, keimzell mutagener oder

reproduktionstoxischer Stoffe (AGS: Committee on Hazardous Substances, Germany)

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

C13T725100\_en Page n. 9 of 10



This Safety Data Sheet cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical
	Society).
CLP: DNEL:	Classification, Labeling, Packaging. Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of
	Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization"
	(ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50: LD50:	Lethal concentration, for 50 percent of test population. Lethal dose, for 50 percent of test population.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods
	by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average German Water Hazard Class.
WGK:	