

## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	EPSON	Logo
Company name *	Seiko Epson Corporation	FDCCN
Contact information *	EPSON Europe B.V.	<b>EPSON</b>
e-mail address	environment@epson.eu	
Internet site *	http://www.epson.com	
Additional information		

, ,	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.		
Type of product *	Scanner		
Commercial name *	DS-C490		
Model number *	53-0430		
Issue date *	02/06/2023		
Intended market *	☐ Global   ☑ Europe   ☐ Asia, Pacific & Japan   ☐ Americas   ☐ Other		
Additional information			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

Model number *	DS-C490	Logo	
Issue date *	02/06/2023		<b>EPSON</b>

Prod	uct environmental attributes - Legal requirements	Require	ment	met	
Item		Yes	No	n.a.	
P1	Hazardous substances and preparations				
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	X			
P1.2*	Products do not contain Asbestos (see legal reference).	$\boxtimes$			
	Comment: Legal reference has no maximum concentration value.				
	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	X	П		
P1.3*	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride,				
1 1.5	1, 1, 1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no				
	maximum concentration values.				
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	$\boxtimes$			
	terphenyl (PCT) in preparations (see legal reference).				
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms	X			
	in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5			$\times$	
	mg/cm <sup>-</sup> /week (see legal reference).				
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.	-			_
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	X			
	http://www.epson.com				
P2	Batteries If the product contains a pattery or an accumulator, the pattery/accumulator is labeled with the				
P2.1*				$\times$	
P2.2*	disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See		П	X	_
P2.3*	legal reference)  Batteries and accumulators are readily removable. (See legal reference)			X	_
P3	Conformity verification & Eco design (ErP)				
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference	ce). 💢	П	П	
0.1	The Declaration of Conformity can be requested at (add link or e-mail address) https://www.epson.er	-	_	Ш	
P3.2*	The product complies with the Eco design Requirements for Energy-Related Products,	<u> </u>	<u>y</u>	П	-
0.2	(see legal reference).		Ш	Ш	
	Required information is;  given in item P15 or added to this document,	×	П	П	
	available at (add URL): http://www.epson.com			ш	
P4	Consumable materials				
P4.1*	ir a pnoto conductor (drum, beit etc.) is used in the product, it does not contain cadmium at a level			×	_
	greater than 0.01% (see legal reference and NOTE B1). If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight				_
P4.2*	(see legal reference)			X	
	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which	П	П	X	
D4 2*	there are Community workplace exposure limits, the product/packaging is adequately labeled				
P4.3*	according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these				
	requirements is available (see legal reference).				
P5	Product packaging				
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and	X			
	hexavalent chromium by weight of these together.  I ne packaging materials are marked with abbreviations and numbers indicating the nature of the				_
P5.2*	material(s) used (see legal reference).  I ne product packaging material is free from ozone depleting substances as specified in the Montreal		X		_
P5.3*	Protocol (see legal reference).	$\boxtimes$			
	Comment: Legal reference has no maximum concentration values.				
P6	Treatment information				Ī
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	X			
					_

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	DS-C490	Logo	EDOON
Issue date *	02/06/2023		<b>EPSON</b>

Produc	t environmental attributes - Market requirements (See General Note GN below)			
	vironmental conscious design	Regu	iireme	nt met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design			
	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	X	П	П
P7.2*	Plastic materials in covers/housing have no surface coating.	X		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	X		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	X		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	X		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	X		
P7.8*	Upgrading can be done using commonly available tools	X		
P7.9.	Spare parts are available after end of production for: 7 years			
P7.10	Service is available after end of production for: 7 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: ABS Material type: Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		X	
P7.13	Insulation materials of internal electrical cables are PVC free.		X	
	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and			
P7.14	0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame			
P7.14	retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm)	$\boxtimes$		
	chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen:  ☐ PCBs > 25 g ☐ are		X	
	low halogen as defined in IEC 61249-2-21. (See NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:			X
	Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive ☐ , TBBPA (reactive) ☐ (See NOTE B3), Other; chemical name: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components)			
	according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant			
	substances/preparations in concentrations above 0.1%: 1. Chemical name: , CAS #: (See NOTE B4)	П		П
	2. Chemical name: , CAS #: " (ccc NoT2 54)	Ш	Ш	ш
	3. Chemical name: , CAS #: "			
	,			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			
	assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): (See NOTE B5)	)		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	DS-C490	Logo	
Issue date *	02/06/2023		<b>EPSON</b>

Product	environmental attrib	outes - Market requi	rements (continued	i)		Requ	ireme	nt met
Item						Yes	No	n.a.
	Material and subst	ance requirements	(continued)					
P7.20*				product (See NOTE	B6):	X		
	a) Of total plastic pa	of the two alternative arts' weight > 25 g, th percentage of total pl	e postconsumer rec	wered; ycled plastic material ″	content			
	or	por our mago or total pr	acae by mengini, ii					
		cycled material is 32	8.0 g.					
P7.21*	Biobased plastic ma	terial content is used	in the product (See	NOTE B7):			X	
	If YES; at least one	of the two alternative	s below shall be ans	wered;				
	a) Of total plastic pa	arts' weight > 25 g, th	ie biobased plastic m	naterial content				
	(calculated as a	percentage of total pl	astic by weight) iេ	%.				
	or							
	b) The weight of the	e biobased plastic ma	aterial i: g.					
P7.22*	Light sources are fre	ee from mercury, i.e.	less than 0,1 mg/lam	ıp.		X		
	If mercury is used sp	pecify: Number of lan	nps: and maxir	mum mercury conten	t per lamp: mg			
P8	Batteries	•			· · · · · · · · · · · · · · · · · · ·			
P8.1*	Battery chemical cor	mposition:						X
P9	Energy consumption							
P9.1		following power level	s or energy consump	tions are reported:				
		Power level at	Power level at	Power level at	Reference/Standard for	energ	y mod	es and
Energy m	lode *	100 V AC	115 V AC	230 V AC	test method *	·	•	
Sleep mo	de for ENERGY							
	Operational Mode	w	W	1.0 W				
(OM) pro	•							
	off mode for							
	STAR Operational	w	w	0.1 w				
	M) products							
	e for ENERGY							
	C products (TEC=	kWh/week	kWh/week	kWh/week				$\boxtimes$
	nergy Consumption)							
	e (OM product)	kWh/week	kWh/week	kWh/week				X
	<u> </u>	W	W	W				
		W	W	W				
		W	W	W				
		W	W	W				
		W	W	W				П
External I	Power Supply Efficien							
Print/Sca		images per minu		,				
	me to enter energy sa	0 1	minutes					X
P9.2*			on is provided with th	e product.		X	П	

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	DS-C490	Logo	
Issue date *	02/06/2023		<b>EPSON</b>

Product	environmental at	ttributes - Market red	quirements (c	continued)			Req	uirem	ent met
Item							Yes	No	n.a.
P10	Emissions								
	Noise emission	- Declared according	ng to ISO 929						
P10.1	Mode	Mode description		Statisti	cal upper limit A-w	eighted sound powe	r level,		
				L <sub>WA,c</sub> (					
	Idle	* Idoling		*	Inaudible				
	Operation	* Operation		*	6.	9			
	Other mode								
	Measured accord	ding to: 🔀 ISO 77	79	☐ ECMA-74					
			(only if not cov		A-74)				
		sions from printing p							
P10.2*	Test performed a	according to ECMA-32	28 Determinati	ion of Chemic	al Emission Rates	from		X	
	Electronic Equip	ment (ISO/IEC 28360	) 🔲 , other	specify:					
P10.3	Typical emission	rate (operation phase	e) is (mg/h):						
	Electrophotograp	phic devices: Ozo	Dust	Styrene	Benzene	TVOC			
	Ink devices:		Dust	Styrene	Benzene	TVOC			
		ice with maximum em		eco labels to	be declared in P1	4.			
P11		aterials for printing							
P11.1*	A Safety Data Sh	heet (SDS) is availabl	e for the ink/to	ner preparation	on, even if not lega	Illy required (see P4.	3). 🗆		X
P11.2*		g post-consumer recy	cled fibers can	n be used, pro	vided that it meets	the requirements			X
1 11.2	of EN 12281.								
P11.3*		printing/copying is an							$\boxtimes$
P11.4*	The product is de	elivered to end-user v	vith default aut	to-duplex enal	oled.				X
P13	Packaging and	documentation							
P13.1*	Product packagi	ng material type(s):	Corrugated Fi		ght (kg): 0.536				
	Product packagi	ng material type(s):	Foamed PS	wei	ght (kg): 0.070				
	Product packagii	ng material type(s):	PE	wei	ght (kg): 0.008				
P13.2*		orimary packaging is fi					X		
P13.3*	For product prim	nary corrugated fiberbo	oard packagin	g, specify the	contained percent	age of			
	minimum post-co	onsumer recovered fil	ber conten	80 %					
P13.4*	Specify media fo	or user and product do	cumentation (	(tick box):					
	Electronic 🔀	,Paper 🔀 ,C	ther 🗌						
P13.5	(Please only con	nplete this item if pape	er documentat	tion used)					
	User and produc	ct documentation on p	aper media is	chlorine-free:					
	If Yes, please sp	ecify:							
	Totally chlorine-f	ree							
	Elemental chloring	ne-free							
	Processed chlori	ine-free							
P14	Voluntary progr	rams:							
P14.1	The product med	ets the requirements of	of the following	yoluntary pro	gram(s):				
	ENERGY STAR	® Criteria version	n:	Date:	Product catego	ory:			
	Eco-label:	Criteria versio	on:	Date:	Product catego	ory:			
	Eco-label:	Criteria versio	n:	Date:	Product catego	orv:			

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm. NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	DS-C490	Logo	
Issue date *	02/06/2023		<b>EPSON</b>

Product	Product environmental attributes - Market requirements (concluded) Requirement met		
P15	Additional information (See NOTE B11)		

Legal references Europe Annex B1

Legal references Europe Annex B1	
Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *	P1.1, P4.1, P3.1
* Specific exemptions apply for certain products and applications.	
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.*	P2.1, P2.2, P2.3, P8.1
* These provisions shall not apply where, for safety, performance, medical or data	
integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	