

## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	EPSON	Logo
Company name *	Seiko Epson Corporation	FDCON
Contact information *	EPSON Europe B.V.	EPSON
e-mail address	environment@epson.eu	EXCEED YOUR VISION
Internet site *	http://www.epson.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Ink-Jet Multiple Function Printer					
Commercial name *	AM-C4000					
Model number *	AM-04000					
Issue date *	21/12/2022					
Intended market *	🗌 Global 🛛 Europe 🔄 Asia, Pacific & Japan 🔛 Americas 🔛 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body and shown in the template: P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

Model number *	AM-C4000	Logo	FDOON
Issue date *	21/12/2022		EPSON EXCEED YOUR VISION

Produ	ct environmental attributes - Legal requirements	Requirement met		
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	X		
P1.2*	Products do not contain Asbestos (see legal reference).	X		
	Comment: Legal reference has no maximum concentration value.		_	
	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	X		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride,	<u> </u>		
P1.3*	1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no			
	maximum concentration values.			
	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	X		
P1.4*	terphenyl (PCT) in preparations (see legal reference).			
	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms	X		
P1.5*	in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5			X
P1.6*	mg/cm <sup>2</sup> /week (see legal reference).			
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	X		
	http://www.epson.com			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the	X		
	disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See			
P2.2*	legal reference)	$\mathbf{X}$		
P2.3*	Batteries and accumulators are readily removable. (See legal reference)			$\mathbf{X}$
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal referer	ice). 🔀		
	The Declaration of Conformity can be requested at (add link or e-mail address https://www.epson.e	u/ <mark>confor</mark> r	nity	
P3.2*	The product complies with the Eco design Requirements for Energy-Related Products,	$\mathbf{X}$		
	(see legal reference).			
	Required information is; 🛛 📋 given in item P15 or added to this document,	$\mathbf{X}$		
	available at (add URL): http://www.epson.com			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level			X
P4.2*	greater than 0.01% (see legal reference and NOTE B1). If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight			
F4.Z	(see legal reference)	X		
	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which	$\mathbf{X}$		
P4.3*	there are Community workplace exposure limits, the product/packaging is adequately labeled			
	according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these			
	requirements is available (see legal reference).			
P5	Product packaging Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and			
P5.1*		$\mathbf{X}$		
P5.2*	hexavalent chromium by weight of these together. The packaging materials are marked with abbreviations and numbers indicating the nature of the		X	
-	material(s) used (see legal reference). The product packaging material is free from ozone depleting substances as specified in the Montreal			
P5.3*	Protocol (see legal reference).	$\mathbf{X}$		
	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	X		

NOTE BT Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	umber *	AM-C4000	Logo		0		
Issue da	ate *	21/12/2022		EP	50	<b>N</b>	
				EXCEED	YOUR	VISION	
Duralizat							
	ironmental cons	ttributes - Market requirements (See General Note GN be	low)	-	logui	iromo	nt met
Item		fill in. Additional information regarding each item may be foun	nd under P14		equi es	No	n.a.
P7	Design				00	110	n.u.
· ·	Disassembly, r	ecvclina					
P7.1*		to be treated separately are easily separable			X		
P7.2*		in covers/housing have no surface coating.			X		
P7.3*	Plastic parts > 1	00 g consist of one material or of easily separable materials.			X		
P7.4*	Plastic parts > 2	5 g have material codes according to ISO 11469 referring ISO	O 1043-4.		X		
P7.5	Plastic parts are	free from metal inlays or have inlays that can be removed wi	th commonly avai	lable tools.			
P7.6*	Labels are easil	y separable. (This requirement does not apply to safety/regula	atory labels).		X		
	Product lifetime						
P7.7*		be done e.g. with processor, memory, cards or drives			X		
P7.8*		be done using commonly available tools			X		
P7.9.		available after end of production for: # years					
P7.10		ble after end of production for: # years					
		Ibstance requirements					
P7.11*		ousing material type (e.g. plastics, metal, aluminum):					
P7.12	Material type:	ABS Material type: PS ials of external electrical cables are PVC free.	Material type:	PMMA	_	57	
P7.12 P7.13		ials of external electrical cables are PVC free.				X	
F7.13		casing/cover parts > 25 g contain no more than $0,1\%$ weight	(1000 ppm) brom				
		t (1000 ppm) chlorine attributable to brominated flame retarda		lame			
P7.14		polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3	-	r i	X		
		containing more than 25% post-consumer recycled content.	5 (****	. ,			
P7.15	Printed circuit be	oards, PCBs (without components) are low halogen: 🔀 🛛 P	CBs > 25 g 📋	are	1	X	
		defined in IEC 61249-2-21. (See NOTE B2)	0 –		_	_	_
P7.16	Flame retarded	plastic parts > 25 g in covers / housings are marked accordin	g ISO 1043-4:				X
	Marking:						
P7.17	Alt. 1: Chemical	specifications of flame retardants in printed circuit boards > 2	25 g (without com	ponents):			
	TBBPA (additive	$\Box$ , TBBPA (reactive) $\Box$ (See NOTE B3), Other; chemic	al name ,CA	S #:			
		specifications of flame retardants in printed circuit boards (wi	ithout component	3) [			
	according ISO 1	043-4: arded plastic parts > 25 g contain the following flame retardar	or				
P7.18		parations in concentrations above 0.1%:					
	1. Chemical nar	ne: , CAS #: (See NOTE	E B4)	C			
	2. Chemical nar	•					
	3. Chemical nar	ne: , CAS #: "					
	Alt. 2: Chemical	specifications of flame retardants in plastic parts > 25 g acco	rdina ISO 104:	г	1		
P7.19		<ul> <li>25 g, flame retardant substances/preparations above 0,1% a</li> </ul>		ive been	1		
		lowing Risk phrases and Hazard statements:		L	-	_	_
	-	or these classifications is/are found at (add URL(s)):	(See	NOTE B5)			
	. /		,	/			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model n	umber *	AM-	C4000				Logo				
lssue da	ite *	21/1	2/2022					EF	<b>PS</b> (	DN	
								EXCE	ED YOUR	VISION	
Product	environmental	attrib	utes - Market requi	irements (continued	n				Real	iireme	nt met
Item					,				Yes	No	n.a.
	Material and s	substa	nce requirements	(continued)							
P7.20*	Postconsumer	recycl	ed plastic material o	content is used in the	product (S	ee NOTE	B6):		X		
	<sup>a)</sup> Of total pla (calculated or	stic pa as a p		, , ,		c materia	l content				
P7.21*	Biobased plas	tic mat	erial content is used	d in the product (See	NOTE B7)	:				X	
	<ul> <li>a) Of total pla (calculated or</li> <li>b) The weight</li> </ul>	stic pa as a p of the	rts' weight > 25 g, th ercentage of total p biobased plastic ma	aterial is g.	naterial con %.						
P7.22*	-		•	less than 0,1 mg/lam	-				X		
P8	Batteries	sea sp	ecify: Number of lar	nps: and maxi	mum merc	ury contei	nt per lamp	mg			
P8.1*	Battery chemic	cal com	position Lithiur	n							
P9			n (See NOTE B8)								
P9.1		-		s or energy consump	tions are r	eported:					
Energy n	node *	F	Power level at	Power level at	Power lev	el at	Reference/Sta	andard fo	r ener	gy mo	des
Linergy in	noue	1	00 V AC	115 V AC	230 V AC		and test meth	od *			
	ode for ENERG` Operational Moo oducts		W	w		W					X
ENERG Mode (O	off mode for Y STAR Operation M) products	onal	W	w		W					X
	EC products (TE Energy	C=	kWh/week	kWh/week	0.22	kWh/week					
	ue(OM product	t)	kWh/week	kWh/week		kWh/week					
			W			W					
			W	W		W					
			w	w w		W					
				w		w					
External	Power Supply F	fficien		nal Efficiency Marking		vv					
	an Speed * :	40	images per minu		, 10:0001)						
	ime to enter ene		<u> </u>	minutes							X
P9.2*				on is provided with th					X		

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	AM-C4000	Logo	FDOON
Issue date *	21/12/2022		<b>EPSON</b> EXCEED YOUR VISION

Product	t environmental a	attributes - Market ree	quirements (	continued)			Rec	Juirem	ent met
ltem							Yes	No	n.a.
P10	Emissions								
	Noise emission	n – Declared accordii	ng to ISO 92	96 (See NOTE	B9)				
P10.1	Mode	Mode description		Statisti	cal upper limit A-w	eighted sound pov	ver level	,	
				L <sub>WA,c</sub> (	B)				
	Idle	* Idoling		*	Inaudible				
	Operation	* Operation		*	6.8				
	Other mode								
	Measured accor	rding to: 🛛 🔀 ISO 777	79	ECMA-74					
		🗌 Other (	only if not co	vered by ECMA	A-74)				
	<b>Chemical emis</b>	sions from printing p	products (Se	e NOTE B10)					
P10.2*	Test performed	according to ECMA-32	28 Determina	tion of Chemic	al Emission Rates	from	X		
	Electronic Equip	oment (ISO/IEC 28360	) 🔀 , othe	er specify:					
P10.3	Typical emission	n rate (operation phase	e) is (mg/h):						
	Electrophotogra	phic devices: Ozo	Dust	Styrene	Benzene	TVOC			
	Ink devices:		Dust	Styrene	Benzene	TVOC			
	NOTE: compliar	nce with maximum em	ission rates i	n eco labels to	be declared in P14	4.			
P11	Consumable m	aterials for printing	products						
P11.1*	A Safety Data S	heet (SDS) is availabl	e for the ink/t	oner preparatio	on, even if not lega	Illy required (see P	4.3 🔀		
P11.2*	Paper containing	g post-consumer recy	cled fibers ca	n be used, pro	vided that it meets	the requirements		_	
P11.2"	of EN 12281.						X		
P11.3*	2-sided (duplex)	) printing/copying is an	integrated p	roduct function	•		X		
P11.4*	The product is d	lelivered to end-user v	vith default au	uto-duplex enal	oled.		X		
P13	Packaging and	documentation							
P13.1*	Product packag	ing material type(s): V	Vood	wei	ght (kg): 8.24				
	Product packag	ing material type(s): 🤇	Corrugated F	ibreboard wei	ght (kg): 5.13				
	Product packag	ing material type(s): F	Foamed PS	wei	ght (kg): 0.99				
P13.2*	Product plastic	primary packaging is fi	ree from PVC	).			X		
P13.3*	For product prin	nary corrugated fiberbo	oard packagi	ng, specify the	contained percenta	age of			
	minimum post-c	onsumer recovered fil	per conten	<mark>80</mark> %					
P13.4*	Specify media for	or user and product do	ocumentation	(tick box):					
	Electronic 🛛 🔀	, Paper 🔀 🛛 , Ot	her 🗌						
P13.5	(Please only cor	mplete this item if pape	er documenta	ation used)					
	User and produ	ct documentation on p	aper media i	s chlorine-free:					
	lf Yes, please s	pecify:							
	Totally chlorine-	free							
	Elemental chlori	ine-free							
	Processed chlor	rine-free							
P14	Voluntary prog	rams:							
P14.1	The product me	ets the requirements o	of the followin	g voluntary pro	gram(s):				
	ENERGY STAR	R Criteria version	n:	Date:	Product catego	ry:			
	Eco-label:	Criteria versio	n:	Date:	Product catego	ry:			
	Eco-label:	Criteria versio	n:	Date:	Product catego	ry:			

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	AM-C4000		Logo	FROON					
Issue date *	21/12/2022			EPSON EXCEED YOUR VISION					
	Product environmental attributes - Market requirements (concluded) Requirement met								
P15 Additional in	formation (See NOTE B11)								

## Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *	P1.1, P4.1, P3.1
* Specific exemptions apply for certain products and applications.	
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation) Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008	P3.1, P3.2, P9.1
with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	