

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	EPSON	Logo
Company name *	Seiko Epson Corporation	FDOON
Contact information *	EPSON Europe B.V.	EPSON
e-mail address	environment@epson.eu	EXCEED YOUR VISION
Internet site *	http://www.epson.com	
Additional information		

	he company declares (based on product specification or test results based obtained from sample testing), that the product						
conforms to the stateme	nts given in this declaration.						
Type of product *	Ink-Jet Multiple Function Printer						
Commercial name *	AM-C5000						
Model number *	AM-03000						
Issue date *	21/12/2022						
Intended market *	🗌 Global 🛛 Europe 🔲 Asia, Pacific & Japan 🗌 Americas 📃 Other						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

Model number *	AM-C5000	Logo	FDOON
Issue date *	21/12/2022		EPSON EXCEED YOUR VISION
			EXCEED YOUR VISION

Produ	ct environmental attributes - Legal requirements	Require	ment	met
ltem		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	X		
P1.2*	Products do not contain Asbestos (see legal reference).	X		
	Comment: Legal reference has no maximum concentration value.			
	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	X		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride,	19-14		
P1.3*	1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no			
	maximum concentration values.			
	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	\mathbf{X}		
P1.4*	terphenyl (PCT) in preparations (see legal reference).			
	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon	X		
P1.5*	atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
D (a t	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5			X
P1.6*	mg/cm ² /week (see legal reference).			
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	X		
	http://www.epson.com			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the	X		
	disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium.			
P2.2*	(See legal reference)	\mathbf{X}		
P2.3*	Batteries and accumulators are readily removable. (See legal reference)			X
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal refere	nce) 🔀		
	The Declaration of Conformity can be requested at (add link or e-mail addres: https://www.epson.eu	u/confor	nity	
P3.2*	The product complies with the Eco design Requirements for Energy-Related Products,	X		
	(see legal reference).			
	Required information is; 🛛 📋 given in item P15 or added to this document,	\mathbf{X}		
	available at (add URL): http://www.epson.com			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level			X
	greater than 0.01% (see legal reference and NOTE B1). If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight			<u></u>
P4.2*	(see legal reference)	\mathbf{X}		
	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which	X		П
P4.3*	there are Community workplace exposure limits, the product/packaging is adequately labeled			_
F4.3	according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these			
	requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium	X		
-	and hexavalent chromium by weight of these together. The packaging materials are marked with abbreviations and numbers indicating the nature of the			
P5.2*	material(s) used (see legal reference). The product packaging material is free from ozone depleting substances as specified in the Montreal		\mathbf{X}	
P5.3*	I ne product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).	\mathbf{X}		
	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\mathbf{X}		
10.1				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	AM-C5000	Logo	EDOON
Issue date *	21/12/2022		EPSON EXCEED YOUR VISION

	t environmental attributes - Market requirements (See General Note GN below) vironmental conscious design	Regu	lireme	ent met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design	100	110	n.u.
. /	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	X		
P7.2*	Plastic materials in covers/housing have no surface coating.	X		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	X		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	X		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).			
17.0	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	X		
P7.8*	Upgrading can be done using commonly available tools	X		
P7.9.				
P7.9.				
F7.10				
P7.11*	Material and substance requirements Product cover/housing material type (e.g. plastics, metal, aluminum):			
F1.11				
P7.12	Material type: ABS Material type: PS Material type: PMMA Insulation materials of external electrical cables are PVC free. PMMA PMM			
	Insulation materials of internal electrical cables are PVC free.		X	
P7.13			\mathbf{X}	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	\mathbf{X}		
P7.15	Printed circuit boards, PCBs (without components) are low halogen X PCBs > 25 g _ are		X	
	low halogen as defined in IEC 61249-2-21. (See NOTE B2)	-		
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:			X
	Marking:			NM
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive □ , TBBPA (reactive) □ (See NOTE B3), Other; chemical name , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components)			
	according ISO 1043-4:			
D7 40	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant			
P7.18	substances/brebarations in concentrations above 0.1%: 1. Chemical name: , CAS #: (See NOTE B4)			
	2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 104	_	_	
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			
F1.19				
	assigned the following Risk phrases; and Hazard statements:			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model n	umber *	AM-0	C5000				Logo				
Issue da	ate *	21/1:	2/2022					E	PS(DN	
								EXCE	ED YOUR	VISION	
Dueducet		- 44 la		in an an to for a time.	I\				Dem		
Item	environmental	attribl	utes - Market requ	l <mark>irements (continue</mark>	ea)				Yes	No	nt met n.a.
item	Material and su	uhstai	nce requirements	(continued)					165	NU	II.a.
P7.20*				content is used in th	e product (S	See NOT	E B6):		X		
	If VES: at least	one of	f the two alternative	es below shall be an	swered [.]						
				he postconsumer re		ic materi	al content				
			ercentage of total p		70						
	or										
	b) The weight o	of recy	cled material is 2,	421 g.							
	D : 1 - 1 - 1 - 1 - 1										
P7.21*	Biopased plasti	c mate	erial content is use	d in the product (See	NOTE B7)	:				X	
	If YES: at least	one of	f the two alternative	es below shall be an	swered:						
				he biobased plastic	-	ntent					
	(calculated a	as a pe	ercentage of total p	plastic by weight)	%.						
	or										
	, .		biobased plastic m								
P7.22*	-		-	less than 0,1 mg/la					\mathbf{X}		
	, , , , , , , , , , , , , , , , , , ,	ed spe	ecify: Number of la	mp: and maxi	mum mercu	ry conter	nt per lamp	mg			
P8	Batteries		position: Lithiu	20							
P8.1* P9	Battery chemica		n (See NOTE B8)								
P9.1				ls or energy consum	options are r	eported.					
			Power level at	Power level at	Power leve		Reference/Sta	ndard fo	r ener	av mo	des and
Energy r	node ^	1	00 V AC	115 V AC	230 V AC		test method *			0,	
Sleep m	ode for ENERGY										
	Operational Mode	•	W	W		W					\mathbf{X}
(OM) pro											
	off mode for										4
	Y STAR Operation (M) products	nal	W	W		W					\mathbf{X}
	ue for ENERGY										
-	EC products (TEC)=	kWh/week	kWh/week	0.23	kWh/week					_
	Energy Consumpt		KITHWOOK		0.20	KIII WOOK					
	ue (OM product)		kWh/week	kWh/week		kWh/week					
	•		W	W		W					
			W	W		W					
			W	W		W					
			W			W					
<u> </u>	D		W	W		W					
	Power Supply Ef			nal Efficiency Markin	g Protocol						X
		50	images per min	ute minutes							
P9.2*	ime to enter energy			ion is provided with 1	he product				X		
<u>' ''''</u>		arine	shergy save fullet		no product.						

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	AM-C5000	Logo	FDOON
Issue date *	21/12/2022		EPSON EXCEED YOUR VISION

Product	t environmental a	attributes - Market re	quirements	(continued)			Req	Juirem	ent met
ltem							Yes	No	n.a.
P10	Emissions								
	Noise emission	n – Declared accordi	ing to ISO 92	296 (See NOTE	B9)				
P10.1	Mode	Mode description	-		al upper limit A-we	eighted sound pov	ver level,		,
				L _{WA,c} (E	3)				
	ldle	* Idoling			naudible				
	Operation	* Operation		*	7.1				
	Other mode								
	Measured accor	rding to: 🔀 ISO 77	79	ECMA-74					
		□ Other	(only if not co	overed by ECM	A-74)				
	Chemical emis	sions from printing	products (S	ee NOTE B10)	,				
P10.2*		according to ECMA-3			al Emission Rates	s from	X		
	Electronic Equip	oment (ISO/IEC 28360	0) 🔀 ,othe	er specify:					_
P10.3	Typical emission	n rate (operation phas	se) is (mg/h):						
			, ,						_
	Electrophotogra	phic devices: Ozc	Dust	Styrene	Benzene	TVOC			
	Ink devices:		Dust	Styrene	Benzene	TVOC			
				5					
	NOTE: compliar	nce with maximum en	nission rates	in eco labels to	be declared in P1	4.			
P11		aterials for printing							
P11.1*	A Safety Data S	heet (SDS) is availab	le for the ink	toner preparation	on, even if not lega	ally required (see I	P4.: 🔀		
		g post-consumer recy							
P11.2*	requirements of						\mathbf{X}		
P11.3*	2-sided (duplex)) printing/copying is a	n integrated p	product function	l.		X		
P11.4*	,	lelivered to end-user							
P13	•	documentation		•					
P13.1*		ing material type(s):	Wood	weig	ht (kg): 8.24				
		ing material type(s):		ibreboard weig	ht (kg): 5.13				
	Product packag	ing material type(s):	Foamed PS	weig	ht (kg): 0.99				
P13.2*	Product plastic	primary packaging is t	free from PV	C.			X		
P13.3*		nary corrugated fiberb			contained percent	tage of			
	minimum post-c	consumer recovered f	iber conte	80 %					
P13.4*	Specify media for	or user and product d	ocumentatior	n (tick box):					
	Electronic 🛛 🔀	, Paper 🔀 🛛 , C	ther 🗖						
P13.5	(Please only cor	mplete this item if pap	er document	ation used)					
	User and produ	ct documentation on p	paper media	is chlorine-free:					
	lf Yes, please s	pecify:							
	Totally chlorine-	free							
	Elemental chlori	ine-free							
	Processed chlor	rine-free							
P14	Voluntary prog	rams:							
P14.1		ets the requirements	of the followi	ng voluntary pro	ogram(s):				
	ENERGY STAR	•		Date:	Product catego	ry:			
	Eco-label:	Criteria versio	on:	Date:	Product catego	•			
	Eco-label:	Criteria versio	on:	Date:	Product catego				

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	AM-C5000	Logo	FROON					
Issue date *	21/12/2022		EPSON EXCEED YOUR VISION					
	Product environmental attributes - Market requirements (concluded) Requirement met							
P15 Additional inf	ormation (See NOTE B11)							

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *	P1.1, P4.1, P3.1
* Specific exemptions apply for certain products and applications.	, ,
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), drifted 41	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing	
and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation) Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and	
amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive	
2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	