

## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	EPSON	Logo
Company name *	Seiko Epson Corporation	FROON
Contact information *	EPSON Europe B.V.	EPSON
e-mail address	environment@epson.eu	
Internet site *	http://www.epson.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.							
Type of product *	Ink-Jet Multiple Function Printer						
Commercial name *	AM-C550						
Model number *	AM-0330						
Issue date *	4/10/2024						
Intended market *	🔲 Global 🛛 Europe 📃 Asia, Pacific & Japan 🔛 Americas 📃 Other						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template: P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Annex B1 of EMCA-370 6th edition, Corrigendum December 2019

Model number *	AM-C550	Logo	
Issue date *	4/10/2024		EPSON

Produ		Requirement met		
ltem		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	X		
P1.2*	Products do not contain Asbestos (see legal reference).	$\mathbf{X}$		
	Comment: Legal reference has no maximum concentration value.			
	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	X		
P1.3*	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride,			
1 1.0	1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no			
	maximum concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	$\mathbf{X}$		
1 1.4	terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms	$\mathbf{X}$		
1 1.0	in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5			X
1 1.0	mg/cm <sup>2</sup> /week (see legal reference).			
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	$\mathbf{X}$		
	http://www.epson.com			
P2	Batteries If the product contains a pattery or an accumulator, the battery/accumulator is labeled with the			
P2.1*		$\mathbf{X}$		
P2.2*	disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See	X	_	_
	legal reference)			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)			X
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference	/		
	The Declaration of Conformity can be requested at (add link or e-mail address) https://www.epson.en		nity	
P3.2*	The product complies with the Eco design Requirements for Energy-Related Products,	$\mathbf{X}$		
	(see legal reference).			
	Required information is; given in item P15 or added to this document,	$\mathbf{X}$		
	available at (add URL): http://www.epson.com			
P4	Consumable materials If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level			
P4.1*				$\mathbf{X}$
P4.2*	greater than 0.01% (see legal reference and NOTE B1). If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight	X		
1 4.2	(see legal reference)			
	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which	$\mathbf{X}$		
P4.3*	there are Community workplace exposure limits, the product/packaging is adequately labeled			
	according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
Dr				
P5	Product packaging Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and			
P5.1*	hexavalent chromium by weight of these together. The packaging materials are marked with abbreviations and numbers indicating the nature of the	$\mathbf{X}$		
P5.2*			X	
-	material(s) used (see legal reference). I he product packaging material is free from ozone depleting substances as specified in the Montreal			
P5.3*	Protocol (see legal reference).	$\mathbf{X}$		
	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	X		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the broduct is combliant with the mandatory requirements.

Model n	umber *	AM-C550 Logo			0
lssue da	ate *	4/10/2024	PS	ON	
Product	t environmental a	ttributes - Market requirements (See General Note GN below)			
- Env	vironmental cons		Requ	uireme	nt met
Item	*=mandatory to	fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design				
	Disassembly, r	ecycling			
P7.1*	Parts that have	to be treated separately are easily separable	X		
P7.2*	Plastic materials	in covers/housing have no surface coating.	X		
P7.3*	Plastic parts > 1	00 g consist of one material or of easily separable materials.	X		
P7.4*	Plastic parts > 2	5 g have material codes according to ISO 11469 referring ISO 1043-4.	X		
P7.5	Plastic parts are	free from metal inlays or have inlays that can be removed with commonly available tools.			
P7.6*	Labels are easil	y separable. (This requirement does not apply to safety/regulatory labels).	X		
	<b>Product lifetim</b>				
P7.7*	Upgrading can I	e done e.g. with processor, memory, cards or drives	X		
P7.8*		e done using commonly available tools	X		
P7.9.		available after end of production for: 10 years	Name of Concession, Name o		
P7.10	<u> </u>	ble after end of production for: 10 years			
-		ibstance requirements			
P7.11*		ousing material type (e.g. plastics, metal, aluminum):			
	Material type:	ABS Material type: PMMA Material type:			
P7.12		als of external electrical cables are PVC free.		X	
P7.13		ials of internal electrical cables are PVC free.		X	
1 7.10		casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and			
		00 ppm) chlorine attributable to brominated flame retardants, chlorinated flame	_		
P7.14		polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm)	$\mathbf{X}$		
	,	containing more than 25% post-consumer recycled content.			
P7.15		pards, PCBs (without components) are low halogen: X PCBs > 25 g  are		X	
1 1.10		defined in IEC 61249-2-21. (See NOTE B2)			
P7.16	<u>v</u>	plastic parts > 25 g in covers / housings are marked according ISO 1043-4:			X
1 1.10	Marking:				
P7.17	0	specifications of flame retardants in printed circuit boards > 25 g (without components):			
		$\Rightarrow$ $\square$ , TBBPA (reactive) $\square$ (See NOTE B3), Other; chemical name: , CAS #:			
	Alt 2. Chemical	specifications of flame retardants in printed circuit boards (without components)			
	according ISO 1				
D7 40		arded plastic parts > 25 g contain the following flame retardant			
P7.18		parations in concentrations above 0.1%:			
	1. Chemical nar				
	2. Chemical nar				
	3. Chemical nar	ne: , CAS #: "			
	Alt 2 <sup>.</sup> Chemical	specifications of flame retardants in plastic parts > 25 g according ISO 1043			_
P7.19		25 g, flame retardant substances/preparations above 0,1% are used which have been			
11.13		lowing Risk phrases; and Hazard statements:			
	•				
	The source(s) for	or these classifications is/are found at (add URL(s)): (See NOTE B5)	)		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

	umber *	AM-C550			Logo		00	
Issue date * 4/*		4/10/2024				EP	$\mathbf{SO}$	Ν
Duration			·····	n		Des		
Item	environmental a	tributes - Market requ	irements (continued	1)		Yes	No No	nt met
item	Matorial and cu	ostance requirements	(continued)			res	INO	n.a.
P7.20*		cycled plastic material		product (See NOTE	B6):			
1 7.20		oyolog plastic material			20).			
	If YES; at least o	ne of the two alternative	es below shall be ans	wered;				
	<sup>a</sup> ) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content							
	(calculated as	a percentage of total p	lastic by weight) i	70				
	or							
	b) The weight of	recycled material is 98	2.4 g.					
P7.21*	Biobased plastic	material content is used	d in the product (See	NOTE B7):			X	
		ne of the two alternative						
		c parts' weight > 25 g, t						
		a percentage of total p	lastic by weight) is	%.				
	or							
P7.22*		the biobased plastic m free from mercury, i.e.						
P7.22"	•	specify: Number of la		•	t nor lamp:	ma		
P8	Batteries	a specify. Number of la	nps. and maxi	num mercury conten	t per lamp.	mg		
P8.1*	Battery chemical	composition: Lithiu	ım					
P9		ption (See NOTE B8)						
P9.1	For the product t	ne following power leve	ls or energy consump	tions are reported:				
Energy m		Power level at	Power level at	Power level at	Reference/St	andard for ener	gy moo	les and
Energy II	noue	100 V AC	115 V AC	230 V AC	test method *	•		
	ode for ENERGY							
	Operational Mode	Ŵ	w	w				$\mathbf{X}$
(OM) pro								
04	off mode for							_
	Y STAR Operation	al v	w w	w				$\mathbf{X}$
ENERGY								
ENERGY Mode (Ol	M) products							
ENERGY Mode (Ol TEC valu	ue for ENERGY			0.01				
ENERGY Mode (OI TEC valu STAR TE	ue for ENERGY EC products (TEC:	- kWh/weeł	kWh/week	0.21 kWh/week				
ENERGY Mode (OI TEC valu STAR TE Typical E	ue for ENERGY EC products (TEC Energy Consumption	: kWh/weeł						
ENERGY Mode (OI TEC valu STAR TE Typical E	ue for ENERGY EC products (TEC:	: kWh/wee n) kWh/weeł	kWh/week	kWh/week				X
ENERGY Mode (OI TEC valu STAR TE Typical E	ue for ENERGY EC products (TEC Energy Consumption	kWh/week	kWh/week	kWh/week W				
ENERGY Mode (OI TEC valu STAR TE Typical E	ue for ENERGY EC products (TEC Energy Consumption	kWh/week	KWh/week	kWh/week W W				
ENERGY Mode (OI TEC valu STAR TE Typical E	ue for ENERGY EC products (TEC Energy Consumption	kWh/week	kWh/week W Y W Y W	kWh/week W W W				
ENERGY Mode (OI TEC valu STAR TE Typical E	ue for ENERGY EC products (TEC Energy Consumption	kWh/week	kWh/week W W W W W	kWh/week W W W				
ENERGY Mode (OI TEC valu STAR TE Typical E TEC valu	ue for ENERGY EC products (TEC: Energy Consumption ue (OM product)	kWh/week	kWh/week W W W W W W W	kWh/week W W W W W				
ENERGY Mode (OI TEC valu STAR TE Typical E TEC valu	Pe for ENERGY EC products (TEC: Energy Consumption (OM product) Power Supply Efficiency	kWh/week n) kWh/week w w w w w w w w w w w w w w w w w w	kWh/week w w w w w w hal Efficiency Marking	kWh/week W W W W Protocol)				
ENERGY Mode (OI TEC valu STAR TE Typical E TEC valu External Print/Sca	ue for ENERGY EC products (TEC: Energy Consumption ue (OM product)	kWh/week n) kWh/week w w w w w w w w w w w w w w w w w w	kWh/week w w w w w w hal Efficiency Marking	kWh/week W W W W W				

NOTE B8 A Guidance document on Energy efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

Model number *	AM-C550	Logo	
Issue date *	4/10/2024		EPSON

Product	t environmental at	tributes - Market re	quirements	(continued)				Req	uirem	ent met
ltem								Yes	No	n.a.
P10	Emissions									
	Noise emission	- Declared accordi	ng to ISO 92	296 (See NOT	E B9)					
P10.1	Mode	Mode description		Statis	tical up	per limit A-weig	ghted sound pow	ver level,		
				L <sub>WA,c</sub>	(B)					
	Idle	* Idoling		*	Inaud	ible				
	Operation	* Operation		*		6.6				
	Other mode									
	Measured accord	ding to: 🛛 🔀 ISO 77	79	ECMA-74	1					
		Other	(only if not c	overed by ECI	MA-74)					
	Chemical emiss	ions from printing	products (S	ee NOTE B10	)					
P10.2*	Test performed a	according to ECMA-3	28 Determin;	ation of Chemi	cal Emi	ssion Rates fro	om	X		
	Electronic Equip	ment (ISO/IEC 28360	)) 🔀 , oth	er specify:						
P10.3	Typical emission	rate (operation phas	e) is (mg/h):							
	Electrophotograp	hic devices: Ozo	Dust	Styrene		Benzene	TVOC			
	Ink devices:		Dust	Styrene		Benzene	TVOC			
	NOTE: complian	ce with maximum em	ission rates i	in eco labels to	be deo	clared in P14.				
P11	Consumable ma	aterials for printing	products							
P11.1*										
		post-consumer recy								
P11.2*	of EN 12281.							$\mathbf{X}$		
P11.3*	2-sided (duplex)	printing/copying is an	integrated r	product functio	n.			X		
P11.4*		elivered to end-user v								
P13	Packaging and documentation									
P13.1*			Wood	We	eight (ko	a): <b>11.40</b>				
-		ng material type(s):	Corrugated							
	Product packagi	ng material type(s):	Foamed PS	we	eiaht (ka	g): <b>1.04</b>				
P13.2*		rimary packaging is f			0 ( (			X		
P13.3*	For product prim	ary corrugated fiberb	oard packag	ing, specify the	e contai	ned percentag	e of			
	minimum post-co	onsumer recovered fil	per conten	80 %						
P13.4*		r user and product do		(tick box):						
		, Paper 🔀 , C								_
P13.5		plete this item if pap	er document	ation used)						
				,	:					
	User and product documentation on paper media is chlorine-free: If Yes, please specify:							_		
	Totally chlorine-free									
	Elemental chlorine-free									
	Processed chlori	ne-free								
P14	Voluntary progr	ams:								
P14.1		ets the requirements of	of the following	ng voluntarv pi	rogram(	s):				
	ENERGY STAR	•		Date:	<b>.</b> .	oduct category	:			
	Eco-label:	Criteria versio	on:	Date:	Pro	oduct category	:			

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 A Guidance document on Chemical Emissions is available;

Model number * Issue date *	AM-C550 4/10/2024	Logo	EPSON					
	Product environmental attributes - Market requirements (concluded) Requirement met P15 Additional information (See NOTE B11)							

## Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *	P1.1, P4.1, P3.1
* Specific exemptions apply for certain products and applications.	
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	