

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	EPSON	Logo
Company name *	Seiko Epson Corporation	FROOM
Contact information *	EPSON Europe B.V.	EPSON
e-mail address	environment@epson.eu	
Internet site *	http://www.epson.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Ink-Jet Multiple Function Printer					
Commercial name *	AM-M5500					
Model number *	AM-1415500					
Issue date *	31/01/2025					
Intended market *	🗌 Global 🛛 Europe 🔄 Asia, Pacific & Japan 🔛 Americas 🔄 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template: P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

Model number *	AM-M5500	Logo	
Issue date *	31/01/2025		EPSON

Produ	Require	ment	met	
ltem		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	X		
P1.2*	Products do not contain Asbestos (see legal reference).	X		
	Comment: Legal reference has no maximum concentration value.			
	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	X		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1			
P1.3*	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	X		
P1.4*	terphenyl (PCT) in preparations (see legal reference).			
	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms	X		
P1.5*	in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	<u>17 N</u>		
	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5			X
P1.6*	mg/cm ² /week (see legal reference).			<u>17 1</u>
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	X		
	http://www.epson.com			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal	X		
	symbol. Information on proper disposal is provided in user manual. (See legal reference) Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See			
P2.2*	legal reference)	X		
P2.3*	Batteries and accumulators are readily removable. (See legal reference)			X
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference	·		
	The Declaration of Conformity can be requested at (add link or e-mail address): https://www.epson.eu		nity	
P3.2*	The product complies with the Eco design Requirements for Energy-Related Products,	\mathbf{X}		
	(see legal reference).			
	Required information is; given in item P15 or added to this document,	\mathbf{X}		
	available at (add URL): http://www.epson.com			
P4	Consumable materials If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level			
P4.1*				\mathbf{X}
P4.2*	greater than 0.01% (see legal reference and NOTE B1). If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight	X		
1 4.2	(see legal reference)			
	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which	\mathbf{X}		
P4.3*	there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these			
	requirements is available (see legal reference).			
DE				
P5	Product packaging Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and	0		
P5.1*	hexavalent chromium by weight of these together. The packaging materials are marked with abbreviations and numbers indicating the nature of the	X		
P5.2*			X	
	material(s) used (see legal reference). The product packaging material is free from ozone depleting substances as specified in the Montreal		_	
P5.3*	Protocol (see legal reference).	X		
	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	X		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	umber *	AM-M5500		Logo		~	1
lssue da	ate *	31/01/2025		E	PS	ON	
						2003 MA 12	
Droduct	- anviranmantal	tributes Market requirements (See (Conorol Noto CN holow				
	vironmental cons	tributes - Market requirements (See C cious design	Selleral Note GN Delow)		Rea	uireme	ent met
Item		ill in. Additional information regarding ea	ach item may be found under F	P14.	Yes	No	n.a.
P7	Design						
	Disassembly,	ecycling					
P7.1*	Parts that have	o be treated separately are easily separ	able		X		
P7.2*		in covers/housing have no surface coat	0		X		
P7.3*		00 g consist of one material or of easily			X		
P7.4*	•	5 g have material codes according to IS			X		
P7.5		free from metal inlays or have inlays that					
P7.6*	Product lifetim	separable. (This requirement does not	apply to salety/regulatory labe	is <i>)</i> .	\mathbf{X}		
P7.7*		e done e.g. with processor, memory, ca	rds or drives		\mathbf{X}		
P7.8*	10 0	e done using commonly available tools					
P7.9.		available after end of production for:	10 years				
P7.10	<u> </u>	ble after end of production for: 10	vears				
	Material and s	bstance requirements	,				
P7.11*	Product cover/h	ousing material type (e.g. plastics, metal	, aluminum):				
	Material type:	ABS Material type:	PS Mater	ial type: PMMA			
P7.12		als of external electrical cables are PVC				X	
P7.13		als of internal electrical cables are PVC				\mathbf{X}	
		asing/cover parts > 25 g contain no mo	• • • • •	,			
P7.14		00 ppm) chlorine attributable to brominat olyvinyl chloride or 0,3% weight (3000 p			X		
		containing more than 25% post-consum		(3000 ppm)			
P7.15	•	ards, PCBs (without components) are lo	,	5 ɑ □ are		X	
1 7.10		efined in IEC 61249-2-21. (See NOTE	-				
P7.16	<u> </u>	plastic parts > 25 g in covers / housings	,	43-4:			X
	Marking:		-				_
P7.17	Alt. 1: Chemica	specifications of flame retardants in prin	ted circuit boards > 25 g (with	out components):			
	TBBPA (additiv	□ , TBBPA (reactive) □ (See NOT	TE B3), Other; chemical name	, CAS #:			
		specifications of flame retardants in prin	ted circuit boards (without con	nponents) > 25 g			
	according ISO)43-4: arded plastic parts > 25 g contain the for					
P7.18		arations in concentrations above 0.1%:					
	1. Chemical na	e: , CAS #:	(See NOTE B4)				
	2. Chemical na	,	"				
	3. Chemical na	e: , CAS #:	"				
	Alt. 2: Chemica	specifications of flame retardants in plas	stic parts > 25 g according ISC	1043-			
P7.19	In plastic parts	25 g, flame retardant substances/prepa	rations above 0,1% are used	which have been			
	assigned the fo	owing Risk phrases; and	d Hazard statements:				
	The source(s) f	these classifications is/are found at (ac	ld URL(s)):	(See NOTE B	5)		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model n	number *	A۱	1-M5500			Logo				
Issue da	ate *	31	/01/2025				E	P:	SO	Ν
Product	t environmental a	attri	butes - Market requi	rements (continued)				Regi	uireme	ent met
Item								Yes	No	n.a.
	Material and s	ubst	ance requirements	(continued)						
P7.20*	Postconsumer	recy	cled plastic material o	content is used in the p	product (See NOTE	B6):		X		
	If YES: at least	one	of the two alternative	es below shall be answ	ered:					
	a) Of total plas	tic p	arts' weight > 25 g, th	ne postconsumer recyc	led plastic material	content				
			percentage of total p		. /0					
	or			, ,						
	b) The weight of	of re	cycled material is ###	#### g.						
DT 0 (+	Disksaadulaat								B A	
P7.21*	Biobased plasti	c ma	aterial content is used	l in the product (See N	IOTE B7):				X	
	If YES; at least	one	of the two alternative	es below shall be answ	ered;					
	a) Of total plas	tic p	arts' weight > 25 g, tł	ne biobased plastic ma	iterial content					
	(calculated a	as a	percentage of total p	lastic by weight) is	%.					
	or									
	b) The weight	of th	e biobased plastic ma	aterial is g.						
P7.22*	, -			less than 0,1 mg/lamp).			X		
	If mercury is us	ed s	pecify: Number of lar	mps: and maxi	mum mercury conte	nt per lam	mg	_		_
P8	Batteries		· · ·		· · · ·					
P8.1*	Battery chemica	al co	mposition: Lithiur	n						
P9	Energy consu	npti	on (See NOTE B8)							
P9.1	For the product	the	following power level	s or energy consumpti	ons are reported:					
Energy I	mode *		Power level at	Power level at	Power level at	Reference/Sta	ndard for	r ener	rgy mo	des and
Lincigy	mode		100 V AC	115 V AC	230 V AC	test method *				
Sleep m	ode for ENERGY									
	Operational Mode	Э	W	w	W	/				\mathbf{X}
(OM) pro	oducts									
-	/off mode for									
	Y STAR Operatio	nal	W	w	W	<i>'</i>				\mathbf{X}
Mode (C	OM) products									
	EC products (TEC	`_								
Typical I	•	/-	kWh/week	kWh/week	0.22 kWh/weel	ĸ				
Consum	0,									
TEC val	ue (OM product)		kWh/week	kWh/week	kWh/weel	(\mathbf{X}
			W	W	W					
			W		w					
			W	W	w					
			W	W	W					
			W	W	W	/				
				nal Efficiency Marking						\mathbf{X}
	an Speed * :	55	images per minu	ite mono	chrome					
	time to enter ener	07		minutes						\mathbf{X}
P9.2*	Information abo	out th	ne energy save functi	on is provided with the	product.			\mathbf{X}		

NOTE B8 A Guidance document on Energy efficiency is available;

 $see\ http://www.ecma-international.org/publications/standards/Ecma-370.htm.$

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

Model number *	AM-M5500	Logo	
Issue date *	31/01/2025		EPSON

Product	t environmental a	ttributes - Market re	quirements (continued)				Req	luirem	ent met
ltem								Yes	No	n.a.
P10	Emissions									
	Noise emission	- Declared accordi	ng to ISO 929	6 (See NOT	E B9)					
P10.1	Mode	Mode description		Sta	itistical u	pper limit A-we	ghted sound pow	/er level	,	
				Lw	_{А,с} (В)					
	Idle	* Idoling		*	Inau					
	Operation	* Operation		*		7.1				
	Other mode									
	Measured accor	ding to: 🛛 🔀 ISO 77	79	ECMA	-74					
		🗌 Other (only if not cov	vered by ECN	MA-74)					
	Chemical emiss	sions from printing p	products (See	NOTE B10)					
P10.2*	Test performed a	according to ECMA-3	28 Determinat	tion of Chem	ical Emi	ssion Rates fro	m	X		
	Electronic Equip	ment (ISO/IEC 28360) 🗋 , oth	ner specify:	DE-UZ2	19				
P10.3	Typical emissior	n rate (operation phas	e) is (mg/h):							
	Electrophotogra	phic devices: Ozo	Dust	Styren	е	Benzene	TVOC			
	Ink devices:		Dust	Styren	е	Benzene	TVOC			
	NOTE: complian	ice with maximum em	ission rates in	n eco labels t	to be dec	lared in P14.				
P11	Consumable ma	aterials for printing	products							
P11.1*	A Safety Data S	heet (SDS) is availab	e for the ink/te	oner prepara	ation, eve	en if not legally	required (see P4.	.3). 🔀		
P11.2*	Paper containing	g post-consumer recy	cled fibers car	n be used, pi	rovided t	hat it meets the	e requirements		_	_
P11.2	of EN 12281.							\mathbf{X}		
P11.3*	2-sided (duplex)	printing/copying is an	integrated pr	oduct functio	on.			\mathbf{X}		
P11.4*	The product is d	elivered to end-user v	vith default au	to-duplex en	abled.			X		
P13	Packaging and	documentation								
P13.1*	Product packagi	ng material type(s): 1	Nood		weight (ł	kg): 8.24				
	Product packagi	ng material type(s):	Corrugated Fi	ibreboard	weight (ł	(g): 5.59				
	Product packagi	ng material type(s):	Foamed PS		weight (ł	kg): 0.98				
P13.2*	Product plastic p	primary packaging is f	ree from PVC	-				\mathbf{X}		
P13.3*	For product prim	ary corrugated fiberb	oard packagin	ng, specify th	e contaii	ned percentage	of			
	minimum post-co	onsumer recovered fi	ber content:	80	%					
P13.4*	Specify media for	or user and product do	ocumentation	(tick box):						
	Electronic 🛛 🔀	, Paper 🔀 🛛 , Ot	her 🗌							
P13.5	(Please only con	nplete this item if pap	er documenta	tion used)						
	User and produc	t documentation on p	aper media is	chlorine-fre	e:					
	If Yes, please specify:									
	Totally chlorine-free									
	Elemental chlorine-free									
	Processed chlor	ine-free								
P14	Voluntary prog	rams:								
P14.1	The product mee	ets the requirements of	of the following	g voluntary p	orogram(s):				
	ENERGY STAR	® Criteria versio	n:	Date:	Р	roduct category	/:			
	Eco-label:	Criteria versio	n:	Date:	Р	roduct category	/:			
	Eco-label:	Criteria versio	n:	Date:	Р	roduct category	<i>r</i> :			

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm. NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *								
Issue date *			EPSON					
Product environmental	attributes - Market requirements (concluded) Requirement met							
	prmation (See NOTE B11)							

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *	P1.1, P4.1, P3.1
* Specific exemptions apply for certain products and applications.	
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation) Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2, P9.1
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	