

## Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable).

Auditional mormation regarding each ten may be found under P14.				
Brand *	EPSON	Logo		
Company name *	Seiko Epson Corporation	EDCON		
Contact information *	EPSON Europe B.V. environment@epson.eu	EPSON EXCEED YOUR VISION		
Internet site *	http://www.epson.com			
Additional information				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms						
to the statements given in	to the statements given in this declaration.					
Type of product *	k-Jet Printer					
Commercial name *	T-4850.ET-4856.ET-4850U.L6290					
Model number *	1-4000,E1-4000,E1-40000,L0290					
Issue date *	July 16, 2021					
Intended market *	Global 🗸 Europe 🔄 Asia,Pacific 🔄 Americas 🗌 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality control			ent met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\checkmark$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	$\checkmark$	

Model number *	ET-4850,ET-4856,ET-4850U,L6290		
Issue date *	July 16, 2021	Logo	EPSON EXCEED YOUR VISION

Produc	t environmental attributes - Legal requirements	Requirer	nent m	let
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference	$\checkmark$		
P1.2*	and Note B1) Products do not contain Asbestos (see legal reference).	✓		
1 1.2	Comment: Legal reference has no maximum concentration value.	<b>_</b>		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\checkmark$		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	$\checkmark$		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the short containing at least 48% per mass of chloring in the SCCP. (see least reference)	$\checkmark$		
P1.6*	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS),			
1 1.0	Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			$\checkmark$
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split			
	aromatic amines. (See legal reference and Note B1)			$\checkmark$
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			
	pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			$\checkmark$
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5			
	microgram/cm2/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			$\checkmark$
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):			
	http://www.epson.com/			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be			
	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			$\checkmark$
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			$\checkmark$
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical			<b>√</b>
	or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	$\checkmark$		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	$\checkmark$		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	$\checkmark$		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	$\checkmark$		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			$\checkmark$
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).	$\checkmark$		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).	<ul> <li>✓</li> </ul>		
P5				
P5.1*	Product packaging Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and becaudent chromium by weight of these together	<b>_</b>		
P5.2*	hexavalent chromium by weight of these together.			
P5.2 P5.3*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). The product packaging material is free from ozone depleting substances as specified in the Montreal			
	Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	$\checkmark$		
	Comment. Legar reference has no maximum concentration values.			

Model number *	ET-4850,ET-4856,ET-4850U,L6290		
Issue date *	July 16, 2021	Logo	EPSON EXCEED YOUR VISION

Produc	t environmental attributes - Market requirements - Environmental conscious design	Require	ement	met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.			
P6	Treatment information						
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	~					
P7	Design						
	Disassembly, recycling						
P7.1*	Parts that have to be treated separately are easily separable.						
P7.2*	Plastic materials in covers/housing have no surface coating.	~					
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.	~					
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.	~	_Ц_				
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.						
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\checkmark$					
	Product lifetime						
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives.	~					
P7.8*	Upgrading can be done using commonly available tools.	$\checkmark$					
P7.9.	Spare parts are available after end of production for: years						
P7.10	Service is available after end of production for: years						
	Material and substance requirements						
P7.11*	Product cover/housing material type:						
	Material type: PS Material type: ABS Material type:						
P7.12	Electrical cable insulation materials of power cables are PVC free.	<u> </u>					
P7.13	Electrical cable insulation materials of signal cables are PVC free.	<u> </u>					
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.						
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note	: B2					
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4:						
D7.47	Marking:						
P7.17	Alt. 1 Chamical specifications of flame retardants in printed circuit heards >25g (without components):						
	Chemical specifications of flame retardants in printed circuit boards >25g (without components):						
	TBBPA (additive)     TBBPA     Other; chemical     CAS #:       Alt. 2						
	All. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according						
	ISO 1043-4:						
P7.18	Alt. 1						
1 7.10	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in						
	concentrations above 0.1%:						
	Comment: No legal limits exist, this is a market requirement.						
	1. Chemical name: CAS #:						
	2. Chemical name: CAS #:						
	3. Chemical name: CAS #:						
	Alt. 2						
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:						
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45,						
	R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)						
P7.20	Of total plastic parts weight >25g, recycled material content is %						
P7.21	Of total plastic parts weight >25g, biobased material content is %						
P7.22	Light sources are free from mercury.						
	If mercury is used specify: Number of lamps: and max. mercury content per lam mg						
P8	Batteries						
P8.1*	Battery chemical composition:			$\checkmark$			
P8.2	Batteries meet the requirements of the following voluntary program/s:						

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	ET-4850,ET-4856,ET-4850U,L6290		
Issue date *	July 16, 2021	Logo	EPSON EXCEED YOUR VISION

Product environn	Product environmental attributes - Market requirements (continued) Requirement met						
Item						n.a.	
	nergy consumption						
P9.1 For the product the following power levels or energy consumptions have been measured:							
Energy mode *		Power level at 100 V AC	Power level at 115 VAC		Power level at 230 VAC	Reference / Standard for energy modes and test method *	
Save 1		w	W		1.0 W	Based on SEIKO EPSON Standard	
Off 1		w	w		0.2 W	Based on SEIKO EPSON Standard	
		w	w		W		
		w	W		W		
		W	W		W		
		W	W		W		
EPS No-load (External power sup charger plugged in to outlet but disconnect the product.)	he wall	w	w		w		
PTEC * Typical Energy Con	sumption	W	W		W		
TEC * Typical Energy Con		kWh/week	kWh/wee	ek	kWh/wee	ek	~
ETEC * Annual Energy Con		kWh/year	kWh/yea	ar	kWh/yea	ar	~
Display resolution *		Megapixels			1		~
Print Speed *	:	16 Images per m	ninute				
Default time to ente	r energy sav		minutes				
P9.2* Information	on about the	energy save function	is provided with the	he p	product	V	
P9.3* The prod	uct meets th	e energy requirement	s of the following	volu	untary program/s:		
ENERGY Others sp		version Ver3.0	Tier:		Product categ	jory:	
P10 Emissio	าร						
	<b>iission</b> – De	eclared according to I	SO 9296				
P10.1 Mode	Mc	ode description			Declared A-weighted sound power level L <sub>WAd</sub> (B)	Declared A-weighted sound pressure level L <sub>pAm</sub> (dB) Operator position Bystander positions Desktop (only if product is not operator attended)	
Idle	*	Idoling		*	Inaudible B	dB	
Operation	ı *	Operation		*	6.9 B	dB	1
Other mo	de				В	dB	1
Measured	d according t	to: 🗸 ISO7779 🗌	ECMA-74 (only if no	ot co	overed by ECMA-	74 with L <sub>pAm</sub> measurement distance m	)
P10.2 The prod	uct meets th	e acoustic noise requ					

Model number *	ET-4850,ET-4856,ET-4850U,L6290		
Issue date *	July 16, 2021	Logo	EPSON EXCEED YOUR VISION

Product	t environmental attributes - Market requirements (continued)	Require	ement	met	
Item		Yes	No	n.a.	
	Chemical emissions from printing products				
P10.3*	Test performed according to ECMA-328(ISO/IEC28360) standard ,other specify: RAL-UZ205	~			
P10.4	Typical emission rate (print phase) is (mg/h):				
	Dust Ozone Styrene Benzene TVOC				
P10.5	Chemical emission requirements of the following voluntary program are met for :				
	Dust Ozone Styrene				
	Electromagnetic emissions				
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary				
	program/s:				
P11	Consumable materials for printing products				
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	$\checkmark$			
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of	1			
	EN12281.				
P11.3*	2-sided (duplex) printing/copying is an integrated product function.	$\checkmark$			
P12	Ergonomics for computing products				
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.				
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.				
P13	Packaging and documentation				
P13.1*	Product packaging material type(s): Corrugated Fibreboard + Coate weight (kg) 1.092				
	Product packaging material type(s): Foamed PS weight (kg) 0.245				
	Product packaging material type(s): PP weight (kg) 0.155				
P13.2*	Product plastic packaging is free from PVC.	$\checkmark$			
P13.3*	Specify media for user and product documentation (tick box):				
	Electronic 🗸 Paper 🗸 Other				
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled				
	fiber 0 %				
P14	Additional information (See Note B4)				
P7	Product main body is recyclable. $55\% \leq \checkmark$ Not includes accThis should not inThis should not in			ons.	
	This should not i	nclude the	ermal		

## Legal references Europe Annex B

Reference	Declaration itom
2002/95/EC (ROHS Directive)	Declaration item P1.1, P4.1
	· · · · · · · · · · · · · · · · · · ·
76/769/EEC (Marketing and Use Directive)	P1.6, P1.8, P4.2
amendment 89/677/EEC	P1.4
amendment 1999/77/EC	P1.2
amendment 2003/3/EC	P1.7
amendment 94/27/EEC	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use	P1.5
of certain dangerous chemicals 20.12.2002	
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and	P4.3
packaging (CLP)	
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging	P5.1
waste)	
(97/129/EC) (Commission Decision on Identification	P5.2
System for Packaging Materials	
2037/2000/EC Regulation on Substances that Deplete	P5.3
the Ozone Layer	
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and	P7.19
packaging (CLP)	