

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

	Additional mormation regarding each item may be found under P 14.				
Brand *	EPSON	Logo			
Company name *	Seiko Epson Corporation	EDCON			
Contact information *	EPSON Europe B.V. environment@epson.eu	EPSON EXCEED YOUR VISION			
Internet site *	http://www.epson.com				
Additional information					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Ink-Jet Multiple Function Printer				
Commercial name *	F-4830. WF-C4810				
Model number *	-4030, WF-C4010				
Issue date *	November 4, 2021				
Intended market *	Global 🗸 Europe Asia, Pacific Americas Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Quality control		
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\checkmark	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	\checkmark	

Model number *	WF-4830, WF-C4810		
Issue date *	November 4, 2021	Logo	EPSON EXCEED YOUR VISION

Produc	t environmental attributes - Legal requirements	Requirement met		
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\checkmark		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\checkmark		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	~		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			\checkmark
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\checkmark
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			\checkmark
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5			
	microgram/cm2/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			\checkmark
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	√		
	http://www.epson.com/			
P2.1*	Batteries If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains			
F 2. I	more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is			\checkmark
	provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			\checkmark
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			√
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	✓		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	~		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	\checkmark		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	~		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			\checkmark
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).	\checkmark		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).	\checkmark		
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	\checkmark		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).		1	
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	\checkmark		
	Comment Logar follorior has no maximum concentration values.			

Model number *	WF-4830, WF-C4810		
Issue date *	November 4, 2021	Logo	EPSON EXCEED YOUR VISION

Produc	duct environmental attributes - Market requirements - Environmental conscious design Requirem					
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.		
P6	Treatment information					
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\checkmark				
P7	Design					
	Disassembly, recycling					
P7.1*	Parts that have to be treated separately are easily separable.	\checkmark				
P7.2*	Plastic materials in covers/housing have no surface coating.	~				
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.	1				
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.	~				
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.					
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\checkmark				
	Product lifetime					
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives.	\checkmark				
P7.8*	Upgrading can be done using commonly available tools.	\checkmark				
P7.9.	Spare parts are available after end of production for: years					
P7.10	Service is available after end of production for: years					
	Material and substance requirements					
P7.11*	Product cover/housing material type:					
	Material type: PS-HI Material type: Material type:					
P7.12	Electrical cable insulation materials of power cables are PVC free.					
P7.13	Electrical cable insulation materials of signal cables are PVC free.					
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.					
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Not	ie B2				
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4:					
	Marking:					
P7.17	Alt. 1					
	Chemical specifications of flame retardants in printed circuit boards >25g (without components):					
	TBBPA (additive) TBBPA Other; chemical CAS #:					
	Alt. 2					
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according					
	ISO 1043-4:					
P7.18	Alt. 1					
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in					
	concentrations above 0.1%: Comment: No legal limits exist, this is a market requirement.					
	1. Chemical name: CAS #:					
	2. Chemical name: CAS #:					
	3. Chemical name: CAS #:					
	Alt. 2 Chamies an additional of flower extendents in plantic parts > 25% according ISO 4042.4					
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:					
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45,					
F7.19	R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)		\square			
P7.20	Of total plastic parts weight >25g, recycled material content is %					
P7.21	Of total plastic parts weight >25g, biobased material content is %					
P7.22	Light sources are free from mercury.		\Box			
Do	If mercury is used specify: Number of lamps: and max. mercury content per lam mg					
P8	Batteries					
P8.1*	Battery chemical composition:					
P8.2	Batteries meet the requirements of the following voluntary program/s:					

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	WF-4830, WF-C4810		
Issue date *	November 4, 2021	Logo	EPSON EXCEED YOUR VISION

Product	roduct environmental attributes - Market requirements (continued) Requirement met						
Item	Yes No			n.a.			
P9	Energy consumption	า					
P9.1 For the product the following power levels or energy consumptions have been measured:							
Energy mo	ode *	Power level at 100 V AC	Power level at 115 VAC	Power level at 230 VAC	Reference / Standard for energy modes and test method *		
Save 1		w	W	1.2 W	Based on SEIKO EPSON Standard		
Off 1		w	W	0.2 W	Based on SEIKO EPSON Standard		
		W	W	w			
		W	W	W			
		W	W	W			
		W	W	W			
, charger pl	power supply / lugged in the wall disconnected from	w	w	w			
PTEC *		w	W	w			
	nergy Consumption	vv	vv	VV			
	nergy Consumption	kWh/week	kWh/wee	k kWh/wee	ek	\checkmark	
ETEC * kWh/year		kWh/yea	r kWh/yea	ar	\checkmark		
Display resolution * : Megapixels					\checkmark		
Print Spee	ed * :	25 Images per m	inute				
Default tin	ne to enter energy sav	e mode:	minutes		•		
P9.2*	Information about the	energy save function	is provided with th	e product	✓		
P9.3*	The product meets th	e energy requirement	s of the following v	oluntary program/s:			
	ENERGY STAR®	version Ver3.0	Tier:	Product cateo	gory:		
	Others specify:						
P10	Emissions						
	Noise emission - De	eclared according to I	SO 9296				
P10.1	0.1 Mode Mode description			Declared A-weighted sound power level L _{WAd} (B)	Declared A-weighted sound pressure level L _{pAm} (dB) Operator position Bystander positions Desktop (only if product is not operator attended)		
		Idalina		k Incustible D	, , ,	┥┍┑│	
	Idle *	Idoling		* Inaudible B	dB	┥╞╡│	
	Operation *	Operation		* 6.7 B	dB	┫└─┘│	
	Other mode			В	dB	-	
	Measured according t		ECMA-74	anyorad by ECMA	74 with 1 moon moment distance		
P10.2	The product meets the				74 with L _{pAm} measurement distance m	4	
1 10.2	0.2 The product meets the acoustic noise requirements of the following voluntary program/s:						

Model number *	WF-4830, WF-C4810		
Issue date *	November 4, 2021	Logo	EPSON EXCEED YOUR VISION

Product	t environmental attributes - Market requirements (continued)	Require	ement	met	
Item		Yes	No	n.a.	
	Chemical emissions from printing products				
P10.3*	Test performed according to ECMA-328(ISO/IEC28360) standard, other specify: DE-UZ205	~			
P10.4	Typical emission rate (print phase) is (mg/h):				
	Dust Ozone Styrene Benzene TVOC				
P10.5	Chemical emission requirements of the following voluntary program are met for :				
	Dust Ozone Styrene				
	Benzene TVOC				
	Electromagnetic emissions				
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary				
	program/s:				
P11	Consumable materials for printing products				
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	\checkmark			
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of	\checkmark			
	EN12281.				
P11.3*	2-sided (duplex) printing/copying is an integrated product function.				
P12	Ergonomics for computing products				
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.				
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.			~	
P13	Packaging and documentation				
P13.1*	Product packaging material type(s): Corrugated Fibreboard + Coate weight (kg) 1.68				
	Product packaging material type(s): Foamed PS weight (kg) 0.2				
	Product packaging material type(s): PE weight (kg) 0.11				
P13.2*	Product plastic packaging is free from PVC.	\checkmark			
P13.3*	Specify media for user and product documentation (tick box):				
	Electronic 🗸 Paper 🗹 Other 🗌				
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled				
	fiber 0 %				
P14	Additional information (See Note B4)				
P7	Product main body is recyclable. \bigcirc $<55\% \leq \checkmark$ Not includes accThis should not it			ns.	
			innai		

Legal references Europe Annex B

Reference	Declaration itom
2002/95/EC (ROHS Directive)	Declaration item P1.1, P4.1
	· · · · · · · · · · · · · · · · · · ·
76/769/EEC (Marketing and Use Directive)	P1.6, P1.8, P4.2
amendment 89/677/EEC	P1.4
amendment 1999/77/EC	P1.2
amendment 2003/3/EC	P1.7
amendment 94/27/EEC	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use	P1.5
of certain dangerous chemicals 20.12.2002	
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and	P4.3
packaging (CLP)	
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging	P5.1
waste)	
(97/129/EC) (Commission Decision on Identification	P5.2
System for Packaging Materials	
2037/2000/EC Regulation on Substances that Deplete	P5.3
the Ozone Layer	
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and	P7.19
packaging (CLP)	