

## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	EPSON	Logo
Company name *	Seiko Epson Corporation	FROOM
Contact information *	EPSON Europe B.V.	EPSON
e-mail address	environment@epson.eu	
Internet site *	http://www.epson.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.							
Type of product *	Ink-Jet Printer						
Commercial name *	CW-C4000e						
Model number *	CW-C4000e						
Issue date *	2024/4/20						
Intended market *	🔲 Global 🛛 🔀 Europe 🔲 Asia, Pacific & Japan 🔄 Americas 🔄 Other						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template: P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

Model number *	CW-C4000e	Logo	EDOON
Issue date *	2024/4/20		EPSON

Product environmental attributes - Legal requirements					
tem		Yes	No	n.a.	
1	Hazardous substances and preparations				
1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	X			
°1.2*	Products do not contain Asbestos (see legal reference).	X			
	Comment: Legal reference has no maximum concentration value.				
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	$\mathbf{X}$			
91.5 <b>*</b>	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	$\mathbf{X}$			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 mg/cm <sup>2</sup> /week (see legal reference).			X	
91.7 <b>*</b>	Comment: Max limit in legal reference when tested according to EN1811:2011-5. REACH Article 33 information about substances in articles is available at (add URL or mail contact):	X	_	_	
1.7					
2	http://www.epson.com Batteries				
	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal	_			
2.1*	symbol. Information on proper disposal is provided in user manual. (See legal reference)	$\mathbf{X}$			
0.01	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal	57			
2.2*	reference)	$\mathbf{X}$			
2.3*	Batteries and accumulators are readily removable. (See legal reference)			X	
3	Conformity verification & Eco design (ErP)				
3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	$\mathbf{X}$			
	The Declaration of Conformity can be requested at (add link or e-mail address): https://www.epson.eu/c	onformity	y		
3.2*	The product complies with the Eco design Requirements for Energy-Related Products,			$\mathbf{X}$	
	(see legal reference).				
	Required information is; given in item P15 or added to this document,			$\mathbf{X}$	
	available at (add URL): http://www.epson.com				
4	Consumable materials				
94.1 <b>*</b>	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1).			X	
94.2 <b>*</b>	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see	X	_	_	
4.2	legal reference)				
94.3 <b>*</b>	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).				
°5	Product packaging				
95.1 <b>*</b>	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and	X			
5.1	hexavalent chromium by weight of these together.	<u>12</u>			
95.2 <b>*</b>	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)		$\mathbf{X}$		
°5.3*	used (see legal reference). The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol	X			
5.5	(see legal reference).				
	Comment: Legal reference has no maximum concentration values.				
6	Treatment information	_			
6.1*	Information for recyclers/treatment facilities is available (see legal reference).	$\mathbf{X}$			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	umber *	CW-C4000e			Logo			
Issue da	te *	2024/4/20				EPS	UN	
						1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
Duaduat			in the local One					
	environmental a		requirements (See Gene	eral Note GN below)		Bogu	iromo	nt mot
Item			ormation regarding each	item may be found under P14		Yes	<mark>iireme</mark> No	nt met n.a.
P7	Design		Simation regarding each	item may be found under 1 14.	•	165	INU	n.a.
F 1	Disassembly,	recycling						
P7.1*			ately are easily separable	2		$\mathbf{X}$		
P7.2*			have no surface coating.			X		
P7.3*			material or of easily sep					
P7.4*		<u> </u>	/ /	1469 referring ISO 1043-4.				
P7.5				an be removed with commonly	vavailable tools.			
P7.6*			· · · ·	bly to safety/regulatory labels).				
-	Product lifetin	, , ,		,				
P7.7*			rocessor, memory, cards	or drives		$\mathbf{X}$		
P7.8*	10 0	<b>v</b> 1	monly available tools			X		
P7.9.		e available after end		10 years				
P7.10	Service is avai	lable after end of pro	oduction for: 10	years				
	Material and s	substance requirem	ients					
P7.11*	Product cover/	housing material type	e (e.g. plastics, metal, alu	ıminum):				
	Material type:	PS	Material type:	ABS Mate	erial type:			
P7.12	Insulation mate	erials of external elect	ctrical cables are PVC fre	e.			X	
P7.13			trical cables are PVC free				X	
				nan 0,1% weight (1000 ppm) b		)		
P7.14	0 ( )	. ,		retardants, chlorinated flame			$\mathbf{X}$	
1 7.14			,	,3% weight (3000 ppm) chlorii	ne in parts			
	8	•	nsumer recycled content.					
P7.15			ut components) are low h	nalogen: all 🛛 PCBs >	25 g 📋 are		$\mathbf{X}$	
			19-2-21. (See NOTE B2)					
P7.16			in covers / housings are	marked according ISO 1043-4	4:	$\mathbf{X}$		
<b>D-</b> / <b>-</b>	Marking: >PS							
P7.17		•		circuit boards > 25 g (without $P_{2}$ ). Otherwsteen starting to a second starting to a seco	• •			
	IBBPA (additiv	/e) 🗋 , TBBPA (rea	active) 📋 (See NOTE	B3), Other; chemical name:	, CAS #:			
	Alt 2: Chamia	al ana aifiantiona of fla	amo rotordanto in printod	circuit boards (without compo	ponto) > 25 a	_	_	_
	according ISO	•		circuit boards (without compo	neniis) > 25 g			
			> 25 a contain the followi	ng flame retardant substances	s/preparations in			
P7.18	concentrations		20 g contain ine renem					
	1. Chemical na	ame:	, CAS #:	(See NOTE B4)				
	2. Chemical na	ime:	, CAS #:	"				
	3. Chemical na	ime:	, CAS #:	ű				
	Alt O. Charris	al ana aifiantiona -f.fl-	me reterdente in niti-	north . 05 a nonordina 100 40	40.4.	_	_	_
D7 10				parts > 25 g according ISO 10 ons above 0,1% are used whi				
P7.19		-			ch have been			
	•	ollowing Risk phrases	-	Hazard statements:				
	The source(S)	ior mese classificatio	ons is/are found at (add L	JRL(S)):	(See NOT	с DЭ)		_

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model n	umber *	CW-C4000e			Logo			
Issue date *		2024/4/20				EP	PSO	Ν
Broduct	anvironmental attrib	nuton Markat requirer	conto (continued)			Pa	quiromo	ntmot
Item	environmental attri	outes - Market requiren	ients (continued)			Yes	<mark>quireme</mark> s No	
item	Material and subs	tance requirements (co	ontinued)			165	5 110	n.a.
P7.20*		cled plastic material con		duct (See NOTE B6):			X	
	a) Of total plastic	of the two alternatives b parts' weight > 25 g, the a percentage of total plas	postconsumer recycle		ent			
	b) The weight of re	ecycled material is	0.0 g.					
P7.21*	Biobased plastic m	aterial content is used in	the product (See NOT	TE B7):			$\mathbf{X}$	
	a) Of total plastic (calculated as a or	of the two alternatives b parts' weight > 25 g, the a percentage of total plas ne biobased plastic mate	biobased plastic mater tic by weight) is	,				
P7.22*		ee from mercury, i.e. les					X	
1 1.22	-	specify: Number of lamps	• ·	num mercury content p	or lamn:	mg		
P8	Batteries	specify. Number of lamp.			ber lamp.	ing		
P8.1*	Battery chemical co	omposition: Lithiu	m					
P9		ion (See NOTE B8)						
P9.1	<u>.</u>	following power levels c	r energy consumption	s are reported:				
Energy n		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Sta method *	andard for energ	gy mode	s and test
Sleep mo	ode for ENERGY STA		113 V AO	230 V AO	mounou			
	tional Mode (OM)	W	, w	<b>2.6</b> W				
2	off mode for ENERG perational Mode (OM)		, w	<b>0.1</b> w				
TEC pro	ue for ENERGY STAF ducts (TEC= Typical Consumption)	kWh/week	kWh/week	kWh/week				$\boxtimes$
TEC valu	ue (OM product)	kWh/week	kWh/week	kWh/week				X
		W	W	w w				
		W	W	w W				
		W						
		W						
	-	W						
		ncy Level (International E		ocol) * :				$\mathbf{X}$
	an Speed * :	4 images per minu						
	ime to enter energy sa		minutes					$\mathbf{X}$
P9.2*	Information about t	he energy save function	is provided with the pr	oduct.				

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	CW-C4000e	Logo	
Issue date *	2024/4/20		<b>EPSON</b>

Product	t environmental attrib	utes - Market requir	ements (con	tinued)			Req	uireme	nt met
ltem							Yes	No	n.a.
P10	Emissions								
	Noise emission – I	Declared according	to ISO 9296						
P10.1	Mode N	lode description		Statisti	cal upper limit A-we	ighted sound power l	evel,		
				L <sub>WA,c</sub> (	В)				
	Idle *	Idoling		*	Inaudible				X
	Operation *	Operation		*	5.	.8			X
	Other mode								
	Measured according	g to: 🛛 📋 ISO 777	79	ECMA-74					
		🛛 Other (	only if not cov	vered by ECMA-	74)				
	<b>Chemical emission</b>	ns from printing pro	ducts (See N	IOTE B10)					
P10.2*	Test performed acc	ording to ECMA-328	Determinatior	n of Chemical Er	nission Rates from			X	
	Electronic Equipme	nt (ISO/IEC 28360)	🔀 ,othe	r specify:					
P10.3	Typical emission rat	e (operation phase) is	s (mg/h):						
	Electrophotographic	devices: Ozone	Dust	Styrene	Benzene	TVOC			
	Ink devices:		Dust	Styrene	Benzene	TVOC			
	NOTE: compliance	with maximum emiss	ion rates in e	co labels to be d	eclared in P14.				
P11	Consumable mate	rials for printing pro	ducts						
P11.1*	A Safety Data Shee	t (SDS) is available fo	or the ink/tone	er preparation, e	ven if not legally red	quired (see P4.3).			X
P11.2*	Paper containing po	st-consumer recycled	d fibers can b	e used, provideo	that it meets the re	equirements of EN	_		
P11.2"	12281.							$\mathbf{X}$	
P11.3*	2-sided (duplex) prir	nting/copying is an int	egrated prod	uct function.				X	
P11.4*	The product is delive	ered to end-user with	default auto-	duplex enabled.				X	
P13	Packaging and do	cumentation		•					
P13.1*	Product packaging r	material type(s):	Paper	wei	ght (kg): 1.300				
	Product packaging r	material type(s):	Corrugated I	-ibreboard wei	ght (kg): 1.111				
	Product packaging r	material type(s):	PP	wei	ght (kg): 0.347				
P13.2*	Product plastic prim	ary packaging is free	from PVC.				X		
P13.3*	For product primary	corrugated fiberboar	d packaging,	specify the cont	ained percentage o	f			
	minimum post-cons	umer recovered fiber	content:	<mark>80</mark> %					
P13.4*	Specify media for us	ser and product docu	mentation (tic	k box):					
	Electronic 🛛 🔀 ,	Paper 🔀 , Ot	ther 🗌						
P13.5	(Please only comple	ete this item if paper o	locumentatio	n used)					
	User and product do	ocumentation on pape	er media is ch	lorine-free:					
	If Yes, please speci	fy:							
	Totally chlorine-free								
	Elemental chlorine-f	ree							
	Processed chlorine-	free							
P14	Voluntary program	IS:							
P14.1		the requirements of th	ne following v	oluntary program	n(s):				
	ENERGY STAR®	Criteria version	:	Date:	Product catego	ry:			
	Eco-label:	Criteria version	:	Date:	Product catego				
	Eco-label:	Criteria version		Date:	Product catego				

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see\ http://www.ecma-international.org/publications/standards/Ecma-370.htm.$ 

NOTE B10 A Guidance document on Chemical Emissions is available;

 $see\ http://www.ecma-international.org/publications/standards/Ecma-370.htm.$ 

Model number *	CW-C4000e	Logo					
Issue date *	2024/4/20		EPSON				
Product environmental attributes - Market requirements (concluded) Requirement met							
		•					
P15 Additional i	nformation (See NOTE B11)						
P15 Additional i	nformation (See NOTE B11)						
P15 Additional i	nformation (See NOTE B11)						

## Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *	P1.1, P4.1, P3.1
* Specific exemptions apply for certain products and applications.	
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.*	P2.1, P2.2, P2.3, P8.1
* These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	