

## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	EPSON	Logo
Company name *	Seiko Epson Corporation	FDCCN
Contact information *	EPSON Europe B.V.	<b>EPSON</b>
e-mail address	environment@epson.eu	
Internet site *	http://www.epson.com	
Additional information		

•	ne company declares (based on product specification or test results based obtained from sample testing), that the product conforms the statements given in this declaration.				
Type of product *	Ink-Jet Printer				
Commercial name *	CW-C6000Ae				
Model number *	CW-C0000Ae				
Issue date *	2024/4/20				
Intended market *	☐ Global	Europe	Asia, Pacific & Japan	Americas	Other
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

Model number *	CW-C6000Ae	Logo	
Issue date *	2024/4/20		<b>EPSON</b>

Produ	luct environmental attributes - Legal requirements			Requirement met		
Item		Yes	No	n.a.		
P1	Hazardous substances and preparations					
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	X				
P1.2*	Products do not contain Asbestos (see legal reference).	$\boxtimes$				
	Comment: Legal reference has no maximum concentration value.					
	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons	X				
P1.3*	(HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide					
F1.3	(see legal reference). Comment: Legal reference has no maximum concentration values.					
	(See logal folderloop). Comment. Logal folderloop has no maximum concentration values.					
D4 4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl	X				
P1.4*	(PCT) in preparations (see legal reference).					
D4 E*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	X				
P1.5*	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	<u> </u>				
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 mg/cm <sup>2</sup> /week			×		
F1.0	(see legal reference).					
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.					
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	X				
	http://www.epson.com					
P2	Batteries					
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal	X				
1 2.1	symbol. Information on proper disposal is provided in user manual. (See legal reference)		Ш	Ш		
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal	X	П	П		
P2.3*	reference)  Batteries and accumulators are readily removable. (See legal reference)			X		
P3	Conformity verification & Eco design (ErP)					
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	X				
1 3.1	The Declaration of Conformity can be requested at (add link or e-mail address): https://www.epson.eu/c		, 🗆			
P3.2*	The product complies with the Eco design Requirements for Energy-Related Products,			X		
1 3.2	(see legal reference).					
	Required information is; given in item P15 or added to this document,			×		
	available at (add URL): http://www.epson.com					
P4	Consumable materials					
	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater					
P4.1*	than 0.01% (see legal reference and NOTE B1).			$\boxtimes$		
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see	X				
F4.Z	legal reference)					
	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are	X				
P4.3*	Community workplace exposure limits, the product/packaging is adequately labeled according to applicable					
1 4.0	regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal					
	reference).					
P5	Product packaging					
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and	X				
	hexavalent chromium by weight of these together.  The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)		_			
P5.2*	used (see legal reference).		$\times$			
D=	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol	KZ				
P5.3*	(see legal reference).	$\boxtimes$				
	Comment: Legal reference has no maximum concentration values.					
P6	Treatment information					
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	X				
_						

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	CW-C6000Ae	Logo	FDCCN
Issue date *	2024/4/20		<b>EPSON</b>

	t environmental attributes - Market requirements (See General Note GN below) vironmental conscious design	Requ	ireme	nt met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design			
	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	X		
P7.2*	Plastic materials in covers/housing have no surface coating.	X		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	X		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	X		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	X		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	X		
P7.8*	Upgrading can be done using commonly available tools	X		
P7.9.	Spare parts are available after end of production for:  10 years			
P7.10	Service is available after end of production for: 10 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: PS Material type: ABS Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		X	
P7.13	Insulation materials of internal electrical cables are PVC free.		X	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	×		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all   ☐ PCBs > 25 g ☐ are low halogen as defined in IEC 61249-2-21. (See NOTE B2)		X	
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			X
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):  TBBPA (additive) □ , TBBPA (reactive) □ (See NOTE B3), Other; chemical name: , CAS #:  Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			
	according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:			
	1. Chemical name: , CAS #: (See NOTE B4)			
	2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			
	assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): (See NOTE B5	5)		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	CW-C6000Ae	Logo	
Issue date *	2024/4/20		<b>EPSON</b>

Product (	environmental attribut	tes - Market requirem	ents (continued)			Requ	iremer	nt met
Item						Yes	No	n.a.
	Material and substan	nce requirements (co	ntinued)					
P7.20*	Postconsumer recycle	ed plastic material con	tent is used in the prod	duct (See NOTE B6):			X	
	If YES; at least one of	the two alternatives b	elow shall be answere	ed;				
	a) Of total plastic par	rts' weight > 25 g, the i	oostconsumer recycle	d plastic material conte	ent			
	(calculated as a po	ercentage of total plas	tic by weight) is	%.				
	or		, , ,					
	b) The weight of recy	cled material is	<b>0.0</b> g.					
P7.21*	Biobased plastic mate	erial content is used in	the product (See NOT	E B7):			X	
	If YES; at least one of	the two alternatives b	elow shall be answere	ed;				
	a) Of total plastic par	rts' weight > 25 g, the I	oiobased plastic mater	rial content				
	(calculated as a po	ercentage of total plas	tic by weight) is	%.				
	or							
		biobased plastic mate						
P7.22*	Light sources are free	from mercury, i.e. les	s than 0,1 mg/lamp.			X		
	If mercury is used spe	ecify: Number of lamps	: and maxin	num mercury content p	oer lamp: mg			
P8	Batteries							
P8.1*	Battery chemical com		n					
P9	Energy consumption	n (See NOTE B8)						
P9.1	For the product the fo	llowing power levels o						
Energy m	ode *	Power level at	Power level at	Power level at	Reference/Standard for	energy	modes	and test
0,		100 V AC	115 V AC	230 V AC	method *			
	de for ENERGY STAR							
-	ional Mode (OM)	W	W	<b>5.8</b> W	1			
products								
-	off mode for ENERGY							
	erational Mode (OM)	W	W	<b>0.2</b> w				
products								
	e for ENERGY STAR							<b>E</b> 21
	lucts (TEC= Typical onsumption)	kWh/week	kWh/week	kWh/week				$\boxtimes$
	e (OM product)			1110 /				C2
TEC value	e (OM product)	kWh/week	kWh/week	kWh/week				X
		w w	w w	w				
		W	W					
		W	W	W				
		W	W	W				
External F	Power Supply Efficiency		••					X
	n Speed * : 4	images per minut		// •	1			
	me to enter energy save	•	minutes					X
P9.2*			is provided with the pro	oduct.	•	П	П	

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

C6000Ae	Logo	
1/4/20		<b>EPSON</b>
_		

Product	environmental att	ributes - Market requir	ements (con	tinued)			Req	uireme	nt met
Item							Yes	No	n.a.
P10	Emissions								
	Noise emission	- Declared according	to ISO 9296 (	See NOTE B9)					
P10.1	Mode	Mode description		Statistic L <sub>WA,c</sub> (E		ighted sound power le	evel,		
	Idle	* Idoling			Inaudible				X
	Operation	* Operation		*	5.	.5			X
	Other mode								
	Measured accord	_		☐ ECMA-74 /ered by ECMA-7	74)				
	Chemical emiss	sions from printing pro	<u> </u>		14)				
P10.2*		according to ECMA-328			nission Rates from		П	X	П
1 10.2		ment (ISO/IEC 28360)	X , other		noolon rates from		Ш		Ш
P10.3	- ' '	rate (operation phase) is		т эрсону.					
1 10.0	Typiodi omiocion	rate (operation phase)	3 (1119/11).						
	Electrophotograp	ohic devices: Ozone	Dust	Styrene	Benzene	TVOC			П
	Ink devices:	1110 001.000. 020	Dust	Styrene	Benzene	TVOC			
				,					
	NOTE: compliand	ce with maximum emiss	ion rates in ec	co labels to be d	eclared in P14.				
P11	•	aterials for printing pro							
P11.1*		neet (SDS) is available fo		r preparation, e	ven if not legally rec	uired (see P4.3).	X		
P11.2*		post-consumer recycled						X	
P11.3*	2-sided (duplex)	printing/copying is an int	tegrated produ	uct function.			П	X	П
P11.4*		elivered to end-user with						X	
P13	Packaging and o	documentation							
P13.1*	Product packagin	ng material type(s):	PS	weig	ght (kg): 0.807				
	Product packagin	3	Paper		ght (kg): 0.760				
	Product packagin	ng material type(s):	<b>Corrugated F</b>	Fibreboard weig	ght (kg): 0.273				
P13.2*		rimary packaging is free					X		
P13.3*	For product prima	ary corrugated fiberboar	d packaging,	specify the conta	ained percentage of	f			
	minimum post-co	onsumer recovered fiber	content:	80 %					
P13.4*		r user and product docu , Paper 💢 , O	•	k box):					
P13.5	·	pplete this item if paper of		rused)					
F 13.5	•	t documentation on paper		•					
	If Yes, please spe		di ilibula is on	IOIIIIe-IIIee.					
	Totally chlorine-fr	•							
	Elemental chloring								
	Processed chlorin								
P14	Voluntary progra								
P14.1	,, ,	ets the requirements of the	he following v	oluntary program	u(s).				
	ENERGY STAR®		_	Date:	Product categor	rv:			
1	Eco-label:	Criteria version		Date:	Product categor	•			
	Eco-label:	Criteria version		Date:	Product categor	•			

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm. NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	CW-C6000Ae	Logo	
Issue date *	2024/4/20		<b>EPSON</b>

Product 6	Product environmental attributes - Market requirements (concluded) Requirement met			
P15	Additional information (See NOTE B11)			

Legal references Europe Annex B1	1
Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *	P1.1, P4.1, P3.1
* Specific exemptions apply for certain products and applications.	
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.*  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in	
each Member State	