

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	EPSON	Logo
Company name *	Seiko Epson Corporation	FROOM
Contact information *	EPSON Europe B.V.	EPSON
e-mail address	environment@epson.eu	EXCEED YOUR VISION
Internet site *	http://www.epson.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Liquid Crystal Projector					
Commercial name *	EB-PU2113W					
Model number *	ED-P02115W					
Issue date *	2023/9/19					
Intended market *	🔲 Global 🛛 Europe 🔲 Asia, Pacific & Japan 🔛 Americas 📃 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

Model number *	EB-PU2113W	Logo	FROON
Issue date *	2023/9/19		EPSON
			EXCEED YOUR VISION

Produc	t environmental attributes - Legal requirements	Requirement met		
ltem		Yes	No	n.a.
P1 ł	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	X		
P1.2*	Products do not contain Asbestos (see legal reference).	X		
	Comment: Legal reference has no maximum concentration value.		_	
	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	X		
P1.3*	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\mathbf{X}		
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\mathbf{X}		
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 mg/cm ² /week (see legal reference).			X
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	X		_
1.1				
D 0	http://www.epson.com			
P2	Batteries If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal			
P2.1*	symbol. Information on proper disposal is provided in user manual. (See legal reference)	X		
	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal	12 - 21		
P2.2*	reference)	\mathbf{X}		
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	X		
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	X		
••••	The Declaration of Conformity can be requested at (add link or e-mail address): https://www.epson.eu/			
P3.2*	The product complies with the Eco design Requirements for Energy-Related Products,			
F J.Z				
	(see legal reference).	R.A.		
	Required information is; given in item P15 or added to this document,	\mathbf{X}		
_	available at (add URL): http://www.epson.com			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater			\mathbf{X}
	than 0,01% (see legal reference and NOTE B1). If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see			
P4.2*	legal reference)			\mathbf{X}
	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there	_	_	X
	are Community workplace exposure limits, the product/packaging is adequately labeled according to			
P4.3*	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available			
	(see legal reference).			
~-				
55	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and	\mathbf{X}		
⁻ 5.2*	hexavalent chromium by weight of these together. The packaging materials are marked with abbreviations and numbers indicating the nature of the		X	
0.2	material(s) used (see legal reference).		الأسنة	
	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).	\mathbf{X}		
>5.3*				
	Comment: Legal reference has no maximum concentration values.			
P5.3* P6	Comment: Legal reference has no maximum concentration values. Treatment information			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	EB-PU2113W	Logo	EDOON
Issue date *	2023/9/19		EPSON EXCEED YOUR VISION

- Env	vironmental conscious design	Requ	ireme	nt me
tem	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a
7	Design			
	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	X		
P7.2*	Plastic materials in covers/housing have no surface coating.	X		
°7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	X		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	X		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.			
°7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	X		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	X		
P7.8*	Upgrading can be done using commonly available tools	X		
P7.9.	Spare parts are available after end of production for: 6 years			
P7.10	Service is available after end of production for: 6 years			
	Material and substance requirements			
7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: PC+ABS Material type: Material type:			
7.12	Insulation materials of external electrical cables are PVC free.		X	
7.13	Insulation materials of internal electrical cables are PVC free.		X	
97.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	\mathbf{X}		
97.15	Printed circuit boards, PCBs (without components) are low halogen: all		X	
97.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)			
97.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) □ , TBBPA (reactive) □ (See NOTE B3), Other; chemical name: , CAS #:			
	<u>Alt. 2:</u> Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4)	_	_	_
	1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "			
	<u>Alt. 2:</u> Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number * Issue date *		EB-PU2113W				Logo	-	201	201	
		2023/9/19					EXCER	D YOUR	VISION	
Product	environmental att	ributes - Market require	ments (continued)					Requ	iiremer	nt met
ltem								Yes	No	n.a.
	Material and sub	stance requirements (c	ontinued)							
P7.20*	Postconsumer re	cycled plastic material cor	ntent is used in the pro	oduct (See NOTE E	36):				X	
	If YES; at least or	ne of the two alternatives	below shall be answer	red;						
		parts' weight > 25 g, the			conter	nt				
	(calculated as a percentage of total plastic by weight) is %.									
	or									
	b) The weight of	recycled material is	g.							
P7.21*	Biobased plastic	material content is used ir	n the product (See NO	TE B7):					X	
	If VES: at least or	ne of the two alternatives	helow shall he answer	ed.						
		c parts' weight > 25 g, the								
		a percentage of total pla		%.						
	or	a percentage of total pla	one by weight, io	<i>,</i>						
		the biobased plastic mate	erial is g.							
P7.22*	/	free from mercury, i.e. le						X		
	-	specify: Number of lamp		num mercury conte	ent pei	r lamp:	mg			
P8	Batteries			,		<u> </u>	<u> </u>			
P8.1*	Battery chemical	composition: Zinc-c	arbon							
P9	Energy consum	otion (See NOTE B8)								
P9.1	For the product the	e following power levels	or energy consumption	ns are reported:						
Energy m	node *	Power level at	Power level at	Power level at	R	eference/Stand	lard for e	energy	modes	s and
	lode	100 V AC	115 V AC	230 V AC	te	est method *				
On-noma	al	w	w	686.0	w	ISO/IEC 211	8			\mathbf{X}
Save		w	W	0.4	W	ISO/IEC 211	8			\mathbf{X}
		ency Level (International	, ,	otocol) * :						\mathbf{X}
	in Speed * :	images per minu								
	me to enter energy									\mathbf{X}
P9.2*	Information about	the energy save function	is provided with the p	roduct.				X		

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	EB-PU2113W	Logo	FROOM
Issue date *	2023/9/19		EPSON EXCEED YOUR VISION

Product	environmental att	ributes - Market requi	rements (cor	ntinued)			Req	uireme	nt met
ltem							Yes	No	n.a.
P10	Emissions								
	Noise emission	 Declared according 	to ISO 9296	(See NOTE B9)					
P10.1	Mode	Mode description		Declare	d A-weighted				
				sound p	pressure level LpA	m (dB)			
	Idle	*		*					X
	Operation	* Operation		*	3	4			
	Other mode								
	Measured accord	ling to: 🛛 🔀 ISO 77	79	ECMA-74					
				vered by ECMA-	74)				
		ions from printing pro	-						
P10.2*	Test performed a	ccording to ECMA-328	Determination	n of Chemical E	mission Rates from		\mathbf{X}		
	Electronic Equipn	nent (ISO/IEC 28360)	🔀 ,othe	r specify:					
P10.3	Typical emission	rate (operation phase)	is (mg/h):						
l									
	Electrophotograp	hic devices: Ozone	Dust	Styrene	Benzene	TVOC			
	Ink devices:		Dust	Styrene	Benzene	TVOC			
		ce with maximum emiss		co labels to be o	leclared in P14.				
P11		terials for printing pro							
P11.1*		eet (SDS) is available t			÷ ;				\mathbf{X}
P11.2*	Paper containing 12281.	post-consumer recycle	ed fibers can b	e used, provide	d that it meets the r	equirements of EN			X
P11.3*	2-sided (duplex)	printing/copying is an ir	ntegrated prod	luct function.					\mathbf{X}
P11.4*	The product is de	livered to end-user with	n default auto-	-duplex enabled	•				X
P13	Packaging and c								
P13.1*	Product packagin	• • • • • •		ibreboard weig	ht (kg): 3.710				
	Product packagin	ig material type(s):	Foamed PS	weig	ght (kg): 0.218				
		ig material type(e).	PE	weię	ght (kg): 0.218				
P13.2*		imary packaging is free					X		
P13.3*		ary corrugated fiberboa		specify the con	tained percentage of	of			
		nsumer recovered fiber		80 %					
P13.4*	· · ·	user and product docu	•	ck box):					
		, Paper 📋 🛛 , O							
P13.5	· ·	plete this item if paper		,					
		documentation on pap	er media is cl	hlorine-free:					
	If Yes, please spe								
	Totally chlorine-free								
	Elemental chlorin	e-free							
	Processed chlorir								
P14	Voluntary progra								
P14.1		ts the requirements of t	-	oluntary progra					
	ENERGY STAR®	Criteria versior	ו:	Date:	Product categor	y:			
	Eco-label:	Criteria versior	ו:	Date:	Product categor	y:			
	Eco-label:	Criteria versior	ו:	Date:	Product categor	y:			

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm. NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	EB-PU2113W	Log	go	FDOON					
Issue date *	2023/9/19			EPSON EXCEED YOUR VISION					
	Product environmental attributes - Market requirements (concluded) Requirement met								
P15 Additional i	nformation (See NOTE B11)								

Legal references Europe Annex B1

Reference	Declaration item		
Directive 2011/65/EU (RoHS Directive) *	P1.1, P4.1, P3.1		
* Specific exemptions apply for certain products and applications.			
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2		
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10		
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3		
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3		
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5		
Directive 2006/66/EC (Battery and accumulators Directive), as amended.*	P2.1, P2.2, P2.3, P8.1		
* These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.			
Directive 2014/35/EU (Low Voltage Directive)	P3.1		
Directive 2014/30/EU (EMC Directive)	P3.1		
Directive 2014/53/EU (RE Directive)	P3.1		
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1		
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions			
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1		
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19		
Directive 2004/12/EC (Packaging Directive)	P5.1		
Decision 97/129/EC (Secondary packaging legislation)	P5.2		
Directive 2012/19/EU (WEEE directive)	P6.1		
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.			
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.			