

ecma 🔊 IT-Företagen

Product environmental attributes - THE ECO DECLARATION

Brand *	EPSON	Logo
Company name *	SEIKO EPSON Corporation	EDCON
Contact information *	EPSON EUROPE B.V. ENVIRONMENT@EPSON.EU	EPSON EXCEED YOUR VISION
Internet site *	http://www.epson.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.							
Type of product *	Document Camera						
Commercial name *	ELPDC21						
Model number *							
Issue date *	March 31, 2016						
Intended market *	🗆 Global 🗹 Europe 🗆 Japan 🛛 U.S. 🗋 Other						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a * are filled-in (n.a. for not applicable).

Quality	control Requirement met		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	Ľ#	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	1	

Model number *	ELPDC21		
Issue date *	March 31, 2016	Logo	EPSON EXCEED YOUR VISION

Product	environmental attributes - Legal requirements Requirement met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in <i>EU 2002/95/EC and its amendments</i>	1		
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)	J		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (<i>EU</i> : <i>Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000)</i>	7		
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)	1		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	J		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (EU 76/769/EEC)			~
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in EU 76/769/EEC, amendment 2003/3/EC			V
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (EU 76/769/EEC)			4
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC			4
P2	Batteries			
P2.1*	f hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in <i>91/157/EEC, 93/86/EEC</i>)	7		
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC			7
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)			I
P3	Electrical safety, EMC and connection to the telephone network			
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety. (73/23/EEC & 93/68/EEC)	Л		
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20th 2007.	7		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC).			7
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC).	Л		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			7
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC).			4
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.			7
P5	Product packaging			
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).	4		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC).		J	
P5.3*	The product packaging material is free from CFC/HCFC.		1	
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.	4		

Model number *	ELPDC21		
Issue date *	March 31, 2016	Logo	EPSON EXCEED YOUR VISION

Product	envi	ronmental	attrib	utes - Market requir Requiren		Environmental conscious design				
Item	*=m	nandatory to	fill in.	Additional information	on regard	ing each item may be found under P1	4.	Yes	No	n.a.
P7	Des Disa	ign assembly, r	ecycl	ing						
P7.1*	Parts that have to be treated separately are easily separable.							J		
P7.2*	Plas	tic materials	s in co	overs/housing have no	o surface	coating.		1		
P7.3*	Plas	tic parts >10	00g co	onsist of one material	l or of eas	sily separable materials.		1		
P7.4*	Plas	tic parts >2	5g hav	ve material codes acc	cording to	ISO 11469 referring ISO 1043.		4		
P7.5	Plas	tic parts are	free	from metal inlays or h	have inlay	s that can be removed with commonl	y available tools.		1	
P7.6*	Labe	els are easil	y sepa	arable. (This requirem	ment does	not apply to safety/regulatory labels)		1		
	Pro	duct lifetim	е							
P7.7*	Upg	rading can b	oe dor	ne e.g. with processor	or, memor	y, cards or drives.				4
P7.8*	Upg	rading can b	oe dor	ne using commonly av	vailable t	ools.				J
P7.9.	Spa	re parts are	availa	able after end of produ	luction for	: 6 years				
P7.10	Serv	/ice is availa	ble at	fter end of production	n for:	6 years				
	Mat	erial and su	ıbstaı	nce requirements						
P7.11*	Proc	duct cover/h	ousing	g material type:						
	Mate	erial type: F	PC+A	BS	Materia	l type: Ma	aterial type:			
P7.12*						are halogen free (including PVC).			1	
P7.13*						are halogen free (including PVC)			1	
P7.14				tic parts >25g are ha				1		
P7.15				ds (without compone					1	
P7.16		mical specif	icatio			/ housing plastic parts >25g accordir	ng ISO 1043-4:	7		
P7.17	FR(40) Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: FR(15)							7		
P7.18	Wei	ght of recycl	led ma	aterial in plastic parts	s is	0 kgs				
P7.19	Plastic parts >25g are free from flame retardant substances/preparations above 0.1% classified as R45/46, R50/51/53 and R60/61 (67/548/EEC).								4	
P7.20	Ligh	t sources ar	e free	from mercury.				4		
P 4			ea spe	ecify: Number of lamp	ps:	and max. mercury content per	lamı mg			
P8		eries								
P8.1*						dous according to 91/157/EEC.		Л		
P8.2*		ery chemica				*				
P8.3				quirements of the follo	owing vol	untary program/s: 0				J
P9		rgy consum								
P9.1						consumptions have been measured:				
Mode	F *	Power level a	at Volts	Time (s) to <mode></mode>	> Mod	le description		Referer Standar		n.a.
On-max			W		*			*		4
On-norma	I	* 13	W	to	*	Default mode		* ISO	/IEC 21	18
On-idle			W	to	*			*		1
Save 1		* 0.5	W	to	* (Standby mode		* ISO	/IEC 21	18
Save 2	\uparrow		W	to	*			*		1
Off 1		* W to * *				4				
Off 2	W to * *							7		
No load	T	*	W			ernal power supplies/charger plugged the product	in but disconnected	*		4
TEC	+	*	k\۸	I ∕h/y Typical Energy C				*		J
P9.2*	Info	mation abov		energy save function				1		
P9.2 P9.3						ollowing voluntary program/s:		4		
F 9.3	ENE	RGY STAR				onowing voluntary program/s.				√

Model number *	ELPDC21		
Issue date *	March 31, 2016	Logo	EPSON EXCEED YOUR VISION

Produc	t environmenta	l attributes - Market requireme	ents (continue	d) Requirement me	t				
Item	*=mandatory t	o fill in. Additional information re	egarding each i	tem may be found ur	nder P14.	Yes	No	n.a.	
P10	Emissions								
	Noise emissio	n – Declared according to ISO	9296						
P10.1	Mode	Mode description		Declared		Declared A-weighted			
				A-weighted	sound pressure level L_{pAm} (dB)				
				sound power level L _{WAd} (B)	Operator position	ator position Bystander position			
]		
					Desktop	(only if produ		t	
					or Deskside	operator atte	nded)		
	Idle	*		* В	dB				
	Operation	*		* В	dB				
	Other mode			В	dB				
	Measured acco	-							
		☐ Other			74 with L _{pAm} measure			n)	
P10.2		eets the acoustic noise requiren		owing voluntary prog	ram/s:			7	
		ssions from printing products							
P10.3*	•	according to ECMA-328 stand		ner specify:					
D / 0 /	The test covers		Styren						
P10.4		eets the chemical emission requ	uirements of the	e following voluntary	progran			4	
D 40 5	Electromagne				<u></u>				
P10.5		lay meets the requirement for lo	ow frequency el	ectromagnetic fields	of the following volunt	tary 🛛		4	
	program/s:								
P11		materials for printing products							
P11.1*	(see P4.3).	ety Data Sheet (MSDS) is availa		toner preparation, ev	en if not legally requir	ed 🗌		7	
P11.2*	Paper containir	ng recycled fibres that meets the	e requirements	of EN12281 can be	used.			٢	
P11.3*		<) printing/copying is an integrated	ed product fund	ction.				4	
P12		or computing products							
P12.1*		system meets the ergonomic re 406-2 for flat panel displays.	quirements of E	EN 29241-3, -7, -8 fo	r CRT displays			7	
P12.2*	The product ke	yboard meets the requirements	of ISO 9995 a	nd EN 29241-4.				J	
P12.3*		input device meets the requirem						4	
P13	Packaging and	d documentation							
P13.1*	Product packag	ging material type(s): Corrugate	ed Fibreboard	weight (kg)	0.481	4			
	Product packag	ging material type(s): PE		weight (kg)	0.0047				
	Product packa	ging material type(s): Foamed I	PE	weight (kg)	0.035				
P13.2*	Product plastic	packaging is halogen free (incl	uding PVC)			4			
P13.3*	User and produ	uct documentation do not contai	in chlorine blea	ched paper			1		
P13.4*	User and produ	uct documentation contain recyc	cled paper			1			
P14	Additional info	ormation							
P7	Product main body is recyclable. □ <65% ≤ ☑								
							-		

NOTE

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.