

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	EPSON	Logo
Company name *	Seiko Epson Corporation	FROON
Contact information *	EPSON Europe B.V.	EPSON
e-mail address	environment@epson.eu	
Internet site *	http://www.epson.com	
Additional information		

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Ink-Jet Multiple Function Printer						
Commercial name *	EM-C8101						
Model number *							
Issue date *	5/1/2025						
Intended market *	🗌 Global 🛛 Europe 🔄 Asia, Pacific & Japan 🗌 Americas 📃 Other						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Annex B1 of EMCA-370 6th edition, Corrigendum December 2019

Model	number * EM-C8101 Logo			
Issue c		EPS	SON	J
		LFU		
	t environmental attributes - Legal requirements	Require		
Item		Yes	No	n.a.
	lazardous substances and preparations	5.7		
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)			
P1.2*	Products do not contain Asbestos (see legal reference).	\mathbf{X}		
	Comment: Legal reference has no maximum concentration value.			
	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\mathbf{X}		
P1.3*	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated			
P1.4*	terphenyl (PCT) in preparations (see legal reference).	\mathbf{X}		
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in	\mathbf{X}		
	the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5			\mathbf{X}
1.0	mg/cm²/week (see legal reference).			
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\mathbf{X}		
_	http://www.epson.com			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal	_	_	
FZ.1	symbol. Information on proper disposal is provided in user manual. (See legal reference)			\mathbf{X}
	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See			
P2.2*	legal reference)			\mathbf{X}
P2.3*	Batteries and accumulators are readily removable. (See legal reference)			X
P3	Conformity verification & Eco design (ErP)			<u> </u>
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	X		
	The Declaration of Conformity can be requested at (add link or e-mail address): https://www.epson.	eu/confor	mity	
P3.2*	The product complies with the Eco design Requirements for Energy-Related Products,	X		
	(see legal reference).			
	Required information is; given in item P15 or added to this document,	\mathbf{X}		
	X available at (add URL): http://www.epson.com			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater			X
	than 0,01% (see legal reference and NOTE B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see			
	legal reference)			
	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to	\mathbf{X}		
P4.3*	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available			
	(see legal reference).			
P5	Product packaging			
	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and	\mathbf{X}	-	
P5.1*	hexavalent chromium by weight of these together.			
DE 0*	The packaging materials are marked with abbreviations and numbers indicating the nature of the		\mathbf{X}	
P5.2*	material(s) used (see legal reference).		₩.M	
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal	X		
	Protocol (see legal reference).		_	-
P6	Comment: Legal reference has no maximum concentration values. Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).		_	-
P 0.1				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model r	number *	EM-C8101				Logo		-	
Issue d	ate *	5/1/2025					EPS	ON	
								1999 (m. 19	2
			requirements (See G	ieneral Note G	N below)		Dee		
	vironmental con		ormation regarding ea	ah itam may ha	found under D1	4	Yes	No	ent me
Item P7	Design		ormation regarding ear	ch item may be		4.	res	INO	n.a.
F/	Disassembly,	recycling							
P7.1*		<u> </u>	ately are easily separa	ble					
P7.2*		!	have no surface coatil						
P7.3*		0	material or of easily s	0	iale				
P7.4*		<u> </u>	odes according to ISC	1					
P7.5		<u> </u>	ays or have inlays that		0	ly available tools			
P7.6*			equirement does not a			,	<u>s.</u>		
F1.0	Product lifetin	<u> </u>	equilement does not a	apply to salety/it	eguiatory labels).			
P7.7*			ocessor, memory, car	do or drivoo					
P7.8*		be done using comr		us of unives					
P7.8 P7.9.	10 0	0	,	40					
P7.9. P7.10		e available after end		,	ears				
P7.10		lable after end of pro		10 year	s				
P7.11*		substance requirem							
P7.11		• •	e (e.g. plastics, metal,	,					
D7 40	Material type:	ABS	Material typ		Mate	erial type:			
P7.12			trical cables are PVC					X	
P7.13			trical cables are PVC f					\mathbf{X}	
		0 1	> 25 g contain no more	,	U ()				
P7.14			ttributable to brominate						
			ht (3000 ppm) bromine		ght (3000 ppm)	chlorine in parts			
	containing mor	e than 25% post-con	nsumer recycled conte	nt.					
P7.15	Printed circuit b	boards, PCBs (witho	ut components) are lo	w halogen: all	🔀 PCBs >	25 g 📋 🛛 are		X	
	low halogen as	defined in IEC 6124	9-2-21. (See NOTE E	32)					
P7.16	Flame retarded	d plastic parts > 25 g	in covers / housings a	re marked acco	ording ISO 1043	-4:			X
	Marking:								
P7.17	Alt. 1: Chemica	al specifications of fla	ame retardants in print	ed circuit board	s > 25 g (withou	t components):			
	TBBPA (additiv	ve 🗖 ,TBBPA (reac	tive) 🗖 (See N	NOTE B3), Oth	er; chemical nar	m∉ , CAS #:			П
	,		, 1						
	Alt O. Chamian	al ana sifications of fle	una ratardanta in print	ad aircuit baard	a (with aut a ama	$a_{nanta} > 2E \sigma$			
	Alt. 2: Chemica	al specifications of fla	ame retardants in print	ed circuit board	s (without comp	onents) > 25 g			
	according ISO	1043-4:							
P7.18	Alt. 1: Flame re	etarded plastic parts	> 25 g contain the following the followin	owing flame retain	ardant substance	es/preparations	in		
F1.10	concentrations	above 0,1%:							
	1. Chemical na	ame:	, CAS #:	(See NOTE B4)				
	2. Chemical na	ame:	, CAS #:		"				
	3. Chemical na	ame:	, CAS #:		"				
	Alt 2. Chomics	al energifications of fir	ame retardants in plast	ic parts > 25 a	according ISO 1	043-4.	_	_	_
P7.19			ant substances/prepar	· · ·			<u> </u>		
11.19						ion nave been			
	•	ollowing Risk phrases		and Hazard sta	iternerits.	(See NOT			
	The source(s)	ior mese classificatio	ons is/are found at (ad	u urkl(s)):		(See NOT	E D0)		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

	umber *		-C8101			L	.ogo				
Issue da	ate *	5/1	/2025						EP(50	Ν
								8			
-									_		
	t environmenta	l attri	outes - Market requirem	ents (continued)							ent met
Item			•••••••••••••••••••••••••••••••••••••••	C					Yes	No	n.a.
D7 20*			ance requirements (cor			DC)					
P7.20*	Posiconsume	гесус	cled plastic material conte	ent is used in the prod	uci (See NOTE	DO):			\mathbf{X}		
	If VES: at leas	tone	of the two alternatives be	low shall be answered	ł.						
			arts' weight > 25 g, the po			content					
			percentage of total plastic		70						
	or		r								
		t of red	cycled material is 8,7	34.0 g.							
	, 5		,	5							
P7.21*	Biobased plas	tic ma	terial content is used in t	he product (See NOTI	E B7):					X	
	If YES; at leas	st one	of the two alternatives be	low shall be answered	ł;						
	a) Of total pla	istic pa	arts' weight > 25 g, the bi	obased plastic materia	al content						
	(calculated	l as a	percentage of total plasti	c by weight) is	%.						
	or										
			e biobased plastic materi								
P7.22*	0		e from mercury, i.e. less	, 0 1					\mathbf{X}		
		sed sp	pecify: Number of lamps:	and maxi	mum mercury o	content pe	r lam	mg			
P8.1*	Batteries										
Po. 1 P9	Battery chemi		on (See NOTE B8)								
P9.1		<u> </u>	following power levels or	onorgy consumptions	are reported:						
			Power level at	Power level at	Power level at	Refe	erence/St	andard f	nr ener	av mo	des
Energy n	mode *		100 V AC	115 V AC	230 V AC		test meth			gymo	405
Sleep m	ode for ENERG										
	Operational Mo		W	w	0.9	e w					
(OM) pro	oducts										
Standby	off mode for										
	Y STAR Operat	ional	W	w	0.1	1 w					П
	OM) products										
Typical E	EC products (TI	=0=	kWh/week	kWh/week	kWI	n/week					\mathbf{X}
Consum	untion)										
TEC valu	ue(OM produc	t)	kWh/week	kWh/week	0.24 kWI	n/week					
			W	W		w					
L			W	w		w					
			W			w					
			W	w		w					
			W	w	N 4	w					
			w ncy Level (International E	w fficiency Marking Prot		w					X
Print/Sca	an Speed * :	26	w ncy Level (International E images per minute	w fficiency Marking Prot mono	ocol) * : chrome	W					
Print/Sca	an Speed * : time to enter ene	26 ergy sa	w ncy Level (International E images per minute	w fficiency Marking Prot mono minutes	chrome	w					X

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model n	umber *	EM-C8101					Logo				-
Issue date *		5/1/2025						EPSON			
										-	
	environmental a	<mark>attributes - Market req</mark>	uirements (con	itinued)							ent met
Item P10	Emissions							<u> </u>	Yes	No	n.a.
FIU		n – Declared according	a to ISO 0206 /S								
P10.1	Mode	Mode description	y to 130 9296 (3		,	l upper limit A-w	oighted soup	d power l	ovol		
1 10.1	Mode				L _{WAC} (B)		eighted sound		ever	,	
	Idle	* Idoling				audible					
	Operation	* Operation			*	6.8					
	Other mode										
	Measured acco	rding to: 🔀 ISO 77	79		MA-74						
		-	(only if not cove								
	Chemical emis	sions from printing pr	oducts (See NO	OTE B10))						
P10.2*	Test performed	according to ECMA-32	8 Determination	of Chemi	ical Emis	sion Rates from			X		
	Electronic Equip	pment (ISO/IEC 28360)	🔲 , otl	her specit	fy: DE-U2	Z219					
P10.3	Typical emissio	n rate (operation phase) is (mg/h):								
		aphic devices: Ozon	Dust		rene	Benzene	TVOC				
	Ink devices:		Dust	Sty	rene	Benzene	TVOC				
D 44	·	nce with maximum emis		o labels to	o be decla	ared in P14.					
P11		naterials for printing p				if a st la selle se	nuine d (e e e D	4.0)			
P11.1*		Sheet (SDS) is available				<u> </u>		, ,	X		
P11.2*	EN 12281.	g post-consumer recycl	ed libers can be	used, pro		at it meets the re	equirements c		X		
P11.3*	2-sided (duplex) printing/copying is an i	ntegrated produ	ct functio	n.				X		
P11.4*	The product is o	delivered to end-user wi	th default auto-d	luplex ena	abled.					\mathbf{X}	
P13	Packaging and	l documentation									
P13.1*		ing material type(s):	Wood			t (kg): 9.32					
		ing material type(s):	Corrugated F	ibreboar							
		ing material type(s):	Foamed PS		weigh	t (kg): 1.04					
P13.2*		primary packaging is fre					r		X		
P13.3*		nary corrugated fiberboa	1 0 0	specity the		ed percentage of	ſ				
P13.4*	I	consumer recovered fibe or user and product doc			%						
F 13.4		, Paper 🔀 🛛 , C		UUX).							
P13.5		mplete this item if paper		used)							
1 10.0	. ,	ct documentation on pa			ź.						
	If Yes, please s			01110 1100							
	Totally chlorine-free										
	Elemental chlor										
	Processed chlo	rine-free									
P14	Voluntary prog	jrams:									
P14.1	The product me	ets the requirements of	the following vo	luntary pr	rogram(s)):					
	ENERGY STAF	R® Criteria version:		Date:		Product catego	ry:				
	Eco-label:	Criteria version:		Date:		Product catego	ry:				
1	Eco-label:	Criteria version:		Date:		Product catego	ry:				

Annex B1 of EMCA-370 6th edition, Corrigendum December 2019

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm. NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number * Issue date *	EM-C8101 5/1/2025	Logo	EPSON					
	Product environmental attributes - Market requirements (concluded) Requirement met							
P15 Additional info	ormation (See NOTE B11)							

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *	P1.1, P4.1, P3.1
* Specific exemptions apply for certain products and applications.	
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation) Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC)	P3.1, P3.2, P9.1
No 642/2009 with regard to ecodesign requirements for televisions Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	