

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	EPSON	Logo
Company name *	Seiko Epson Corporation	FDCCN
Contact information *	EPSON Europe B.V.	EPSON
e-mail address	environment@epson.eu	
Internet site *	http://www.epson.com	
Additional information		

The company declares (I	pased on product specification or test results based obtained from sample testing), that the product					
conforms to the stateme	conforms to the statements given in this declaration.					
Type of product *	Ink-Jet Multiple Function Printer					
Commercial name *	EM-C7100					
Model number *	EM-07100					
Issue date *	30/09/2024					
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

Model number *	EM-C7100	Logo	
Issue date *	30/09/2024		EPSON
			Section with the

Prod	luct environmental attributes - Legal requirements	Require	ment	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1	* Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	X		
P1.2	* Products do not contain Asbestos (see legal reference).	X		
	Comment: Legal reference has no maximum concentration value.			
	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	×	П	
D 4 0	hydrohromofluorocarbons (HBEC) hydrochlorofluorocarbons (HCEC) Halons, carbontetrachloride		ш	
P1.3	1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no			
	maximum concentration values.			
54.4	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	×	П	
P1.4	terphenyl (PCT) in preparations (see legal reference).		ш	
D4 5	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms	X		
P1.5	in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
D4 0	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5	П	П	X
P1.6	mg/cm²/week (see legal reference).		ш	
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7	* REACH Article 33 information about substances in articles is available at (add URL or mail contact):	X		
	http://www.epson.com			
P2	Batteries			
P2.1	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the			X
D0.0	disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See)		
P2.2	legal reference)			X
P2.3	, , , , , , , , , , , , , , , , , , , ,			X
P3	Conformity verification & Eco design (ErP)			
P3.1				
	The Declaration of Conformity can be requested at (add link or e-mail address) https://www.epson.e			
P3.2	7	\boxtimes		
	(see legal reference).	_		
	Required information is; given in item P15 or added to this document,	\boxtimes		
P4	Consumable materials If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level			
P4.1				\times
P4.2	reater than 0.01% (see legal reference and NOTE B1). If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight	X		
	(see legal reference)			
	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled	\boxtimes		
P4.3	according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these			
	requirements is available (see legal reference).			
P5	Product packaging			
	Packaging and packaging components do not contain more than U.11% lead, mercury, cadmium and	15.78		
P5.1	hexavalent chromium by weight of these together. The packaging materials are marked with abbreviations and numbers indicating the nature of the	×		
P5.2			\times	
P5.3	material(s) used (see legal reference). The product packaging material is free from ozone depleting substances as specified in the Montreal	\boxtimes	П	
1 3.3	Protocol (see legal reference).		Ш	
DC	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information	E 20		
P6.1	* Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	EM-C7100	Logo	EDOON
Issue date *	30/09/2024		EPSON
			A STATE OF THE STA

Produc	t environmental attributes - Market requirements (See General Note GN below)			
	vironmental conscious design	Regu	ireme	nt met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design			
	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	X	П	П
P7.2*	Plastic materials in covers/housing have no surface coating.	X	П	П
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	X	П	П
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	X		П
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	X		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	X		
P7.8*	Upgrading can be done using commonly available tools	X		
P7.9.	Spare parts are available after end of production for: 10 years			
P7.10	Service is available after end of production for: 10 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: ABS Material type: Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		X	
P7.13	Insulation materials of internal electrical cables are PVC free.		X	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	X		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: ⟨∑ PCBs > 25 g ☐ are low halogen as defined in IEC 61249-2-21. (See NOTE B2)		X	
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			X
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
F7.17	TBBPA (additive, TBBPA (reactive) (See NOTE B3), Other; chemical name, CAS #:			
	Tobi A (additive [], Tobi A (reactive) [] (See NOTE 53), Other, Chemical hame , CAS #.			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant			
7.10	substances/breparations in concentrations above 0.1%: 1. Chemical name: , CAS #: (See NOTE B4)			
	2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			
	assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): (See NOTE B5)		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	EM-C7100	Logo	
Issue date *	30/09/2024		EPSON

Product	environmental attri	butes - Market requi	rements (continued)				Regu	iireme	nt met
Item		<u> </u>					Yes	No	n.a.
	Material and subst	ance requirements	(continued)						
P7.20*	Postconsumer recy	cled plastic material c	content is used in the	product (Se	e NOTE	B6):	X		
	If YES; at least one	of the two alternative	s below shall be ansv	vered;					
	of total plastic p	arts' weight > 25 g, th	ne postconsumer recy	cled plastic	material	content			
		percentage of total pl		/0					
	or								
	b) The weight of re	cycled material is ###	### g.						
P7.21*	Biobased plastic ma	aterial content is used	in the product (See I	NOTE B7)·			П	X	П
1 7.21	Diobassa piastis iii		als product (cos .	10.22.			Ш		Ш
	If YES; at least one	of the two alternative	s below shall be ansv	vered;					
	a) Of total plastic p	arts' weight > 25 g, th	ne biobased plastic m	aterial cont	ent				
	(calculated as a	percentage of total pl	astic by weight) is	%.					
	or								
		e biobased plastic ma							
P7.22*	-	ee from mercury, i.e.	~	-			\boxtimes		
	<u> </u>	pecify: Number of lan	nps: and maxi	mum mercı	iry conte	nt per lamբ mg			
P8 P8.1*	Batteries								K ZI
P8.1"	Battery chemical co								X
P9.1	Energy consumpti	following power levels	e or energy consumpt	tions are re	norted:				
		Power level at	Power level at	Power leve		Reference/Standard	for ener	av mo	des and
Energy m	node *	100 V AC	115 V AC	230 V AC	Ji ut	test method *	ioi ciici	gy illo	aco ana
Sleep mo	ode for ENERGY								
	Operational Mode	w	w		1.0 w				
(OM) pro	ducts								_
Standby/	off mode for								
	STAR Operational	W	w		0.1 W				
Mode (O	M) products								
	C products (TEC=								
Typical E	. ,	kWh/week	kWh/week		kWh/week				X
Consumr	e (OM product)	kWh/week	kWh/week	0.16	kWh/week				
TEC Valu	le (Olvi product)	KWII/Week W	KWII/Week W	0.10	W W				
		W	W		W				
		w	w		W				
		W	W		W				
		W	W		W				
		ncy Level (Internation	al Efficiency Marking	Protocol)					×
Print/Sca	n Speed * : 25	images per minu	te mono	chrome					
	me to enter energy s		minutes						X
P9.2*	Information about the	ne energy save function	on is provided with the	e product.			\boxtimes		

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

N
1

Product	environmental a	attributes - Market rec	quirements (co	ntinued)			Rea	uirem	ent met
Item			junionionio (oc				Yes	No	n.a.
P10	Emissions								
	Noise emission	n - Declared accordin	ig to ISO 9296	(See NOTE BS	3)				
P10.1	Mode	Mode description	<u> </u>		al upper limit A-wei	ghted sound pov	ver level,		
		<u>'</u>		L _{WA,c} (B)					
	Idle	* Idoling			audible				
	Operation	* Operation		*	6.7				
	Other mode								
	Measured according to: ISO 7779 □ ECMA-74								
		Other (only if not cover		' 4)				
	Chemical emissions from printing products (See NOTE B10)								
P10.2*		according to ECMA-32	•		Emission Rates fro	om	X		
	Electronic Equip	oment (ISO/IEC 28360)) 🔲 , other	specify: DE-U	Z219				
P10.3	Typical emission	n rate (operation phase	e) is (mg/h):						
									İ
l	Electrophotogra	phic devices: Ozo	Dust	Styrene	Benzene	TVOC			
	Ink devices:		Dust	Styrene	Benzene	TVOC			
				-					_
	NOTE: compliar	nce with maximum emi	ssion rates in e	co labels to be	declared in P14.				
P11	Consumable m	aterials for printing p	products						
P11.1*	A Safety Data S	Sheet (SDS) is available	e for the ink/ton	er preparation,	even if not legally	required (see P	4.3 🔀		
P11.2*	Paper containing	g post-consumer recyc	led fibers can b	e used, provid	ed that it meets th	e requirements	X		
	of EN 12281.								
P11.3*	2-sided (duplex)) printing/copying is an	integrated prod	luct function.			X		
P11.4*	The product is d	delivered to end-user w	ith default auto-	-duplex enable	d.			X	
P13	Packaging and documentation								
P13.1*		ing material type(s): V		-	nt (kg): 8.82				
	Product packagi	ing material type(s): C	orrugated Fibr	reboard weigh	ıt (kg): 3.91				
		ing material type(s): P		weigh	nt (kg): 1.03				
P13.2*		primary packaging is fr					X		
P13.3*		nary corrugated fiberbo		. ,	ntained percentag	e of			
		consumer recovered fib		80 %					
P13.4*		or user and product do	`	ck box):					
		,Paper 🔀 ,Otl							
P13.5	•	mplete this item if pape		,					
	•	ct documentation on pa	aper media is cl	nlorine-free:					
	If Yes, please sp	. ,							
	Totally chlorine-free								
	Elemental chlori								
	Processed chlor			_					
P14	Voluntary prog								
P14.1		ets the requirements o	_						
	ENERGY STAR	R® Criteria version	1: D	Date:	Product category	<i>t</i> :			
	Eco-label:	Criteria versior	1: D	Date:	Product category	<i>t</i> :			
	Eco-label:	Criteria versior	n: D	Date:	Product category	<i>l</i> :			

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	EM-C7100	Logo	EDOON
Issue date *	30/09/2024		EPSON

Product	Product environmental attributes - Market requirements (concluded) Requirement met			
P15	P15 Additional information (See NOTE B11)			

Legal references Europe Annex B1	
Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *	P1.1, P4.1, P3.1
* Specific exemptions apply for certain products and applications.	
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation) Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2, P9.1
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	