

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	EPSON	Logo
Company name *	Seiko Epson Corporation	FROOM
Contact information *	EPSON Europe B.V.	EPSON
e-mail address	environment@epson.eu	
Internet site *	http://www.epson.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Ink-Jet Printer					
Commercial name *	EP-C800					
Model number *	EF-0800					
Issue date *	04/07/2024					
Intended market *	🗌 Global 🛛 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

Model number *	EP-C800	Logo	
Issue date *	04/07/2024		EPSON

Produ	ct environmental attributes - Legal requirements	Require	ment	met
tem		Yes	No	n.a.
21	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	X		
P1.2*	Products do not contain Asbestos (see legal reference).	X		
	Comment: Legal reference has no maximum concentration value.			
	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	X		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1			
P1.3*	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
	Products do not contain more than: 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated	X		
P1.4*	terphenyl (PCT) in preparations (see legal reference).			
	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in		_	
P1.5*	the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5	_	_	X
P1.6*	mg/cm ² /week (see legal reference).			
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	X		
	http://www.epson.com	H. H		
P2	Batteries			
- 2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal			57
-2.1	symbol. Information on proper disposal is provided in user manual. (See legal reference) Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See			X
P2.2*	legal reference)			\mathbf{X}
P2.3*	Batteries and accumulators are readily removable. (See legal reference)			X
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference	e). 🔀		
	The Declaration of Conformity can be requested at (add link or e-mail address): https://www.epson.eu	· _		
> 3.2*	The product complies with the Eco design Requirements for Energy-Related Products,	X	Π	
	(see legal reference).	17		
	Required information is;	X		
	available at (add URL): http://www.epson.com	R. A		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level	_		
-4.1	greater than 0.01% (see legal reference and NOTE B1). If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight			X
P4.2*	(see legal reference)	\mathbf{X}		
	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which	X		
	there are Community workplace exposure limits, the product/packaging is adequately labeled according			
P4.3*	to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is			
	available (see legal reference).			
9 5	Product packaging			
- -5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and	X		
-5.1	hexavalent chromium by weight of these together. I he packaging materials are marked with abbreviations and numbers indicating the nature of the			
°5.2*			\mathbf{X}	
⊃5.3 *	material(s) used (see legal reference). The product packaging material is free from ozone depleting substances as specified in the Montreal	X		
0.0	Protocol (see legal reference).			
20	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\mathbf{X}		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	EP-C800	Logo	
Issue date *	04/07/2024		EPSON

	t environmental attributes - Market requirements (See General Note GN below) vironmental conscious design	Rea	Jireme	ent met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design			
	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	X		
P7.2*	Plastic materials in covers/housing have no surface coating.	X		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	X		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	X		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).			
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	X		
P7.8*	Upgrading can be done using commonly available tools	X		
P7.9.	Spare parts are available after end of production for: 10 years			
P7.10	Service is available after end of production for: 10 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: ABS Material type: PS-HI Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		X	
P7.13	Insulation materials of internal electrical cables are PVC free.		X	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	X		
D7.45			R A	
P7.15	Printed circuit boards, PCBs (without components) are low halogen: al 🔀 PCBs > 25 g 📋 are		X	
D7.40	low halogen as defined in IEC 61249-2-21. (See NOTE B2) Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:			
P7.16				\mathbf{X}
D7 47	Marking:			
P7.17	<u>Alt. 1:</u> Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):	_	_	_
	TBBPA (additive \Box , TBBPA (reactive) \Box (See NOTE B3), Other; chemical name , CAS #:			
	<u>Alt. 2:</u> Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations			
	in concentrations above 0.1%: 1. Chemical name: , CAS #: (See NOTE B4)			
	2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "			
	<u>Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4</u>			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			
	assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): (See NOTE B5	5)		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model n	umber *	EP	-C800			Logo				
lssue da	ite *	04/	07/2024			_	E	EP,	SO	N
							No.			199
Product	environmental	attril	outes - Market requi	rements (continued)				Rog	iromo	nt met
Item	environmental	aun	Sules - Market Tequi	ements (continued)				Yes	No	n.a.
	Material and s	subst	ance requirements (continued)						
P7.20*	Postconsumer	recyc	cled plastic material co	ontent is used in the p	roduct (See NOTE E	36):		X		
				below shall be answe		antant				
			percentage of total pla	e postconsumer recyc		content				
	or	as a	percentage or total pla	astic by weight) is						
		of red	cycled material is 3,44	45.0 g.						
	2) 1110 Hoight	00		9.						
P7.21*	Biobased plast	tic ma	terial content is used	in the product (See N	OTE B7):				X	
	,			below shall be answe	,					
				e biobased plastic ma						
	,	as a	percentage of total pla	astic by weight) is	%.					
	or b) The weight	of the	e biobased plastic ma	torial is a						
P7.22*	, 0			terial is g. ess than 0,1 mg/lamp.				X		
	-		pecify: Number of lam		mum mercury conte	nt per lamr	mg			
P8	Batteries		,		,	<u> </u>				
P8.1*	Battery chemic	cal co	mposition:							\mathbf{X}
P9			on (See NOTE B8)							
P9.1	For the produc	t the		or energy consumption						
Energy m	node *		Power level at	Power level at	Power level at	Reference/St		r ener	gy mo	les and
			100 V AC	115 V AC	230 V AC	test method *				
· ·	ode for ENERG Operational Mod		w	w	1.1 w	,				
(OM) pro	•	10								
. ,.	off mode for									
· ·	/ STAR Operation	onal	W	w	0.2 W	,				
Mode (O	M) products									
	le for ENERGY									
	EC products (TE		kWh/week	kWh/week	kWh/week	τ.				\mathbf{X}
	Energy Consump				0.40					
TEC valu	ue (OM product)	kWh/week	kWh/week W	0.16 kWh/week					
			W	w						
			W							
<u> </u>			W							
			W	W	w	1				
External	Power Supply E	fficier	ncy Level (Internationa	al Efficiency Marking F	Protocol) *					X
Print/Sca	an Speed * :	25	images per minut	e mono	chrome					
	me to enter ene			minutes						X
P9.2*	Information ab	out th	e energy save functio	n is provided with the	product.			X		

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	EP-C800	Logo	
Issue date *	04/07/2024		EPSON

Product	t environmental a	attributes - Market rec	quirements (c	continued)				Req	uirem	ent met
ltem								Yes	No	n.a.
P10	Emissions									
	Noise emission	n – Declared accordin	ng to ISO 9296	6 (See NOT	TE B9)					
P10.1	Mode	Mode description		Sta	atistical u	ıpper limit A-wei	ghted sound power	level,		
				Lw	∕ A,c (B)					
	Idle	* Idoling		*	Inau	dible				
	Operation	* Operation		*		6.7				
	Other mode									
	Measured accor	ding to: 🛛 🔀 ISO 777	' 9	🗆 ECMA	-74					
		🗌 Other (only if not cove	ered by ECI	MA-74)					
	Chemical emiss	sions from printing p	roducts (See	NOTE B10	D)					
P10.2*	Test performed	according to ECMA-32	28 Determinati	on of Chem	nical Emi	ssion Rates fror	n	X		
	Electronic Equip	ment (ISO/IEC 28360)) 🔲 , oth	er specify:	DE-UZ2	219				
P10.3	Typical emissior	n rate (operation phase	e) is (mg/h):							
	Electrophotogra	phic devices: Ozc	Dust	Styren	ie	Benzene	TVOC			
	Ink devices:		Dust	Styren	ie	Benzene	TVOC			
	NOTE: compliar	nce with maximum emi	ission rates in	eco labels t	to be dec	clared in P14.				
P11	Consumable m	aterials for printing p	products							
P11.1*	A Safety Data S	heet (SDS) is available	e for the ink/to	ner prepara	ition, eve	en if not legally r	equired (see P4.3).	X		
P11.2*	Paper containing	g post-consumer recyc	led fibers can	be used, p	rovided t	hat it meets the	requirements of	X		
F 11.Z	EN 12281.									
P11.3*	2-sided (duplex)	printing/copying is an	integrated pro	oduct functio	on.			X		
P11.4*	The product is d	lelivered to end-user w	ith default auto	o-duplex en	abled.				X	
P13		documentation								
P13.1*	Product packagi	ing material type(s): C	corrugated File	breboard	weight (kg): 2.85				
	Product packagi	ing material type(s): F	oamed PS		weight (kg): 0.34				
	Product packagi	ing material type(s): P	PE		weight (kg): 0.20				
P13.2*		primary packaging is fr						X		
P13.3*	• •	nary corrugated fiberbo				ned percentage	of			
		onsumer recovered fib		80	%					
P13.4*		or user and product do	•	tick box):						
		, Paper 🔀 🛛 , Otl								
P13.5		nplete this item if pape		,						
	•	ct documentation on pa	aper media is o	chlorine-fre	e:					
	lf Yes, please sp									
	Totally chlorine-									
	Elemental chlori									
	Processed chlor	ine-free								
P14	Voluntary prog									
P14.1	The product me	ets the requirements o	f the following	voluntary p	orogram(s):				
	ENERGY STAR	® Criteria versior	1:	Date:	P	Product category				
	Eco-label:	Criteria versior	ו:	Date:	F	Product category	:			
	Eco-label:	Criteria versior	ו:	Date:	P	Product category	r:			

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see\ http://www.ecma-international.org/publications/standards/Ecma-370.htm.$

NOTE B10 A Guidance document on Chemical Emissions is available;

 $see\ http://www.ecma-international.org/publications/standards/Ecma-370.htm.$

Model number *	EP-C800	Logo	
Issue date *	04/07/2024		EPSON
			Franciscome Frank Barrowski
Product environmental	attributes - Market requirements (concluded) Requirement met		
P15 Additional info	rmation (See NOTE B11)		

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *	P1.1, P4.1, P3.1
* Specific exemptions apply for certain products and applications.	
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation) Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power	P3.1, P3.2, P9.1
consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	