

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	EPSON	Logo
Company name *	Seiko Epson Corporation	FDCCN
Contact information *	EPSON Europe B.V.	EPSON
e-mail address	environment@epson.eu	
Internet site *	http://www.epson.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Type of product * Scanner			
Commercial name *	ES-C380W			
Model number *	E3-0300W			
Issue date *	02/06/2023			
Intended market *	☐ Global 🔀 Europe 🔲 Asia, Pacific & Japan 🔲 Americas 🔲 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

Model number *	ES-C380W	Logo	
Issue date *	02/06/2023		EPSON

Prod	oduct environmental attributes - Legal requirements				
Item		Yes	No	n.a.	
P1	Hazardous substances and preparations				
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	X			
P1.2*	Products do not contain Asbestos (see legal reference).	\boxtimes			
	Comment: Legal reference has no maximum concentration value.				
	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	X	П		
P1.3*	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride,				
1 1.5	1, 1, 1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no				
	maximum concentration values.				
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	\boxtimes			
	terphenyl (PCT) in preparations (see legal reference).				
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms	X			
	in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5			\times	
	mg/cm ⁻ /week (see legal reference).				
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.	-			_
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	X			
	http://www.epson.com				
P2	Batteries If the product contains a pattery or an accumulator, the pattery/accumulator is labeled with the				
P2.1*				\times	
P2.2*	disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See		П	X	_
P2.3*	legal reference) Batteries and accumulators are readily removable. (See legal reference)			X	_
P3	Conformity verification & Eco design (ErP)				
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference	ce). 💢	П	П	
0.1	The Declaration of Conformity can be requested at (add link or e-mail address) https://www.epson.er	-	_	Ш	
P3.2*	The product complies with the Eco design Requirements for Energy-Related Products,	<u> </u>	<u>y</u>	П	-
0.2	(see legal reference).		Ш	Ш	
	Required information is; given in item P15 or added to this document,	×	П	П	
	available at (add URL): http://www.epson.com			ш	
P4	Consumable materials				
P4.1*	ir a pnoto conductor (drum, beit etc.) is used in the product, it does not contain cadmium at a level			×	_
	greater than 0.01% (see legal reference and NOTE B1). If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight				_
P4.2*	(see legal reference)			X	
	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which	П	П	X	
D4 2*	there are Community workplace exposure limits, the product/packaging is adequately labeled				
P4.3*	according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these				
	requirements is available (see legal reference).				
P5	Product packaging				
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and	X			
	hexavalent chromium by weight of these together. I ne packaging materials are marked with abbreviations and numbers indicating the nature of the				_
P5.2*	material(s) used (see legal reference). I ne product packaging material is free from ozone depleting substances as specified in the Montreal		X		_
P5.3*	Protocol (see legal reference).	\boxtimes			
	Comment: Legal reference has no maximum concentration values.				
P6	Treatment information				Ī
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	X			
					_

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	ES-C380W	Logo	EDOON
Issue date *	02/06/2023		EPSON

Product	t environmental attributes - Market requirements (See General Note GN below)			
	vironmental conscious design	Regu	ireme	nt met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design	100	110	m.a.
	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	X	П	П
P7.2*	Plastic materials in covers/housing have no surface coating.	X	П	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	X	П	
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	X	П	П
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	П	П	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	X		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	X		
P7.8*	Upgrading can be done using commonly available tools	X		
P7.9.	Spare parts are available after end of production for: 7 years			
P7.10	Service is available after end of production for: 7 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: ABS Material type: Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		X	
P7.13	Insulation materials of internal electrical cables are PVC free.		X	
	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and			
P7.14	0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame			
F7.14	retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm)	\boxtimes		
	chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: ☐ PCBs > 25 g ☐ are		\boxtimes	
	low halogen as defined in IEC 61249-2-21. (See NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:			\boxtimes
	Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive ☐ , TBBPA (reactive) ☐ (See NOTE B3), Other; chemical name: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components)			
	according ISO 1043-4:			
P7.18	Alt. 1: Fiame retarded plastic parts > 25 g contain the following flame retardant			
	substances/preparations in concentrations above 0.1%: 1. Chemical name: , CAS #: (See NOTE B4)	П		П
	2. Chemical name: , CAS #: " (ccc NoTe B4)	Ш	ш	ш
	3. Chemical name: , CAS #: "			
	J. Orientea name.			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			
	assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): (See NOTE B5)			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	ES-C380W	Logo	
Issue date *	02/06/2023		EPSON

Product	environmental attrib	outes - Market requi	rements (continued	I)		Requ	ireme	nt met
Item			•	•		Yes	No	n.a.
	Material and substa	ance requirements	(continued)					
P7.20*	Postconsumer recyc	cled plastic material c	ontent is used in the	product (See NOTE	B6):	X		
		of the two alternative						
		arts' weight > 25 g, th percentage of total pl		ycled plastic material	content			
	or		, , ,					
	b) The weight of red	cycled material is 34	9.0 g.					
P7.21*	Biobased plastic ma	terial content is used	in the product (See	NOTE B7):			X	П
	•			,				
	If YES; at least one	of the two alternative	s below shall be ans	wered;				
	a) Of total plastic pa	arts' weight > 25 g, th	ie biobased plastic m	naterial content				
	,	percentage of total pl	astic by weight) iេ	%.				
	or							
D7 00*		biobased plastic ma						
P7.22*	-	ee from mercury, i.e.	•	•	t nor lower	X		
DO		pecify: Number of lan	nps: and maxir	num mercury conten	t per lamp: mg			
P8 P8.1*	Batteries	mnooition:						\square
P9	Battery chemical cor Energy consumption							
P9.1		following power level	s or energy consumn	tions are reported:				
		Power level at	Power level at	Power level at	Reference/Standard for	enero	ıv mod	es and
Energy m	iode *	100 V AC	115 V AC	230 V AC	test method *		,,	
Sleep mo	de for ENERGY							
STAR® C	Operational Mode	w	w	1.4 W				
(OM) prod								
•	off mode for							
	STAR Operational	W	W	0.1 W				
	M) products							
	e for ENERGY							K 2
	C products (TEC= nergy Consumption)	kWh/week	kWh/week	kWh/week				X
	e (OM product)	kWh/week	kWh/week	kWh/week				X
TEO Valu	c (OW product)	W	W	W				
		W	W	w				
		W	W	W				
		W	W	W				П
		W	W	W				
External F	Power Supply Efficien	cy Level (Internation	al Efficiency Marking	Protocol) VI				
Print/Sca	n Speed * : 60	images per minu	ute					
Default tir	me to enter energy sa		minutes					X
P9.2*	Information about the	e energy save function	on is provided with th	e product.		\boxtimes		

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	ES-C380W	Logo	
Issue date *	02/06/2023		EPSON

Product	environmental a	ttributes - Market re	quirements	(continued)				Req	uirem	ent met
Item								Yes	No	n.a.
P10	Emissions									
	Noise emission	n – Declared accordi	ng to ISO 92							
P10.1	Mode	Mode description		Statist	tical upp	er limit A-we	ighted sound powe	er level,		
				L _{WA,c}	(B)					
	Idle	* Idoling		*	Inaudi	ble				
	Operation	* Operation		*		6.7				
	Other mode									
	Measured accor	ding to: 🔀 ISO 77	′79	□ ECMA-74	1					
		☐ Other	(only if not co	overed by ECN	MA-74)					
		sions from printing p								
P10.2*	Test performed	according to ECMA-3	28 Determina	ation of Chemi	cal Emis	ssion Rates f	rom		X	
	Electronic Equip	ment (ISO/IEC 28360) 🔲 , othe	er specify:						
P10.3	Typical emission	rate (operation phase	e) is (mg/h):							
	Electrophotograp	phic devices: Ozo	Dust	Styrene		Benzene	TVOC			
	Ink devices:		Dust	Styrene		Benzene	TVOC			
	NOTE: complian	nce with maximum em	ission rates i	n eco labels to	be dec	lared in P14.				
P11	Consumable m	aterials for printing	products							
P11.1*	A Safety Data SI	heet (SDS) is availabl	e for the ink/t	toner preparati	ion, eve	n if not legall	y required (see P4	.3). 🗆		X
P11.2*	Paper containing	g post-consumer recy	cled fibers ca	n be used, pro	ovided th	nat it meets t	he requirements			
P11.2	of EN 12281.									\boxtimes
P11.3*	2-sided (duplex)	printing/copying is an	integrated p	roduct functior	n.					X
P11.4*	The product is d	elivered to end-user v	vith default au	uto-duplex ena	abled.					X
P13	Packaging and	documentation								
P13.1*				ibreboard we						
	Product packagi	ing material type(s):	Foamed PS	we	eight (kg): 0.070				
	Product packagi	ing material type(s):	PE	we	eight (kg	0.008				
P13.2*		orimary packaging is f						X		
P13.3*	For product prim	nary corrugated fiberb	oard packagi	ng, specify the	e contair	ned percenta	ge of			
	minimum post-c	onsumer recovered fil	ber conten	80 %						
P13.4*	Specify media for	or user and product do	cumentation	(tick box):						
	Electronic X	, Paper 🔀 ,C	Other 🗌							
P13.5	(Please only con	nplete this item if pape	er documenta	ation used)						
	User and produc	ct documentation on p	aper media is	s chlorine-free	e:					
	If Yes, please sp	pecify:								
	Totally chlorine-f	free								
	Elemental chlori	ne-free								
	Processed chlor	ine-free								
P14	Voluntary prog	rams:								
P14.1		ets the requirements of	of the followin	ng voluntary pr	rogram(s	s):				
	ENERGY STAR			Date:		duct categor	y:			
	Eco-label:	Criteria versio	on:	Date:		duct categor	•			
	Eco-label:	Criteria versio	on:	Date:		duct categor				

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm. NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	ES-C380W	Logo	
Issue date *	02/06/2023		EPSON

Product	Product environmental attributes - Market requirements (concluded) Requirement met			
P15	P15 Additional information (See NOTE B11)			

Legal references Europe Annex B1

Legal references Europe Annex B1	
Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *	P1.1, P4.1, P3.1
* Specific exemptions apply for certain products and applications.	
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.*	P2.1, P2.2, P2.3, P8.1
* These provisions shall not apply where, for safety, performance, medical or data	
integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	