

Product environmental attributes - THE ECO DECLARATION The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	EPSON	Logo
Company name *	Seiko Epson Corporation	EDCON
Contact information *	EPSON Europe B.V. environment@epson.eu	EPSON EXCEED YOUR VISION
Internet site *	http://www.epson.com	·
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	nk-Jet Printer				
Commercial name *	ET-2810,ET-2811,ET-2812,ET-2814,ET-2815,L3250,L3251,L3256,ET-2860,ET-2861,ET-2862,ET-2864,ET-				
Model number *	2865 L3270,L3271,L3276				
Issue date *	July 16, 2021				
Intended market *	🗌 Global 🔄 Europe 🗌 Asia,Pacific 🔤 Americas 🗌 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality control			Requirement met	
Item		Yes	No	
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\checkmark		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	\checkmark		

Model number *	ET-2810,ET-2811,ET-2812,ET-2814,ET-2815,L3250,L3251,L3256,ET-2860,ET-286	31,ET-28	862,ET-2864,ET-2865L
Issue date *	July 16, 2021	Logo	EPSON EXCEED YOUR VISION

Produc	t environmental attributes - Legal requirements	Requirement met		
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)	\checkmark		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\checkmark		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	✓		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\checkmark		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in	\checkmark		
	the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).			\checkmark
P1.7*	Comment: Legal reference has no maximum concentration values. Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split			
	aromatic amines. (See legal reference and Note B1)			\checkmark
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			
	pentachlorophenol and derivatives (see legal reference).			\checkmark
	Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5			
	microgram/cm2/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			\checkmark
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\checkmark		
	http://www.epson.com/			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be			
	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			✓
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			\checkmark
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the			
	design of the product). Exception: Batteries that are permanently installed for safety, performance, medica			\checkmark
P3	or data integrity reasons do not have to be "easily removable". (See legal reference) Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	~		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	~		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			\checkmark
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).	\checkmark		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).	\checkmark		
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	\checkmark		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).		\checkmark	
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).	\checkmark		
	Comment: Legal reference has no maximum concentration values.			

Note 1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Annex B of ECMA-370 4th edition Amended, February 2010

Model number *	ET-2810,ET-2811,ET-2812,ET-2814,ET-2815,L3250,L3251,L3256,ET-2860,ET-286	31,ET-28	862,ET-2864,ET-2865L3
Issue date *	July 16, 2021	Logo	EPSON EXCEED YOUR VISION

Product	duct environmental attributes - Market requirements - Environmental conscious design			met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.			
P6	Treatment information						
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\checkmark					
P7	Design						
	Disassembly, recycling						
P7.1*	Parts that have to be treated separately are easily separable.						
P7.2*	Plastic materials in covers/housing have no surface coating.						
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.						
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.						
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.						
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\checkmark					
	Product lifetime						
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives.	\checkmark					
P7.8*	Upgrading can be done using commonly available tools.	\checkmark					
P7.9.	Spare parts are available after end of production for: years						
P7.10	Service is available after end of production for: years						
	Material and substance requirements						
P7.11*	Product cover/housing material type:						
	Material type: PS Material type: Material type:						
P7.12	Electrical cable insulation materials of power cables are PVC free.						
P7.13	Electrical cable insulation materials of signal cables are PVC free.						
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.						
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note [])						
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4:						
	Marking:						
P7.17	Alt. 1						
	Chemical specifications of flame retardants in printed circuit boards >25g (without components):						
	TBBPA (additive) TBBPA Other; chemical CAS #:						
	Alt. 2 Chamical specifications of flame retardants in printed circuit boards (without components) >25g according						
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according						
	ISO 1043-4:						
P7.18	Alt. 1						
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:						
	Comment: No legal limits exist, this is a market requirement.						
	1. Chemical name: CAS #:						
	2. Chemical name: CAS #:						
	3. Chemical name: CAS #:						
	Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:						
	Chemical specifications of name relations in plastic parts >259 according 150 1045-4.						
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45,						
17.15	R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)						
D7 20							
P7.20	Of total plastic parts weight >25g, recycled material content is %						
P7.21 P7.22	Of total plastic parts weight >25g, biobased material content is % Light sources are free from mercury.						
	If mercury is used specify: Number of lamps: and max. mercury content per lar mg						
P8	Batteries						
P8.1*							
P8.2	Battery chemical composition: \checkmark Batteries meet the requirements of the following voluntary program/s:						
1 0.2							

Annex B of ECMA-370 4th edition Amended, February 2010

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	ET-2810,ET-2811,ET-2812,ET-2814,ET-2815,L3250,L3251,L3256,ET-2860,ET-286	31,ET-28	862,ET-2864,ET-2865L3
Issue date *	July 16, 2021	Logo	EPSON EXCEED YOUR VISION

Product	oduct environmental attributes - Market requirements (continued) Requirement met						met
Item						Yes No	n.a.
P9	Energy consumptio	n					
P9.1 For the product the following power levels or energy consumptions have been measured:							
Energy m	ode *	Power level at 100 VAC	Power level at 115 VAC	Power level at 230 VAC	Reference / Standard for and test method *	energy modes	
Save 1		W	W	0.7 W	Based on SEIKO EPS	SON Standar	
Off 1		W	W	0.2 W	Based on SEIKO EPS	SON Standar	
		W	W	W			
		W	W	W			
		W	W	W			
		W	W	W			
(External charger p outlet but	PS No-load External power supply / harger plugged in the wall utlet but disconnected from he product.)						
PTEC * Typical E	nergy Consumption	W	W	W			I
TEC *	nergy Consumption	kWh/week	kWh/wee	k kWh/we	ek		I
ETEC *	nergy Consumption	kWh/year	kWh/yea	r kWh/ye	ar		
Display resolution * :		Megapixels		I			\checkmark
Print Spe		10 Images per n	ninute				
·	me to enter energy sa		minutes				
P9.2*		e energy save functior	n is provided with t	he product		\checkmark	
P9.3*	The product meets the	ne energy requiremen	ts of the following	voluntary program/s	:		
	ENERGY STAR®	version Ver3.0	Tier:	Product cate	gory:	\checkmark	
	Others specify:						
P10	Emissions						
	Noise emission - D	eclared according to I	SO 9296				
P10.1	Mode M	ode description		Declared A-weighted sound power level L _{WAd} (B)	Declared A-weig sound pressure level Operator position Bystand		
					or Deskside	f product is not ator attended)	
	Idle *	Idoling		* Inaudible B	dB		<u> </u> _
	Operation *	Operation		* 6.4 B	dB		
	Other mode			В	dB		
	Measured according	to:	ECMA-74 (only if no	t covered by ECMA	-74 with L _{pAm} measurement d	listanc m)
P10.2	2. The product meets the acoustic noise requirements of the following voluntary program/s						

Model number *	ET-2810,ET-2811,ET-2812,ET-2814,ET-2815,L3250,L3251,L3256,ET-2860,ET-286	31,ET-28	862,ET-2864,ET-2865L3
Issue date *	July 16, 2021	Logo	EPSON EXCEED YOUR VISION

Produc	oduct environmental attributes - Market requirements (continued)					
Item		Yes	No	n.a.		
	Chemical emissions from printing products					
P10.3*	Test performed according to ECMA-328(ISO/IEC28360) standard, other specify: RAL-UZ122	2	\checkmark			
P10.4	Typical emission rate (print phase) is (mg/h):					
	Dust Ozone Styrene Benzene TVOC					
P10.5	Chemical emission requirements of the following voluntary program are met for :					
	Dust 🗌 Ozone Styrene 🗌					
	Benzene 🗌 TVOC 🗌					
	Electromagnetic emissions					
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary	/				
	program/s:					
P11	Consumable materials for printing products					
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3)	. 🗸				
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of					
	EN12281.					
P11.3*	2-sided (duplex) printing/copying is an integrated product function.					
P12	Ergonomics for computing products					
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.					
P12.2*						
P13	Packaging and documentation					
P13.1*	Product packaging material type(s): Corrugated Fibreboard + Coat weight (kg) 0.92					
	Product packaging material type(s): Corrugated Fibreboard weight (kg) 0.448					
	Product packaging material type(s): PP weight (kg) 0.109					
P13.2*	Product plastic packaging is free from PVC.	\checkmark				
P13.3*	Specify media for user and product documentation (tick box):					
	Electronic 🗹 Paper 🗹 Other 🗆					
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled					
	fiber 0 %					
P14	Additional information (See Note B4)					
P7	Product main body is recyclable. \Box <55% \leq Not includes accessories or options. This should not include thermal					

Legal references Europe Annex B

Deference	Declaration item
Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
76/769/EEC (Marketing and Use Directive)	P1.6, P1.8, P4.2
amendment 89/677/EEC	P1.4
amendment 1999/77/EC	P1.2
amendment 2003/3/EC	P1.7
amendment 94/27/EEC	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use	P1.5
of certain dangerous chemicals 20.12.2002	
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and	P4.3
packaging (CLP)	
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging	P5.1
waste)	
(97/129/EC) (Commission Decision on Identification	P5.2
System for Packaging Materials	
2037/2000/EC Regulation on Substances that Deplete	P5.3
the Ozone Layer	
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and	P7.19
packaging (CLP)	