

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	EPSON	Logo
Company name *	Seiko Epson Corporation	EDCON
Contact information *	EPSON Europe B.V.	EPSON
e-mail address	environment@epson.eu	EXCEED YOUR VISION
Internet site *	http://www.epson.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Ink-Jet Printer					
Commercial name *	L8050					
Model number *	E0050					
Issue date *	1/25/2023					
Intended market *	☐ Global Europe Asia, Pacific & Japan Americas Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body ar not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

Model number *	L8050	Logo	EDOON
Issue date *	1/25/2023		EPSON EXCEED YOUR VISION

Product environmental attributes - Legal requirements Re					
Item		Yes	No	n.a.	
P1	Hazardous substances and preparations				
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1	X			
P1.2*	Products do not contain Asbestos (see legal reference).	\boxtimes			
	Comment: Legal reference has no maximum concentration value.				
	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	X	П		
P1.3*	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride,		_		
F 1.3	1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no				
	maximum concentration values.				
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005%	X			
1 1.4	polychlorinated terphenyl (PCT) in preparations (see legal reference).				
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon	X			
1 1.5	atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5		П	X	
1 1.0	mg/cm²/week (see legal reference).				
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.				
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact)	X			
	http://www.epson.com				
P2	Batteries				
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the			\boxtimes	
P2.2*	disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium.			X	
	(See legal reference) Batteries and accumulators are readily removable. (See legal reference)				
P2.3*				X	
P3 P3.1*	Conformity verification & Eco design (ErP) The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	one 🔽			
F 3. I	The Declaration of Conformity can be requested at (add link or e-mail addre https://www.epson.et				
P3.2*	The product complies with the Eco design Requirements for Energy-Related Products,	X			
F3.2	(see legal reference).				
	,	X			
	Required information is; given in item P15 or added to this document, available at (add URL) http://www.epson.com				
P4					
	Consumable materials If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level			-	
P4.1*	greater than 0.01% (see legal reference and NOTE B1). If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by			X	
P4.2*	if ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference)	X			
	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for	×	П		
	which there are Community workplace exposure limits, the product/packaging is adequately		Ш		
P4.3*	labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with				
	these requirements is available (see legal reference).				
P5	Product packaging				
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium	X	П		
	and hexavalent chromium by weight of these together. The packaging materials are marked with appreviations and numbers indicating the nature of the				
P5.2*	material(s) used (see legal reference). The product packaging material is free from ozone depleting substances as specified in the		X		
P5.3*	Montreal Protocol (see legal reference).	\boxtimes			
	Comment: Legal reference has no maximum concentration values.				
P6	Treatment information				
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	X			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	L8050	Logo	EDOON
Issue date *	1/25/2023		EPSON
			EXCEED YOUR VISION

Product environmental attributes - Market requirements (See General Note GN below) - Environmental conscious design Item *=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No n.a. P7 Design Disassembly, recycling P7.1* Parts that have to be treated separately are easily separable P7.2* Plastic materials in covers/housing have no surface coating. P7.3* Plastic parts > 100 g consist of one material or of easily separable materials. P7.4* Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. P7.5 Plastic parts are free from metal inlays or have inlays that can be removed with commonly available toc P7.6* Labels are easily separable. (This requirement does not apply to safety/regulatory labels).
Temporal Procession Temporal Procession
P7 Design Disassembly, recycling P7.1* Parts that have to be treated separately are easily separable ☒ ☐ ☐ P7.2* Plastic materials in covers/housing have no surface coating. ☒ ☐ ☐ P7.3* Plastic parts > 100 g consist of one material or of easily separable materials. ☒ ☐ ☐ P7.4* Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. ☒ ☐ ☐ P7.5 Plastic parts are free from metal inlays or have inlays that can be removed with commonly available toc ☐ ☐ ☐
Disassembly, recycling P7.1* Parts that have to be treated separately are easily separable □ □ P7.2* Plastic materials in covers/housing have no surface coating. □ □ P7.3* Plastic parts > 100 g consist of one material or of easily separable materials. □ □ P7.4* Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. □ □ P7.5 Plastic parts are free from metal inlays or have inlays that can be removed with commonly available toc □ □
P7.1* Parts that have to be treated separately are easily separable P7.2* Plastic materials in covers/housing have no surface coating. P7.3* Plastic parts > 100 g consist of one material or of easily separable materials. P7.4* Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. P7.5 Plastic parts are free from metal inlays or have inlays that can be removed with commonly available toc
P7.2* Plastic materials in covers/housing have no surface coating. P7.3* Plastic parts > 100 g consist of one material or of easily separable materials. P7.4* Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. P7.5 Plastic parts are free from metal inlays or have inlays that can be removed with commonly available toc
P7.3* Plastic parts > 100 g consist of one material or of easily separable materials. P7.4* Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. P7.5 Plastic parts are free from metal inlays or have inlays that can be removed with commonly available toc
P7.4* Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.
P7.5 Plastic parts are free from metal inlays or have inlays that can be removed with commonly available to □ □ □
Product lifetime
P7.7* Upgrading can be done e.g. with processor, memory, cards or drives
Material and substance requirements
P7.11* Product cover/housing material type (e.g. plastics, metal, aluminum):
Material type: ABS Material type: PS Material type:
P7.13 Insulation materials of internal electrical cables are PVC free. External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine
and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated
P7.14 flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight
(3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.
P7.15 Printed circuit boards, PCBs (without components) are low haloge 🛛 PCBs > 25 g 🗍 are
low halogen as defined in IEC 61249-2-21. (See NOTE B2)
P7.16 Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:
Marking:
P7.17 Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):
TBBPA (additive □ , TBBPA (reactive) □ (See NOTE B3), Other; chemical name , CAS #: □ □
TBBI / (dadian , TBBI / (rodouvo) (occ no 12 bo), outer, oriented frame , one //.
Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components)
according ISO 1043-4:
Alt 1: Fiame relarged plastic parts > 25 d contain the following tiame relargant
substances/preparations in concentrations above 0.1%:
1. Chemical name: , CAS #: (See NOTE B4)
2. Chemical name: , CAS #: "
3. Chemical name: , CAS #: "
Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1(
P7.19 In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have beer
assigned the following Risk phrases and Hazard statements:
The source(s) for these classifications is/are found at (add URL(s) (See NOTE B5)

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	L8050	Logo	EDOON
Issue date *	1/25/2023		EPSON EXCEED YOUR VISION

Product	environmental attri	butes - Market requ	uirements (continu	ed)		Requ	ireme	nt met	
Item						Yes	No	n.a.	
	Material and subst	tance requirements	(continued)						
P7.20*	Postconsumer recy	cled plastic material	content is used in the	ne product (See NO	TE B6):	X			
		of the two alternativ							
		c parts' weight > 25 g, the postconsumer recycled plastic material content s a percentage of total plastic by weight							
	or								
	b) The weight of re	cycled material i: 160	6.6 g.						
P7.21*	Biobased plastic ma	aterial content is use	ed in the product (Se	ee NOTE B7):			X		
	If YES; at least one	of the two alternativ	es below shall be a	nswered;					
	a) Of total plastic p	arts' weight > 25 g,	the biobased plastic	material content					
	,	percentage of total	•	%.					
	or	F	,						
		e biobased plastic n	nateria g.						
P7.22*		ee from mercury, i.e		amp.		X			
	-	pecify: Number of la	_	mum mercury conte	nt per lam mg				
P8	Batteries	poony. Hambor or le	and maxi	mam moreary conto	in portain ing				
P8.1*	Battery chemical co	mposition						X	
P9	Energy consumpti							VV	
P9.1		following power leve	els or energy consur	mptions are reported	d:				
		Power level at	Power level at	Power level at	Reference/Standard fo	r ener	av mo	des	
Energy m	node *	100 V AC	115 V AC	230 V AC	and test method *		3,		
Sleep mo	de for ENERGY								
STAR® (Operational Mode	W	W	0.6 W					
(OM) pro	ducts								
Standby/	off mode for								
ENERGY	STAR Operational	W	W	0.2 W					
	M) products								
	EC products (TEC=								
Typical E	. ,	kWh/week	kWh/week	kWh/week				\times	
Consum	0,								
TEC valu	ie (OM product)	kWh/week	kWh/week	0.11 kWh/week					
		W	W	W					
		W	W	W					
		W	W	W					
		W	W	W					
		W	W	W					
	Power Supply Efficie	ency Level (Internation	onal Efficiency Mark	ing Protoc				X	
	n Speed * : 8	images per min	ute						
Default ti	me to enter energy s		minutes					X	
P9.2*	Information about th	ne energy save func	tion is provided with	the product.		X			

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	L8050	Logo	EDCON
Issue date *	1/25/2023		EPSON EXCEED YOUR VISION

Product	environmental a	attributes - Market r	equirements	(continued)			Req	uirem	ent met
Item							Yes	No	n.a.
P10	Emissions								
	Noise emission	n – Declared accord	ing to ISO 92	96 (See NOT	E B9)				
P10.1	Mode	Mode description		Statistic	al upper limit A-w	eighted sound po	wer level	,	
				L _{WA,c} (I	3)				
	Idle	* Idoling		*	naudible				
	Operation	* Operation		*	6.2				
	Other mode								
	Measured accor	rding to: XISO 77	⁷ 79	☐ ECMA-74					
		Other	(only if not co-	vered by ECN	1A-74)				
	Chemical emis	sions from printing	products (Se	e NOTE B10)				
P10.2*	Test performed	according to ECMA-	328 Determina	ation of Chem	ical Emission Rate	es from		\boxtimes	
	Electronic Equip	pment (ISO/IEC 2836	i0) 🔲 , other	specify:					
P10.3	Typical emission	n rate (operation pha	se) is (mg/h):						
	Electrophotogra	aphic devices: Oz	Dust	Styrene	Benzene	TVOC			
	Ink devices:		Dust	Styrene	Benzene	TVOC			
	NOTE: compliar	nce with maximum er	nission rates i	in eco labels t	o be declared in P	² 14			
P11	Consumable m	naterials for printing	products						
P11.1*		Sheet (SDS) is availat				, , , , , , , , , , , , , , , , , , , 	e P 🔀		
D11 2*	Paper containin	ig post-consumer rec	ycled fibers ca	an be used, pr	ovided that it mee	ets the			
P11.2*	requirements of	EN 12281.					X		
P11.3*	(1 /1 0 1) 0 1						X		
P11.4*	The product is d	delivered to end-user	with default a	uto-duplex en	abled.			X	
P13	Packaging and documentation								
P13.1*	Product packag	ing material type(s):	Corrugated File	preboard weig	jht (kg): 1.98				
	Product packaging material type(s): Foamed PS weight (kg): 0.16								
		ing material type(s):			ght (kg): 0.15				
P13.2*		primary packaging is					\boxtimes		
P13.3*	For product prin	nary corrugated fiberl	board packagi	ing, specify the	e contained perce	entage of			
		consumer recovered f		80 %					
P13.4*		or user and product o		ı (tick box):					
		, Paper 🔀 ,O							
P13.5	(Please only cor	mplete this item if pa	per document	ation used)					
	User and produc	ct documentation on	paper media i	is chlorine-free	э:				
	If Yes, please sp	pecify:							
	Totally chlorine-	-free							
	Elemental chlori	ine-free							
	Processed chlor	rine-free							
P14	Voluntary prog								
P14.1	The product me	ets the requirements	of the following	ng voluntary p	rogram(s):				
	ENERGY STAR	R® Criteria version	on: [Date:	Product catego	ry:			
	Eco-label:	Criteria version	on: [Date:	Product catego	ry:			
	Eco-label:	Criteria version	on: Γ	Date:	Product catego	ry:			

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm. NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	L8050	Logo	EDCON
Issue date *	1/25/2023		EPSON EXCEED YOUR VISION

Product	Product environmental attributes - Market requirements (concluded) Requirement met					
P15	P15 Additional information (See NOTE B11)					

Legal references Europe Annex B1

Legal references Europe Annex B1	
Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *	P1.1, P4.1, P3.1
* Specific exemptions apply for certain products and applications.	
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing	
and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous	P1.5
chemicals 20.12.2002	
Directive 2006/66/EC (Battery and accumulators Directive), as amended.*	P2.1, P2.2, P2.3, P8.1
* These provisions shall not apply where, for safety, performance, medical or data	
integrity reasons, continuity of power supply is necessary and requires a	
permanent connection between the appliance and the battery or accumulator.	
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national analysis of the calculation of the calcula	
common methodology for the calculation of the quantity of waste electrical and	
electronic equipment (WEEE) generated by weight in each Member State.	