

## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	EPSON	Logo
Company name *	Seiko Epson Corporation	EDOON
Contact information *	EPSON Europe B.V.	<b>EPSON</b>
e-mail address	environment@epson.eu	
Internet site *	http://www.epson.com	
Additional information		

. ,	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Large Format Printer (Ink-Jet)				
Commercial name *	SC-F1000				
Model number *	30-1 1000				
Issue date *	4/5/2024				
Intended market *	☐ Global ☑ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

Model number *	SC-F1000	Logo	
Issue date *	4/5/2024		<b>EPSON</b>
issue date	4/3/2024		EPSUN

Produ	ct environmental attributes - Legal requirements	Require	ment	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	X		
P1.2*	Products do not contain Asbestos (see legal reference).	X		
	Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.	×		
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	X		
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	X		
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 mg/cm²/week (see legal reference).			X
P1.7*	Comment: Max limit in legal reference when tested according to EN1811:2011-5.	X		
/	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.epson.com	Z		
P2	Batteries			
	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the			
P2.1*	disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)	X		
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)	×		
P2.3*	Batteries and accumulators are readily removable. (See legal reference)			X
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal referen	nce). 🔀		
	The Declaration of Conformity can be requested at (add link or e-mail address https://www.epson.e	u/confor	mity	
P3.2*	The product complies with the Eco design Requirements for Energy-Related Products, (see legal reference).			X
	Required information is; given in item P15 or added to this document,			
	available at (add URL): http://www.epson.com			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1).			X
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference)	X		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).	×		
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	X		
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).		X	
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).	X		
	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	X		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is combliant with the mandatory requirements.

Model number *	SC-F1000	Logo	EDOON
Issue date *	4/5/2024		<b>EPSON</b>
			200 See M. S.

	t environmental attributes - Market requirements (See General Note GN below) vironmental conscious design	Reau	uireme	ent me
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design			
	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	X	П	П
P7.2*	Plastic materials in covers/housing have no surface coating.	X	П	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	X	П	
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	X	П	П
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tool	s $\square$	П	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	X	П	
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	X	П	П
P7.8*	Upgrading can be done using commonly available tools	X		
P7.9.	Spare parts are available after end of production for: 7 years			П
P7.10	Service is available after end of production for: 7 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: PMMA Material type: PC Material type: ABS			
P7.12	Insulation materials of external electrical cables are PVC free.		X	
P7.13	Insulation materials of internal electrical cables are PVC free.	П	X	П
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	×		
P7.15	Printed circuit boards, PCBs (without components) are low halogen:   ☐ PCBs > 25 g ☐ are low halogen as defined in IEC 61249-2-21. (See NOTE B2)		X	
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			X
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive $_\square$ , TBBPA (reactive) $_\square$ (See NOTE B3), Other; chemical name , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant			
	substances/preparations in concentrations above 0,1%:			
	1. Chemical name: , CAS #: (See NOTE B4)			
	2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 104:			
P7.19	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 104:  In plastic parts > 25 g. flame retardant substances/preparations above 0.1% are used which have been			
P7.19	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 104′.  In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases and Hazard statements:			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and a

NOTE B3 and B4  $\,$  A Guidance document on Chemical substances is available; see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	SC-F1000	Logo	
Issue date *	4/5/2024		<b>EPSON</b>

Produc	t environmental attr	ibutes - Market requ	irements (continue	d)		Requ	ireme	ent met
Item			·	•		Yes	No	n.a.
	Material and subs	tance requirements	(continued)					
P7.20*	Postconsumer recy	cled plastic material	content is used in the	product (See NOTE	E B6):	X		
	If YES; at least one	of the two alternative	es below shall be ans	swered;				
	Of total plastic p	oarts' weight > 25 g, t	he postconsumer rec	ycled plastic materia	l content			
	(calculated as a	percentage of total p	lastic by weight) is	70				
	or							
	b) The weight of re	ecycled material is 1,3	13.9 g.					
P7.21*	Biobased plastic ma	aterial content is use	d in the product (See	NOTE B7):			×	
	If YES: at least one	of the two alternative	es below shall be ans	swered:				
		parts' weight > 25 g, t						
		percentage of total p	•	%.				
	or							
	b) The weight of th	ne biobased plastic m	aterial is g.					
P7.22*	Light sources are fr	ee from mercury, i.e.	less than 0,1 mg/lam	ıp.		X		
	If mercury is used s	specify: Number of lar	mps: and maxi	mum mercury conte	nt per lamı mg			
P8	Batteries							
P8.1*	Battery chemical co	omposition Lithiu	n					
P9	Energy consumpt	ion (See NOTE B8)						
P9.1	For the product the	following power leve	ls or energy consump	otions are reported:				
Energy i	mode *	Power level at	Power level at	Power level at	Reference/Standard fo	r ener	gy mo	des
Litergy		100 V AC	115 V AC	230 V AC	and test method *			
	ode for ENERGY							
1	Operational Mode	W	W	6.0 W				
(OM) pro								
,	/off mode for							
1	Y STAR Operational	W	W	0.2 W				
	DM) products							
1	EC products (TEC=							_
Typical	. ,	kWh/week	kWh/week	kWh/week				X
Consum	nntion)							
TEC val	lue (OM product)	kWh/week	kWh/week					X
		W	W					
		W						
		W	W					
		W	W					
		W	W					
	l Power Supply Efficie			<u>, , , , , , , , , , , , , , , , , , , </u>				
	an Speed * :	images per minu		chrome				
	time to enter energy s		minutes					X
P9.2*	intormation about th	he energy save funct	on is provided with th	ie product.		$\boxtimes$		

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	SC-F1000	Logo	
Issue date *	4/5/2024		<b>EPSON</b>

Produc	t environmental	attributes - Market re	quirements (	continued)			Req	uirem	ent met
Item							Yes	No	n.a.
P10	Emissions								
	Noise emission	n – Declared accordi	ng to ISO 929	6 (See NOTE	B9)				
P10.1	Mode	Mode description		Statistic	al upper limit A-we	eighted sound p	ower level	,	
				L <sub>WA,c</sub> (I	3)				
	Idle	* Idoling		*	naudible				
	Operation	* Operation		*	4.9				
	Other mode								
	Measured accor	rding to: 🔀 ISO 777	79	□ ECMA-74					
		☐ Other (	only if not cov	ered by ECMA	-74)				
		sions from printing							
P10.2*	Test performed	according to ECMA-3	28 Determinat	tion of Chemica	al Emission Rates f	rom		X	
	Electronic Equip	ment (ISO/IEC 28360	) 🔲 , othe	r specify:					
P10.3	Typical emission	n rate (operation phase	e) is (mg/h):					-	
	Electrophotogra	phic devices: Oz	Dust	Styrene	Benzene	TVOC			
	Ink devices:		Dust	Styrene	Benzene	TVOC			
	NOTE: compliar	nce with maximum em	ission rates in	eco labels to b	oe declared in P14.				
P11	Consumable m	naterials for printing	products						
P11.1*	A Safety Data S	heet (SDS) is availabl	e for the ink/to	oner preparatio	n, even if not legal	ly required (see	P4.( 🔀		
P11.2*	•	g post-consumer recyc	cled fibers car	n be used, prov	ided that it meets t	he		$\boxtimes$	
	requirements of	EN 12281.							
P11.3*		) printing/copying is an						X	
P11.4*	The product is o	delivered to end-user v	vith default au	to-duplex enab	led.			X	
P13	Packaging and	documentation							
P13.1*		ing material type(s): V		-	ıht (kg): 19.00				
		ing material type(s): C	_	-					
		ing material type(s): F			ıht (kg): 1.49				
P13.2*		primary packaging is f					X		
P13.3*	For product prin	nary corrugated fiberbo	oard packagin	g, specify the o	contained percenta	ge of			
		onsumer recovered file		80 %					
P13.4*		or user and product do		(tick box):					
		, Paper 🔀 ,Ot							
P13.5		mplete this item if pape							
	•	ct documentation on p	aper media is	chlorine-free:					
	If Yes, please s	•							
	Totally chlorine-								
	Elemental chlor								
	Processed chlor								
P14	Voluntary prog								
P14.1		ets the requirements of							
	ENERGY STAF			Date:	Product categor	•			
	Eco-label:	Criteria version		Date:	Product categor	•			
	Eco-label:	Criteria version	า:	Date:	Product categor	y:			

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	SC-F1000	Logo	
Issue date *	4/5/2024		<b>EPSON</b>

Product	Product environmental attributes - Market requirements (concluded) Requirement met			
P15	Additional information (See NOTE B11)			

Legal references Europe Annex B1	
Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *	P1.1, P4.1, P3.1
* Specific exemptions apply for certain products and applications.	
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.*  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)  Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements	P3.1, P3.2, P9.1
for televisions  Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.  Commission Implementing Regulation 2017/699 establishing a common	
methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	