

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	EPSON	Logo
Company name *	Seiko Epson Corporation	FDCON
Contact information *	EPSON Europe B.V.	EPSON
e-mail address	environment@epson.eu	EXCEED YOUR VISION
Internet site *	http://www.epson.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.							
Type of product *	Large Format Printer (Ink-Jet)						
Commercial name *	C-P6500D						
Model number *	30-F 0000D						
Issue date *	13/02/2023						
Intended market *	🗌 Global 🛛 Europe 🔲 Asia, Pacific & Japan 🔛 Americas 🔛 Other						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template: P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

Model number *	SC-P6500D	Logo	FDOON
Issue date *	13/02/2023		EPSON EXCEED YOUR VISION

Produ	Requirement met			
ltem		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	X		
P1.2*	Products do not contain Asbestos (see legal reference).	X		
	Comment: Legal reference has no maximum concentration value.			
	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	X		
P1.3*	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride,	Research I		
F1.3	1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no			
	maximum concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005%	X		
F1.4	polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon	X		
F1.5	atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5			X
F1.0	mg/cm ² /week (see legal reference).			
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	X		
	http://www.epson.com			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the	X		
	disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium.			
P2.2*	(See legal reference)	\mathbf{X}		
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\mathbf{X}		
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference)			
	The Declaration of Conformity can be requested at (add link or e-mail addres https://www.epson.eu	u/conforr	nity	
P3.2*	The product complies with the Eco design Requirements for Energy-Related Products,	\mathbf{X}		
	(see legal reference).			
	Required information is; given in item P15 or added to this document,	\mathbf{X}		
	🔀 available at (add URL): http://www.epson.com			
P4	Consumable materials			
P4.1*	It a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level			X
D4 0*	greater than 0.01% (see legal reference and NOTE B1). If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by			
P4.2*	weight (see legal reference)	\mathbf{X}		
	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which	\mathbf{X}		
P4.3*	there are Community workplace exposure limits, the product/packaging is adequately labeled			
	according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these			
	requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and becavalent chromium by weight of these together	\mathbf{X}		
P5.2*	and hexavalent chromium by weight of these together. The packaging materials are marked with abbreviations and numbers indicating the nature of the	_	X	
	material(s) used (see legal reference). The product packaging material is free from ozone depleting substances as specified in the			
P5.3*	Montreal Protocol (see legal reference).	\mathbf{X}		
	Comment: Legal reference has no maximum concentration values.			
	Comment. Ecgarrererere has no maximum concentration values.			
P6	Treatment information			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	umber *	SC-P6500D	Logo	ED0/		
lssue da	ite *	13/02/2023		EPS (JN	
				EXCEED YOUR	VISION	
Durations						
	ironmental cons	ttributes - Market requirements (See General Note GN below)		Pogu	iromo	nt met
Item		fill in. Additional information regarding each item may be found und	er P14	Yes	No	n.a.
P7	Design	in in radiiona mornation regarding caon ton may be found and		103	NO	11.a.
••	Disassembly, re	ecvcling				
P7.1*		to be treated separately are easily separable		X		
P7.2*		in covers/housing have no surface coating.				
P7.3*		00 g consist of one material or of easily separable materials.				
P7.4*		5 g have material codes according to ISO 11469 referring ISO 1043	3-4.	X		
P7.5	Plastic parts are	free from metal inlays or have inlays that can be removed with com	monly availab	le tool 🗌		
P7.6*	Labels are easily	y separable. (This requirement does not apply to safety/regulatory la	abels).	\mathbf{X}		
	Product lifetime	9				
P7.7*	Upgrading can b	e done e.g. with processor, memory, cards or drives		\mathbf{X}		
P7.8*		e done using commonly available tools		\mathbf{X}		
P7.9.		available after end of production for: 7 years				
P7.10	Service is availa	ble after end of production for: 7 years				
		bstance requirements				
P7.11*		ousing material type (e.g. plastics, metal, aluminum):				
	Material type:		al type:		2000 D	
P7.12		ials of external electrical cables are PVC free.			X	
P7.13		ials of internal electrical cables are PVC free.			X	
		casing/cover parts > 25 g contain no more than $0,1\%$ weight (1000				
P7.14	-	t (1000 ppm) chlorine attributable to brominated flame retardants, c polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% we				
		containing more than 25% post-consumer recycled content.	igin (3000 ppi	,		
P7.15		pards, PCBs (without components) are low haloger M PCBs > 2	5 ɑ □ are		X	
1 7.15		defined in IEC 61249-2-21. (See NOTE B2)	og ∐ uio			
P7.16		plastic parts > 25 g in covers / housings are marked according ISO	1043-4:			X
	Marking:					
P7.17		specifications of flame retardants in printed circuit boards > 25 g (w	vithout compor	nents):		
		□, TBBPA (reactive) □ (See NOTE B3), Other; chemical name		, U	П	
	,					
	Alt. 2: Chemical	specifications of flame retardants in printed circuit boards (without o	components)			
	according ISO 1			_	_	_
P7.18		arded plastic parts > 25 g contain the following flame retardant				
	1. Chemical nan	parations in concentrations above 0.1%: ne: , CAS #: (See NOTE B4)				
	2. Chemical nan					
	3. Chemical nan					
			00.40			
		specifications of flame retardants in plastic parts > 25 g according l				
P7.19		25 g, flame retardant substances/preparations above 0,1% are use	ed which have	been 🗌		
	-	owing Risk phrases; and Hazard statements:				
	The source(s) fo	r these classifications is/are found at (add URL(s))	(See NO	E B3)		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model n	umber *	SC-P6500D			Logo			
Issue da	ate *	13/02/2023				EPSC	DN	
						EXCEED YOUR	VISION	
Broduct	anvironmontal at	tributoo Markat ragu	uiromonto (continu	ad)		Bogu	iromo	ent met
Item	environmentar at	t <mark>ributes - Market req</mark> u		au)		Yes	No	n.a.
	Material and sub	stance requirements	s (continued)					
P7.20*		cycled plastic material		e product (See NOT	E B6):			
	^{a)} Of total plastic (calculated as or	ne of the two alternativ parts' weight > 25 g, a percentage of total recycled material is 15,	the postconsumer re plastic by weight)		al content			
P7.21*	Biobased plastic	material content is use	ed in the product (Se	e NOTE B7):			X	
	 a) Of total plastic (calculated as or b) The weight of 	ne of the two alternativ parts' weight > 25 g, a percentage of total the biobased plastic n	the biobased plastic plastic by weight) naterial 0 g.	material content %.				
P7.22*	•	free from mercury, i.e I specify: Number of la	•	mp. mum mercury conter	t per lamr	mg		
P8	Batteries	r specily. Number of it	and have	main mercury conter		ing		
P8.1*	Battery chemical	composition: Lithiu	im					
P9	Energy consum	otion (See NOTE B8)						
P9.1	For the product the	e following power leve	els or energy consur	nptions are reported:	_			
Energy n	node *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/St and test mether	tandard for ener nod *	gy mo	des
· ·	ode for ENERGY Operational Mode oducts	w	w	2.0 w				
ENERGY Mode (O	off mode for Y STAR Operation M) products	al w	w	0.3 W				
	EC products (TEC= Energy	kWh/week	kWh/week	kWh/week				
TEC valu	ue (OM product)	kWh/week	kWh/week	kWh/week				X
		W		w				
		W		W				
			W	W				
		W						-
		w	w	W				
External	Power Supply Effi	w w	w w	W				
		w w ciency Level (Internation	w w onal Efficiency Marki	W				
Print/Sca		w w ciency Level (Internation 1 images per mir	w w onal Efficiency Marki	W				

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

Model number *	SC-P6500D	Logo	FDOON
Issue date *	13/02/2023		EPSON EXCEED YOUR VISION

Product	t environmental a	ttributes - Market re	quirements	(continued)			Req	uirem	ent met
ltem			•	· ·			Yes	No	n.a.
P10	Emissions								
	Noise emission	- Declared accord	ing to ISO 92	296 (See NOT	E B9)				
P10.1	Mode	Mode description			cal upper limit A-w	eighted sound po	wer level	,	
				L _{WA,c} (B)				
	Idle	* Idoling			naudible				
	Operation	* Operation		*	6.3				
	Other mode								
	Measured accor	ding to: 🛛 🔀 ISO 77	'79	ECMA-74					
		Other	(only if not co	overed by ECN	1A-74)				
	Chemical emiss	sions from printing	products (S	ee NOTE B10)				
P10.2*	Test performed	according to ECMA-3	328 Determin	ation of Chem	ical Emission Rate	s from		X	
	Electronic Equip	ment (ISO/IEC 2836	0) 🔲 , othe	er specify:					
P10.3	Typical emissior	n rate (operation phas	se) is (mg/h):						
	Electrophotogra	phic devices: Ozo	Dust	Styrene	Benzene	TVOC			
	Ink devices:		Dust	Styrene	Benzene	TVOC			
	NOTE: compliar	nce with maximum en	nission rates	in eco labels t	be declared in P	14.			
P11	Consumable m	aterials for printing	products						
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4 🔀 🛛 🗌								
P11.2*		g post-consumer recy	ycled fibers c	an be used, pr	ovided that it meet	s the	\mathbf{X}		
	requirements of								
P11.3*						X			
P11.4*		elivered to end-user	with default a	auto-duplex en	abled.			X	
P13	Packaging and documentation								
P13.1*	Product packaging material type(s): Wood weight (kg): 12.09								
		ng material type(s):							
	1 0	ng material type(s):	-		ght (kg): 4.00				
P13.2*		primary packaging is					\mathbf{X}		
P13.3*	• •	nary corrugated fiber			e contained percer	ntage of			
		onsumer recovered f		80 %					
P13.4*		or user and product d		n (tick box):					
P13.5	Pressed.	, Paper, C		tation used)					
P13.5	· ·	nplete this item if pap		,			_	_	
		ct documentation on	paper media	is chiorine-free	2:				
	If Yes, please sp Totally chlorine-						_		
	Elemental chlori								
P14	Processed chlor								
P14 P14.1	Voluntary prog		of the fellow	ing voluntary n	rogram(c):				
14.1	ENERGY STAR	ets the requirements © Criteria version		Date:	Product catego	n/			
	Energy STAR	Criteria versio		Date: Date:	0	,			
					Product catego				
	Eco-label:	Criteria versio	ווע.	Date:	Product catego	ıy.			

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see\ http://www.ecma-international.org/publications/standards/Ecma-370.htm.$

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	SC-P6500D	Logo							
Issue date *	13/02/2023		EPSON EXCEED YOUR VISION						
	Product environmental attributes - Market requirements (concluded) Requirement met P15 Additional information (See NOTE B11)								

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *	P1.1, P4.1, P3.1
* Specific exemptions apply for certain products and applications.	
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	