

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	EPSON	Logo
Company name *	Seiko Epson Corporation	FROOM
Contact information *	EPSON Europe B.V.	EPSON
e-mail address	environment@epson.eu	
Internet site *	http://www.epson.com	
Additional information		

The company declares (b	he company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statements given in this declaration.						
Type of product *	Large Format Printer (Ink-Jet)					
Commercial name *	SC-P8500DM					
Model number *	3C-P0300DM					
Issue date *	10/04/2023					
Intended market *	🗌 Global 🛛 Europe 🔲 Asia, Pacific & Japan 🗌 Americas 🔛 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

Model number *	SC-P8500DM	Logo	
Issue date *	10/04/2023		EPSON

<u>Produ</u>	ct environmental attributes - Legal requirements	Requirement met			
ltem		Yes	No	n.a.	
P1	Hazardous substances and preparations				
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	X			
P1.2*	Products do not contain Asbestos (see legal reference).	X			
	Comment: Legal reference has no maximum concentration value.	_			
	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	X			
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride,				
P1.3*	1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no				
	maximum concentration values.				
	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	X			
P1.4*	terphenyl (PCT) in preparations (see legal reference).				
	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon	X			
P1.5*	atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5			X	
P1.6	mg/cm²/week (see legal reference).			<u>17 - 11</u>	
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.				
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	X			
	http://www.epson.com				
P2	Batteries				
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the	\mathbf{X}			
	disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium.	Printermini			
P2.2*	(See legal reference)	X			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	X			
P3	Conformity verification & Eco design (ErP)				
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference	nce) 🔀			
	The Declaration of Conformity can be requested at (add link or e-mail addres: https://www.epson.eu	/conforr	nity		
P3.2*	The product complies with the Eco design Requirements for Energy-Related Products,	\mathbf{X}			
	(see legal reference).				
	Required information is; given in item P15 or added to this document,	\mathbf{X}			
	🔀 available at (add URL): http://www.epson.com				
P4	Consumable materials				
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level			\mathbf{X}	
P4.2*	greater than 0.01% (see legal reference and NOTE B1). If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight				
F4.Z	(see legal reference)				
	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which	\mathbf{X}			
P4.3*	there are Community workplace exposure limits, the product/packaging is adequately labeled				
	according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these				
	requirements is available (see legal reference).				
P5	Product packaging Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium				
P5.1*		\mathbf{X}			
P5.2*	and hexavalent chromium by weight of these together. The packaging materials are marked with abbreviations and numbers indicating the nature of the		X		
-	material(s) used (see legal reference). I he product packaging material is free from ozone depleting substances as specified in the Montreal		КЛ		
P5.3*	Protocol (see legal reference).	\mathbf{X}			
	Comment: Legal reference has no maximum concentration values.				
P6	Treatment information				
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	X			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	SC-P8500DM	Logo	EDOON
Issue date *	10/04/2023		EPSON

	t environmental attributes - Market requirements (See General Note GN below) vironmental conscious design	Reg	lireme	ent met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design	100	110	n.u.
•••	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\mathbf{X}		
P7.2*	Plastic materials in covers/housing have no surface coating.	X		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	X		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	X		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).			
1 1.0	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\mathbf{X}		
P7.8*	Upgrading can be done using commonly available tools	X		
P7.9.	Spare parts are available after end of production for: 7 years			
P7.10	Service is available after end of production for: 7 vears			
17.10	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
17.11	Material type: ABS Material type: PS Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.	_	X	
P7.12	Insulation materials of internal electrical cables are PVC free.			
17.15				
P7.14	External plastic casing/cover parts > 25 g contain no more than $0,1\%$ weight (1000 ppm) bromine and $0,1\%$ weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame	X		
	retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen 🔀 🛛 PCBs > 25 g 📋 🛛 are		X	
	low halogen as defined in IEC 61249-2-21. (See NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:			X
	Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive _ , TBBPA (reactive) _ (See NOTE B3), Other; chemical name , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components)			
	according ISO 1043-4: Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant			
P7.18	substances/preparations in concentrations above 0.1%: 1. Chemical name:			
	2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 104			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			
	assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)) (See NOTE B5)		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

	umber *	C-P8500DM			Logo				
Issue da	ite *	0/04/2023				F	-P	SO	N
Product	environmental at	ributes - Market requ	uirements (continue	ed)			Requ	iireme	nt met
ltem							Yes	No	n.a.
		stance requirements							
P7.20*	Postconsumer re	cycled plastic material	content is used in th	e product (See NOT	E B6):		\mathbf{X}		
		e of the two alternativ							
		parts' weight > 25 g, t		cycled plastic materia	al content				
	(calculated as a percentage of total plastic by weight)								
	or								
	b) The weight of	recycled material is 17	936 g.						
	<u> </u>								
P7.21*	Biobased plastic	naterial content is use	d in the product (See	e NOTE B7):				X	
		.							
		e of the two alternativ							
	, .	parts' weight > 25 g,	•						
		a percentage of total	plastic by weight)	%.					
	or								
D7.00*		the biobased plastic m free from mercury, i.e					K7		
P7.22*	-	-	-		4		X		
D 0		specify: Number of la	mp: and maxi	mum mercury conter	it per lamp	mg			
P8.1*	Batteries Battery chemical	composition: Lithiu	Im						
P9		tion (See NOTE B8)							
P9.1		e following power leve	els or energy consum	potions are reported.					
-		Power level at	Power level at	Power level at	Reference/Sta	ndard for		a) (m o)	des and
Energy m	Energy mode *			ener					
	lieuo	100 V AC	115 V AC	230 V AC	test method *		ener	gy mo	
Sleep mo		100 V AC	115 V AC	230 V AC			ener	gy mo	
	ode for ENERGY	100 V AC					ener	gy mo	
	ode for ENERGY Operational Mode						ener	gy mo	
STAR® ((OM) pro	ode for ENERGY Operational Mode oducts						ener	gymo	
STAR® ((OM) pro Standby/	ode for ENERGY Operational Mode oducts foff mode for	w	w	2.0 w			ener	gymo	
STAR® ((OM) pro Standby/ ENERGY	ode for ENERGY Operational Mode oducts	w	w	2.0 w			ener		
STAR® ((OM) pro Standby/ ENERGY Mode (O	ode for ENERGY Operational Mode iducts 'off mode for Y STAR Operationa	w	w	2.0 w			ener	gymo	
STAR® ((OM) pro Standby/ ENERGY Mode (O TEC valu	ode for ENERGY Operational Mode oducts 'off mode for Y STAR Operationa M) products	N I N	w	2.0 w			ener	gymo	
STAR® ((OM) pro Standby/ ENERGY Mode (O TEC valu STAR TE	ode for ENERGY Operational Mode oducts 'off mode for Y STAR Operationa M) products ue for ENERGY	I W kWh/week	w	2.0 w			ener		
STAR® ((OM) pro Standby/ ENERGY Mode (O TEC valu STAR TE Typical E	ode for ENERGY Operational Mode ducts 'off mode for Y STAR Operationa M) products Je for ENERGY EC products (TEC=	I W kWh/week	W W kWh/week	2.0 w			ener	gymo	
STAR® ((OM) pro Standby/ ENERGY Mode (O TEC valu STAR TE Typical E	ode for ENERGY Operational Mode oducts off mode for Y STAR Operationa M) products ue for ENERGY EC products (TEC= Energy Consumptio	I w kWh/week	W W kWh/week	2.0 w 0.3 w kWh/week					
STAR® ((OM) pro Standby/ ENERGY Mode (O TEC valu STAR TE Typical E	ode for ENERGY Operational Mode oducts off mode for Y STAR Operationa M) products ue for ENERGY EC products (TEC= Energy Consumptio	l w kWh/week	W W KWh/week kWh/week	2.0 W 0.3 W kWh/week kWh/week				gymo	
STAR® ((OM) pro Standby/ ENERGY Mode (O TEC valu STAR TE Typical E	ode for ENERGY Operational Mode oducts off mode for Y STAR Operationa M) products ue for ENERGY EC products (TEC= Energy Consumptio	N I W kWh/week n) kWh/week W	W W kWh/week kWh/week W W W	2.0 W 0.3 W kWh/week kWh/week W W				gymod	
STAR® ((OM) pro Standby/ ENERGY Mode (O TEC valu STAR TE Typical E	ode for ENERGY Operational Mode oducts off mode for Y STAR Operationa M) products ue for ENERGY EC products (TEC= Energy Consumptio	N I W kWh/week n) kWh/week W W W W	W W KWh/week KWh/week W W W W	2.0 w 0.3 w kWh/week kWh/week W W W					
STAR® ((OM) pro Standby/ ENERGY Mode (O TEC valu STAR TE Typical E TEC valu	ode for ENERGY Operational Mode oducts off mode for Y STAR Operationa M) products ue for ENERGY EC products (TEC= Energy Consumption ue (OM product)	N N N KWh/week N KWh/week N N N N N N N N N N N N N	W W kWh/week kWh/week W W W W W W W	2.0 w 0.3 w kWh/week kWh/week W W W W W W W				gymod	
STAR® ((OM) pro Standby/ ENERGY Mode (O TEC valu STAR TE Typical E TEC valu	ode for ENERGY Operational Mode oducts off mode for Y STAR Operationa M) products ue for ENERGY EC products (TEC= Energy Consumption ue (OM product)	I W N KWh/week N KWh/week W W W W W W W W W W	W W kWh/week kWh/week W W W W W W W	2.0 w 0.3 w kWh/week kWh/week W W W W W W W					
STAR® ((OM) pro Standby/ ENERGY Mode (O TEC valu STAR TE Typical E TEC valu External	ode for ENERGY Operational Mode oducts off mode for Y STAR Operationa M) products Je for ENERGY EC products (TEC= Energy Consumptio Je (OM product) Power Supply Effici	N N N KWh/week N KWh/week N N N N N N N N N N N N N	W KWh/week KWh/week W W W W W W W W W W W W W W W W W W	2.0 w 0.3 w kWh/week kWh/week W W W W W W W					
STAR® ((OM) pro Standby/ ENERGY Mode (O TEC valu STAR TE Typical E TEC valu External Print/Sca	Dede for ENERGY Operational Mode oducts off mode for Y STAR Operationa M) products Je for ENERGY EC products (TEC= Energy Consumption Je (OM product) Power Supply Efficient an Speed * :	I W KWh/week N KWh/week W KWh/week W W W W W W W W W W W W W	W KWh/week KWh/week W W W W W W W W W W M W W W W W W W W	2.0 w 0.3 w kWh/week w w w w w w w w w w w w w w w w w w				gymod	

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	SC-P8500DM	Logo	
Issue date *	10/04/2023		EPSON

Product	t environmental a	ttributes - Market re	equirements	(continued)			Req	uirem	ent met
ltem							Yes	No	n.a.
P10	Emissions								
	Noise emission	I – Declared accord	ing to ISO 9	296 (See NOTI	E B9)				
P10.1	Mode	Mode description		Statisti	cal upper limit A-we	eighted sound po	wer level,		
				L _{WA,c} (В)				
	Idle	* Idoling		*	naudible				
	Operation	* Operation		*	6.4				
	Other mode								
	Measured accor	ding to: 🛛 🔀 ISO 77	79	ECMA-74					
		Other	(only if not c	overed by ECN	IA-74)				
	Chemical emiss	sions from printing	products (S	ee NOTE B10)					
P10.2*	Test performed	according to ECMA-3	328 Determir	ation of Chemi	cal Emission Rates	s from		X	
	Electronic Equip	ment (ISO/IEC 2836	0) 🗖 , othe	er specify:					
P10.3	Typical emissior	n rate (operation phas	se) is (mg/h):						
	Electrophotogra	phic devices: Ozc	Dust	Styrene	Benzene	TVOC			
	Ink devices:		Dust	Styrene	Benzene	TVOC			
	NOTE: compliar	nce with maximum en	nission rates	in eco labels to	be declared in P1	4.			
P11	Consumable m	aterials for printing	products						
P11.1*	A Safety Data S	heet (SDS) is availab	le for the ink	/toner preparat	on, even if not lega	ally required (see	P4.: 🔀		
P11.2*	Paper containing	g post-consumer recy	/cled fibers c	an be used, pro	ovided that it meets	s the			
P11.2*	requirements of						\mathbf{X}		
P11.3*	2-sided (duplex)	printing/copying is a	n integrated	product functio	າ.			X	
P11.4*	The product is d	elivered to end-user	with default a	auto-duplex ena	ıbled.			X	
P13		documentation		·					
P13.1*	Product packagi	ng material type(s):	Wood	wei	ght (kg): 15.41				
		ng material type(s):		ibreboard wei	ght (kg): 7.46				
		ng material type(s):			ght (kg): 4.00				
P13.2*	Product plastic p	primary packaging is	free from PV	C.			X		
P13.3*	For product prim	nary corrugated fibert	oard packag	ging, specify the	contained percent	tage of			
	minimum post-c	onsumer recovered f	iber conte	80 %					
P13.4*	Specify media for	or user and product d	ocumentatio	n (tick box):					
	Electronic 🔀	, Paper <mark>⊓</mark> , C	ther						
P13.5	(Please only cor	nplete this item if pap	er documen	tation used)					
	User and produc	ct documentation on	paper media	is chlorine-free	:				
	If Yes, please sp	becify:							
	Totally chlorine-	free							
	Elemental chlori								
	Processed chlor	ine-free							
P14	Voluntary prog								
P14.1		ets the requirements	of the follow	ing voluntary pr	ogram(s):				
	ENERGY STAR			Date:	Product catego	v:			
	Eco-label:	Criteria versio		Date:	Product catego				
	Eco-label:	Criteria versio		Date:	Product catego				

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	SC-P8500DM	Logo	
Issue date *	10/04/2023		EPSON
Product environmental	attributes - Market requirements (concluded) Requirement met		
P15 Additional infe	ormation (See NOTE B11)		

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *	P1.1, P4.1, P3.1
* Specific exemptions apply for certain products and applications.	
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	