

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	EPSON	Logo
Company name *	Seiko Epson Corporation	EDCON
Contact information *	EPSON Europe B.V.	EPSON
e-mail address	environment@epson.eu	EXCEED YOUR VISION
Internet site *	http://www.epson.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Large Format Printer (Ink-Jet)			
Commercial name *	SC-T3700E			
Model number *	30-137002			
Issue date *	2/13/2023			
Intended market *	☐ Global ☑ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

Model number *	SC-T3700E	Logo	EDOON
Issue date *	2/13/2023		EPSON
			EXCEED YOUR VISION

	ct environmental attributes - Legal requirements	Require		net
ltem		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	X		
P1.2*	Products do not contain Asbestos (see legal reference).	\boxtimes		
	Comment: Legal reference has no maximum concentration value.			
	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	X		
P1.3*	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride,			
F 1.3	1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no			
	maximum concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	\boxtimes		
F 1.4	terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms	X		
F 1.5	in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5			X
F 1.0	mg/cm²/week (see legal reference).			
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	X		
	http://www.epson.com			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal			
FZ. I	symbol. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See	×		
FZ.Z	legal reference)			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	X		
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference	e). 🔀		
	The Declaration of Conformity can be requested at (add link or e-mail address): https://www.epson.eu	/conform	nity	
P3.2*	The product complies with the Eco design Requirements for Energy-Related Products,	\boxtimes		
	(see legal reference).			
	Required information is; given in item P15 or added to this document,	\boxtimes		
	available at (add URL): http://www.epson.com			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level			X
1 7.1	greater than 0,01% (see legal reference and NOTE B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight	X	П	П
1 7.2	(see legal reference)			
	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which	X	П	
P4.3*	there are Community workplace exposure limits, the product/packaging is adequately labeled			
1 4.5	according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these			
	requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and	X		
. 0. 1	hexavalent chromium by weight of these together.			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the		\boxtimes	
	material(s) used (see legal reference).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal	\boxtimes		
	Protocol (see legal reference).			
	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	X		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	SC-T3700E	Logo	EDOON
Issue date *	2/13/2023		EPSON
			EXCEED YOUR VISION

Draduat	t environmental attributes - Market requirements (See General Note GN below)			
	t environmental attributes - Market requirements (See General Note GN below) vironmental conscious design	Pegu	iromo	nt met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design	103	140	II.a.
.,	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	X	П	П
P7.2*	Plastic materials in covers/housing have no surface coating.	X	П	П
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	X		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	X	П	П
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		П	П
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	X	П	П
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	X	П	П
P7.8*	Upgrading can be done using commonly available tools	X		
P7.9.	Spare parts are available after end of production for: 7 years			
P7.10	Service is available after end of production for: 7 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: ABS Material type: PS Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		X	
P7.13	Insulation materials of internal electrical cables are PVC free.		X	
	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and			
P7.14	0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame	X		
	retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm)	F-4	ш	
	chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: a ☑ PCBs > 25 g ☐ are		\times	
	low halogen as defined in IEC 61249-2-21. (See NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:			\times
D7.47	Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive ☐ , TBBPA (reactive) ☐ (See NOTE B3), Other; chemical name: , CAS #:			
	Alt 2. Chamical analytications of flows retardants in printed size of heards (without components)			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components)			
	according ISO 1043-4: Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant			
P7.18	substances/preparations in concentrations above 0,1%:			
	1. Chemical name: , CAS #: (See NOTE B4)		П	
	2. Chemical name: , CAS #: " (SSS NOTE B1)	ш	ш	ш
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been	П	П	
7.10	assigned the following Risk phrases; and Hazard statements:	Ш	Ш	Ш
	The source(s) for these classifications is/are found at (add URL(s)): (See NOTE B5)		
	(Dec NOTE by	,		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	SC-T3700E	Logo	EDOON
Issue date *	2/13/2023		EPSON
			EXCEED YOUR VISION

Product	environmental attrib	outes - Market require	ements (continued)			Reau	ireme	nt met
Item			(Yes	No	n.a.
	Material and subst	ance requirements (c	continued)					
P7.20*		cled plastic material co		product (See NOTE	B6):	X		
	If YES; at least one	of the two alternatives	below shall be answ	vered;				
		arts' weight > 25 g, the percentage of total pla		cled plastic material	content			
	or	por corruage or total pro	.0					
		cycled material is 14,	⁰⁷¹ g.					
P7.21*	Biobased plastic ma	aterial content is used	in the product (See N	NOTE B7):			X	
		of the two alternatives						
		arts' weight > 25 g, the	•					
	•	percentage of total pla	istic by weight) is	%.				
	or b) The weight of the	e biobased plastic mat	erial is 0 g.					
P7.22*		ee from mercury, i.e. le)		X		
	•	pecify: Number of lam		num mercury conte	nt per lamp mg		ш	ш
P8	Batteries				р.г. тр			
P8.1*	Battery chemical co	mposition: Lithium						П
P9	Energy consumption	on (See NOTE B8)						
P9.1	For the product the	following power levels	or energy consumpt	ions are reported:				
Energy m	node *	Power level at				r ener	gy mod	des and
0,		100 V AC	115 V AC	230 V AC	test method *			
	ode for ENERGY							
	Operational Mode	W	W	2.0 v	/ 			
(OM) pro								
	off mode for							
	STAR Operational	W	W	0.3 v	'			
	M) products le for ENERGY							
-	EC products (TEC=	kWh/week	kWh/week	kWh/wee				
	nergy Consumption)	KWII/Week	KVVII/Week	kvvii/wee	`\			X
	ie (OM product)	kWh/week	kWh/week	kWh/wee	k			X
TEO Valu	ic (OW product)	W	W	V	+			
		W	W	v				
		W	W	v	/			
		W	W	V	/			
		W	W	v	/			
External I	Power Supply Efficier	ncy Level (Internationa	l Efficiency Marking	Protocol) *				X
Print/Sca	n Speed * : 31	images per minut	e					
Default til	me to enter energy sa		minutes					X
P9.2*	Information about th	e energy save function	n is provided with the	product.		\times		

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	SC-T3700E	Logo	EDCON
Issue date *	2/13/2023		EPSON EXCEED YOUR VISION

Product	environmental a	ttributes - Market requ	irements (c	continued)				Rea	uiremo	ent met
Item		au iou iou iou iou iou iou iou iou iou io	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	, , , , , , , , , , , , , , , , , , ,				Yes	No	n.a.
P10	Emissions									
		- Declared according	to ISO 929	6 (See NOTE	B9)					
P10.1	Mode	Mode description			ical upper limi	t A-weigl	nted sound po	wer level,		
		· ·		L _{WA.c}	(B)	Ū	·			
	Idle	* Idoling		*	Inaudible					П
	Operation	* Operation		*		6.3				
	Other mode									
	Measured according to: ISO 7779 ☐ ECMA-74									
		☐ Other (o	nly if not cov	ered by ECM	A-74)					
	Chemical emissions from printing products (See NOTE B10)									
P10.2*	Test performed	according to ECMA-328	3 Determinat	ion of Chemic	al Emission Ra	ates from	1		X	
	Electronic Equip	ment (ISO/IEC 28360)	☐ , othe	er specify:						
P10.3	Typical emission	n rate (operation phase)	is (mg/h):							
	Electrophotogra	phic devices: Ozc	Dust	Styrene	Benzei	ne	TVOC			
	Ink devices:		Dust	Styrene	Benzei	ne	TVOC			
	NOTE: compliar	nce with maximum emis	sion rates in	eco labels to	be declared in	P14.				
P11	Consumable m	aterials for printing pr	oducts							
P11.1*		heet (SDS) is available						4.3). 🔀		
P11.2*		g post-consumer recycle	ed fibers car	n be used, pro	ided that it me	eets the	requirements	×	П	П
	of EN 12281.									Ш
P11.3*	2-sided (duplex)	printing/copying is an i	ntegrated pr	oduct function	•				X	
P11.4*	The product is d	lelivered to end-user wit	h default au	to-duplex enal	oled.				X	
P13	<u> </u>	documentation								
P13.1*		ing material type(s): W			ight (kg): 12.					
		ing material type(s): Co	_		0 (0)					
		ing material type(s): Pa			ight (kg): 4.0	0				
P13.2*		orimary packaging is fre						X		
P13.3*		nary corrugated fiberboa			contained perc	centage of	of			
	•	onsumer recovered fibe		80 %						
P13.4*		or user and product doc		(tick box):						
		, Paper □ , Oth								
P13.5	` •	nplete this item if paper		,						
	•	ct documentation on pa	per media is	chlorine-free:						
	If Yes, please sp	•								
	Totally chlorine-									
	Elemental chlori									
D4.4	Processed chlor									
P14	Voluntary prog		Ale e felless		(-)-					
P14.1		ets the requirements of								
	ENERGY STAR			Date:	Product ca	0,				
	Eco-label:	Criteria version:		Date:	Product ca	0 ,				
	Eco-label:	Criteria version:		Date:	Product ca	ategory:				

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	SC-T3700E	Logo	EDCON
Issue date *	2/13/2023		EPSON
			EXCEED YOUR VISION

Product	Product environmental attributes - Market requirements (concluded) Requirement met			
P15	Additional information (See NOTE B11)			

Legal references Europe Annex B1	
Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *	P1.1, P4.1, P3.1
* Specific exemptions apply for certain products and applications.	
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.*	P2.1, P2.2, P2.3, P8.1
* These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

Directive 2012/19/EU (WEEE directive)	1
	•
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	