

## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	EPSON	Logo
Company name *	Seiko Epson Corporation	FDCCNI
Contact information *	EPSON Europe B.V.	<b>EPSON</b>
e-mail address	environment@epson.eu	
Internet site *	http://www.epson.com	
Additional information		

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product *	Large Format Printer (Ink-Jet)			
Commercial name *	SC-T5700DM			
Model number *	30-13700DW			
Issue date *	4/10/2023			
Intended market *	☐ Global   ☑ Europe   ☐ Asia, Pacific & Japan   ☐ Americas   ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

Model number *	SC-T5700DM	Logo	
Issue date *	4/10/2023		<b>EPSON</b>

Prod	uct environmental attributes - Legal requirements	Require	ment	met
Item	<u> </u>	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	X		
P1.2	Products do not contain Asbestos (see legal reference).	X		
	Comment: Legal reference has no maximum concentration value.			
	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	X	П	
 	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride,			
P1.3	1,1,1-tricnioroetnane, metnyi bromide (see legai reference). Comment: Legai reference has no			
	maximum concentration values.			
P1.4	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005%	X	П	
F 1.4	polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon	X		
1 1.5	atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
  P1.6 <sup>*</sup>	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5			$\boxtimes$
	mg/cm²/week (see legal reference).			
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7		$\boxtimes$		
L	http://www.epson.com			
P2	Batteries If the product contains a pattery or an accumulator, the pattery/accumulator is labeled with the			
P2.1		$\boxtimes$		
P2.2	disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium.	X		
P2.3	(See legal reference)  Batteries and accumulators are readily removable. (See legal reference)			
P3	Conformity verification & Eco design (ErP)			
P3.1		ence 🔀	П	П
	The Declaration of Conformity can be requested at (add link or e-mail addres https://www.epson.el		_	
P3.2		X	n	
	(see legal reference).			
	Required information is; given in item P15 or added to this document,	X		
	available at (add URL): http://www.epson.com			
P4	Consumable materials			
P4.1	if a photo conductor (drum, beit etc.) is used in the product, it does not contain cadmium at a level		П	X
P4.2	greater than 0.01% (see legal reference and NOTE B1). If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by			
P4.2	weight (see legal reference)	X		
	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which	$\boxtimes$		
P4.3	there are Community workplace exposure limits, the product/packaging is adequately labeled			
	according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
D.	, , ,			
P5	Product packaging Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium			
P5.1	and hexavalent chromium by weight of these together.  The packaging materials are marked with abbreviations and numbers indicating the nature of the	X		
P5.2			X	
P5.3	Materials) used (see legal reference).  The product packaging material is tree from ozone depleting substances as specified in the	<u> </u>		
ادی.ی	Montreal Protocol (see legal reference).			
DC.	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information	A A		
P6.1	Information for recyclers/treatment facilities is available (see legal reference).	X		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	SC-T5700DM	Logo	EDOON
Issue date *	4/10/2023		<b>EPSON</b>
			3000 0000 000

Product	environmental attributes - Market requirements (See General Note GN below)			
	rironmental conscious design	Regu	iromo	nt met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design	100	110	11.4.
	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	X	П	П
P7.2*	Plastic materials in covers/housing have no surface coating.	X		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	X		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	X	П	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available too		П	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	X	П	П
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	X	П	П
P7.8*	Upgrading can be done using commonly available tools	X		
P7.9.	Spare parts are available after end of production for: 7 years			
P7.10	Service is available after end of production for: 7 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: ABS Material type: PS Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		X	
P7.13	Insulation materials of internal electrical cables are PVC free.		X	
	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine			
P7.14	and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame	X		
1 7.14	retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm)		Ш	
	chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low haloger ☑ PCBs > 25 g ☐ are		X	
	low halogen as defined in IEC 61249-2-21. (See NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:			$\boxtimes$
	Marking:			
P7.17	<u>Alt. 1:</u> Chemical specifications of flame retardants in printed circuit boards > 25 g (without components)			
	TBBPA (additive $\square$ , TBBPA (reactive) $\square$ (See NOTE B3), Other; chemical name , CAS #:			
	<u>Alt. 2:</u> Chemical specifications of flame retardants in printed circuit boards (without components)			
	according ISO 1043-4: Alt. 1: Frame retarded plastic parts > 25 g contain the following flame retardant			
P7.18	substances/preparations in concentrations above 0.1%:			
	1. Chemical name: , CAS #: (See NOTE B4)			П
	2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "			
	Alt 0. Observed and officers of flower automorphism also for a second control of the control of			
D7.40	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 10			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			
	assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)) (See NOTE B5)	1		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	SC-T5700DM	Logo	
Issue date *	4/10/2023		<b>EPSON</b>

Product	environmental attri	butes - Market req	uirements (continu	ed)	Re	qui	reme	nt met
Item			,	•	Ye	s s	No	n.a.
	Material and subs	tance requirements	s (continued)					
P7.20*	Postconsumer recy	cled plastic material	content is used in the	ne product (See NO	ΓΕ B6):			
	If YES; at least one	of the two alternativ	es below shall be ar	nswered;				
	of total plastic p	arts' weight > 25 g,	the postconsumer re	ecycled plastic mater	rial content			
		percentage of total		/0				
	or							
	b) The weight of re	cycled material is 17,	005 g.					
P7.21*	Biobased plastic ma	aterial content is use	ed in the product (Se	e NOTE B7):			X	
	,		es below shall be ar	,				
	,		the biobased plastic					
	,	percentage of total	plastic by weight)	%.				
	or	o highered plactic p	natorial 0 a					
P7.22*		e biobased plastic n	naterial		×		_	
1 7.22	-	specify: Number of la	-	mum mercury conte		,		
P8	Batteries	poony. Humber of it	птр анатнахі	mani meredry conte	nt por larinj i nig			
P8.1*	Battery chemical co	mposition Lithiu	ım					П
P9		ion (See NOTE B8)						
P9.1			els or energy consur	nptions are reported	:			
		Power level at	Power level at	Power level at	Reference/Standard for er	erg	y mo	des
Energy r	node *	100 V AC	115 V AC	230 V AC	and test method *			
	ode for ENERGY							
1	Operational Mode	W	W	<b>2.0</b> W				
(OM) pro	oducts							
,	off mode for							
	Y STAR Operational	W	W	0.3 W				
	M) products עפיסי באבאסי							
1	EC products (TEC=							5.2
Typical E		kWh/week	kWh/week	kWh/week				X
Consum	untion) ue (OM product)	kWh/week	kWh/week	kWh/week				X
TEC Vali	ue (Olvi product)	KWII/Week W	-					
		l w						
		l w						
		w w						
		w	w	w				
External	Power Supply Efficie	• • • • • • • • • • • • • • • • • • • •						X
	an Speed * : 37	images per min		<u> </u>				
	ime to enter energy s		minutes					X
P9 2*	**		tion is provided with	the product	×			

NOTE B8 A Guidance document on Energy efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

Model number *	SC-T5700DM	Logo	
Issue date *	4/10/2023		<b>EPSON</b>

Produc	t environmental a	attributes - Market re	equirements	s (continued)			R	equ	uirem	ent met
Item							Υe	es	No	n.a.
P10	Emissions									
	Noise emission	n – Declared accord	ing to ISO 9	296 (See NO	ΓΕ B9)					
P10.1	Mode	Mode description		Statist	ical upper limit	A-weighted sou	nd power lev	∕el,		
				L <sub>WA,c</sub>	(B)					
	Idle	* Idoling		*	Inaudible					
	Operation	* Operation		*		6.6				
	Other mode									
	Measured accor	ding to: XISO 77	79	☐ ECMA-74						
		☐ Other	(only if not c	overed by EC	MA-74)					
	Chemical emis	sions from printing	products (S	See NOTE B1	0)					
P10.2*	Test performed	according to ECMA-3	328 Determir	nation of Chen	nical Emission F	Rates from			$\times$	
	Electronic Equip	ment (ISO/IEC 2836	0) 🔲 , othe	er specify:						
P10.3	Typical emission	n rate (operation phas	se) is (mg/h)	:						
	Electrophotogra	phic devices: Ozc	Dust	Styrene	Benzene	e TVOC	;			
	Ink devices:		Dust	Styrene	Benzene	e TVOC	;			
	NOTE: compliar	nce with maximum er	nission rates	in eco labels	to be declared i	in P14.				
P11		aterials for printing	•							
P11.1*	A Safety Data S	heet (SDS) is availab	le for the ink	t/toner prepara	ation, even if no	t legally require	d (see P4 🔀	1		
P11.2*		g post-consumer recy	cled fibers o	an be used, p	rovided that it n	neets the	×	7	П	
	requirements of	EN 12281.						Ħ		
P11.3*		printing/copying is a							X	
P11.4*	The product is d	lelivered to end-user	with default	auto-duplex er	nabled.				$\boxtimes$	
P13		documentation								
P13.1*		ing material type(s):			ight (kg): 17.64	4				
		ing material type(s):								
		ing material type(s):			ight (kg): 4.00					
P13.2*		orimary packaging is					X	<u>]                                    </u>		
P13.3*		nary corrugated fibert			ne contained pe	rcentage of				
		onsumer recovered f		80 %						
P13.4*		or user and product d		n (tick box):						
		, Paper 📋 , O								
P13.5	` ,	mplete this item if par		,						
	•	ct documentation on	paper media	is chlorine-fre	e:					
	If Yes, please sp	•								
	Totally chlorine-									
	Elemental chlori									
	Processed chlor									
P14	Voluntary prog		***							
P14.1	•	ets the requirements			• , ,					
	ENERGY STAR			Date:	Product cat	0 ,				
	Eco-label:	Criteria versio		Date:	Product cat	0 ,				
1	Eco-label:	Criteria version	on:	Date:	Product cat	egory:				

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	SC-T5700DM	Logo	
Issue date *	4/10/2023		<b>EPSON</b>

Product	environmental attributes - Market requirements (concluded) Requirement met
P15	Additional information (See NOTE B11)

Legal references Europe Annex B1

Legal references Europe Annex B1		
Reference	Declaration item	
Directive 2011/65/EU (RoHS Directive) *	P1.1, P4.1, P3.1	
* Specific exemptions apply for certain products and applications.		
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2	
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10	
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex	P4.3	
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing	D4 0 5 0	
and use of Ozone layer depleting substances)	P1.3, 5.3	
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5	
Directive 2006/66/EC (Battery and accumulators Directive), as amended.*	P2.1, P2.2, P2.3, P8.1	
* These provisions shall not apply where, for safety, performance, medical or data		
integrity reasons, continuity of power supply is necessary and requires a		
permanent connection between the appliance and the battery or accumulator.		
Directive 2014/35/EU (Low Voltage Directive)	P3.1	
· · · · · · · · · · · · · · · · · · ·	P3.1	
Directive 2014/30/EU (EMC Directive)		
Directive 2014/53/EU (RE Directive)	P3.1	
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1	
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions		
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1	
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19	
Directive 2004/12/EC (Packaging Directive)	P5.1	
Decision 97/129/EC (Secondary packaging legislation)	P5.2	

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and	
electronic equipment (WEEE) generated by weight in each Member State.	