

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

| Brand * | EPSON | Logo |
|------------------------|---|--------------------------|
| Company name * | Seiko Epson Corporation | EDCON |
| Contact information * | EPSON Europe B.V. environment@epson.eu | EPSON EXCEED YOUR VISION |
| Internet site * | http://www.epson.com | |
| Additional information | | |

| • • | The company declares (based on product specification or test results based obtained from sample testing), that the product conforms of the statements given in this declaration. | | | | | |
|------------------------|--|--|--|--|--|--|
| Type of product * | Ink-Jet Printer | | | | | |
| Commercial name * | T7700D | | | | | |
| Model number * | 177000 | | | | | |
| Issue date * | March 24, 2022 | | | | | |
| Intended market * | ☐ Global ☑ Europe ☐ Asia,Pacific ☐ Americas ☐ Other | | | | | |
| Additional information | | | | | | |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

| Quality | Quality control | | |
|---------|--|-----|----|
| Item | | Yes | No |
| QC1 * | The company enforces an internal quality control scheme to ensure the correctness of this eco declaration | 7 | |
| QC2 * | The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org). | 7 | |

| Model number * | SC-T7700D | | |
|----------------|----------------|------|-----------------------------|
| Issue date * | March 24, 2022 | Logo | EPSON EXCEED YOUR VISION |

| Product | environmental attributes - Legal requirements | Requirement met | | |
|----------------|--|-----------------|----------|------|
| Item | | Yes | No | n.a. |
| P1 | Hazardous substances and preparations | | | |
| P1.1* | Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1) | 7 | | |
| P1.2* | Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value. | 7 | | |
| P1.3* | Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. | 7 | | |
| P1.4* | Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference). | I | | |
| P1.5* | Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). | V | | |
| P1.6* | Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values. | | | 7 |
| P1.7* | Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1) | | | 7 |
| P1.8* | Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values. | | | 7 |
| P1.9* | Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm2/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998. | | | 7 |
| P1.10* | REACH Article 33 information about substances in articles is available at (add URL or mail contact): | | | |
| | http://www.epson.com/ | ت | П | |
| P2 | Batteries | | | |
| P2.1* | If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is | V | | |
| P2.2* | provided in user manual. (See legal reference) Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) | | | |
| P2.3* | Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical | | | |
| P3 | or data integrity reasons do not have to be "easily removable". (See legal reference) | | | |
| P3.1* | Safety, EMC connection to the telephone network and labeling The product complice with legally required cafety standards as appointed (see legal reference) | | | |
| | The product complies with legally required safety standards as specified (see legal reference). | <u> </u> | | |
| P3.2* P3.3* | The product complies with legally required standards for electromagnetic compatibility (see legal reference). If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). | 7 | | |
| P3.4* | The product is labeled to show conformance with applicable legal requirements (see legal reference). | 7 | | |
| P4 | Consumable materials | [4] | | |
| P4.1* | If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). | | | 7 |
| P4.2* | If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). | V | П | П |
| P4.3* | If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). | <u> </u> | | |
| P5 | Product packaging | | | |
| P5.1* | Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together. | V | | |
| P5.2* | Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). | | 4 | |
| P5.3* | The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values. | 7 | | |

Note 1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

| Model number * | SC-T7700D | | |
|----------------|----------------|------|--------------------------|
| Issue date * | March 24, 2022 | Logo | EPSON EXCEED YOUR VISION |

| Produc | et environmental attributes - Market requirements - Environmental conscious design | Require | ement | met |
|----------------|---|----------|-------|------|
| Item | *=mandatory to fill in. Additional information regarding each item may be found under P14. | Yes | No | n.a. |
| P6 | Treatment information | | | |
| P6.1* | Information for recyclers/treatment facilities is available (see legal reference). | 7 | | |
| P7 | Design | | | |
| D7.4* | Disassembly, recycling | | | _ |
| P7.1* | Parts that have to be treated separately are easily separable. | <u> </u> | | |
| P7.2* | Plastic materials in covers/housing have no surface coating. | <u> </u> | | |
| P7.3* | Plastic parts >100g consist of one material or of easily separable materials. | <u> </u> | | |
| P7.4* | Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043. | <u> </u> | | |
| P7.5 | Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. | | | |
| P7.6* | Labels are easily separable. (This requirement does not apply to safety/regulatory labels). | 7 | | |
| D7 7* | Product lifetime | | | |
| P7.7* | Upgrading can be done e.g. with processor, memory, cards or drives. | 7 | | |
| P7.8* | Upgrading can be done using commonly available tools. | 7 | | |
| P7.9. | Spare parts are available after end of production for: Spare parts are available after end of production for: Years | | | |
| P7.10 | Service is available after end of production for: years | | | |
| D7 44* | Material and substance requirements | | | |
| P7.11* | Product cover/housing material type: | | | |
| D7.40 | Material type: ABS Material type: PS Material type: | | | |
| P7.12 | Electrical cable insulation materials of power cables are PVC free. | <u> </u> | | |
| P7.13 P7.14 | Electrical cable insulation materials of signal cables are PVC free. | <u> </u> | | |
| | All cover/housing plastic parts >25g are free from chlorine and bromine. | D0)— | | |
| P7.15 | All printed circuit boards (without components) >25g are halogen free, as defined in IEC61249-2-21. (See Note | B2) | | |
| P7.16 | Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: | | | |
| P7.17 | Marking: | | | |
| P1.11 | Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): | | | |
| | TBBPA (additive) ☐ TBBPA ☐ Other; chemical CAS #: | _ | | _ |
| | Alt. 2 | | | |
| | Chemical specifications of flame retardants in printed circuit boards (without components) >25g according | | | |
| | ISO 1043-4: | | | |
| P7.18 | Alt. 1 | | | |
| 1 7.10 | Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in | | | |
| | concentrations above 0.1%: | | | |
| | Comment: No legal limits exist, this is a market requirement. | | | |
| | 1. Chemical name: CAS #: | | | |
| | 2. Chemical name: CAS #: | | | |
| | 3. Chemical name: CAS #: | | | |
| | Alt. 2 | | | |
| | Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: | | | |
| | | | | |
| P7.19 | Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, | | | |
| | R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3) | | | |
| P7.20 | Of total plastic parts weight >25g, recycled material content is % | | | |
| P7.21 | Of total plastic parts weight >25g, hobased material content is % | | | |
| P7.22 | Light sources are free from mercury. | | | |
| | If mercury is used specify: Number of lamps: and max. mercury content per lamp mg | | _ | _ |
| P8 | Batteries | | | |
| P8.1* | Battery chemical composition: Li | | | |
| P8.2 | Batteries meet the requirements of the following voluntary program/s: | | | П |

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

| Model number * | SC-T7700D | | |
|----------------|----------------|------|--------------------------|
| Issue date * | March 24, 2022 | Logo | EPSON EXCEED YOUR VISION |

| Product | environmental attri | butes - Market require | ements (continue | d) | Requirement r | net |
|-----------------------------|---|----------------------------|---------------------------------------|---|--|------|
| Item | | | (| - , | Yes No | n.a. |
| P9 | Energy consumption | on | | | | |
| P9.1 | For the product the | ollowing power levels of | r energy consump | tions have been mea | sured: | |
| Energy m | ode * | Power level at 100 V AC | Power level at 115 V AC | Power level at 230 V AC | Reference / Standard for energy modes and test method * | |
| Save 1 | | W | W | 2.0 W | Based on SEIKO EPSON Standarc | |
| Off 1 | | W | W | 0.3 W | Based on SEIKO EPSON Standarc | |
| | | W | W | W | | |
| | | W | W | W | | |
| | | W | W | W | | |
| | | W | W | W | | |
| charger pl | power supply / lugged in the wall disconnected from | w | w | w | | |
| PTEC * Typical Er | nergy Consumption | W | W | W | | 7 |
| TEC * | nergy Consumption | kWh/week | kWh/wee | k kWh/wee | ek | 7 |
| ETEC * Annual Er | nergy Consumption | kWh/year | kWh/yea | r kWh/yea | ar | 7 |
| Display re | solution * : | Megapixels | | | | 7 |
| Print Spee | | 39 Images per m | ninute | | | |
| | ne to enter energy sa | | minutes | | | |
| P9.2* | | e energy save function | | • | ☑ □ | |
| P9.3* | The product meets t | he energy requirements | _ | oluntary program/s: | | |
| | ENERGY STAR® | version Ver3.1 | Tier: | Product categ | | |
| | Others specify: | | | | | |
| P10 | Emissions | | | | | |
| | | Declared according to IS | SO 9296 | | | |
| P10.1 Mode Mode description | | | Declared A-weighted sound power | Declared A-weighted sound pressure level L _{pAm} (dB) Operator position Bystander positions | | |
| | | | | level L _{WAd} (B) | | |
| | | | | | Desktop ☐ (only if product is not or Deskside ☐ operator attended) | |
| | Idle | doling | | * Inaudible B | dB | |
| | Operation | Operation | | * 6.6 B | dB |]_ |
| | Other mode | | | В | dB | _ |
| | Measured according | | ECMA-74 | | | |
| | | ☐ Other | | | 74 with L _{pAm} measurement distance m |) |
| P10.2 | 0.2 The product meets the acoustic noise requirements of the following voluntary program/s: | | | | | |

| Model number * | SC-T7700D | | |
|----------------|----------------|------|-----------------------------|
| Issue date * | March 24, 2022 | Logo | EPSON EXCEED YOUR VISION |

| Produc | t environmental attributes - Market requirements (continued) | Require | ment | met | |
|--------|--|---------|------|------|--|
| Item | | Yes | No | n.a. | |
| | Chemical emissions from printing products | | | | |
| P10.3* | Test performed according to ECMA-328(ISO/IEC28360) standard ☐ ,other specify: RAL-UZ122 | | 7 | | |
| P10.4 | Typical emission rate (print phase) is (mg/h): | | | | |
| | Dust Ozone Styrene Benzene TVOC | | | | |
| P10.5 | Chemical emission requirements of the following voluntary program/: are met for : | | | | |
| | Dust ☐ Ozone ☐ Styrene ☐ | _ | | _ | |
| | Benzene ☐ TVOC ☐ | | | | |
| | Electromagnetic emissions | | | | |
| P10.6 | Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary | | | | |
| | program/s: | _ | | _ | |
| P11 | Consumable materials for printing products | | | | |
| P11.1* | A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). | 7 | | | |
| P11.2* | Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of | | | | |
| | EN12281. | 7 | | | |
| P11.3* | 2-sided (duplex) printing/copying is an integrated product function. | | 7 | | |
| P12 | Ergonomics for computing products | | | | |
| P12.1* | The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies. □ □ | | | | |
| P12.2* | The physical input device meets the requirements of ISO 9995 and ISO 9241-410. | | | | |
| P13 | Packaging and documentation | | | | |
| P13.1* | Product packaging material type(s): Wood weight (kg) 15.41 | | | | |
| | Product packaging material type(s): Corrugated Fibreboard weight (kg) 6.27 | | | | |
| | Product packaging material type(s): Fiber core weight (kg) 4.00 | | | | |
| P13.2* | Product plastic packaging is free from PVC. | 1 | | | |
| P13.3* | Specify media for user and product documentation (tick box): | | | | |
| | Electronic ☑ Paper ☑ Other □ | | | | |
| P13.4* | For paper user and product documentation, please specify contained percentage of post-consumer recycled | | | | |
| | fiber 0 % | | | | |
| P14 | Additional information (See Note B4) | | | | |
| P7 | Product main body is recyclable. □ <80% 80%≦☑ Not includes acc This should not in | | • | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

Legal references Europe Annex B

| Reference | Declaration item |
|--|------------------------------|
| 2002/95/EC (ROHS Directive) | P1.1, P4.1 |
| 76/769/EEC (Marketing and Use Directive) | P1.6, P1.8, P4.2 |
| amendment 89/677/EEC | P1.4 |
| amendment 1999/77/EC | P1.2 |
| amendment 2003/3/EC | P1.7 |
| amendment 94/27/EEC | P1.9 |
| Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000 | P1.3 |
| Norwegian regulation relating to restrictions on the use | P1.5 |
| of certain dangerous chemicals 20.12.2002 | |
| 2006/66/EC (Battery and accumulators Directive) | P2.1, P2.2, P2,3, P3.4, P8.1 |
| 2006/95/EC (Low Voltage Directive) | P3.1, 3.4 |
| 2004/108/EEC (New EMC Directive) | P3.2, 3.4 |
| 1999/5/EC (R&TTE Directive) | P3.3, 3.4 |
| "REACH" Regulation (1907/2006), annex VII | P1.10 |
| (EC) No.1272/2008 regulation on classification, labeling and | P4.3 |
| packaging (CLP) | |
| REACH article 31, annex II | P4.3 |
| 2004/12/EC (Directive on packaging and packaging | P5.1 |
| waste) | |
| (97/129/EC) (Commission Decision on Identification | P5.2 |
| System for Packaging Materials | |
| 2037/2000/EC Regulation on Substances that Deplete | P5.3 |
| the Ozone Layer | |
| 2002/96/EC (WEEE directive) | P3.4, P6.1 |
| (EC) No.1272/2008 regulation on classification, labeling and | P7.19 |
| packaging (CLP) | |