

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	EPSON	Logo
Company name *	Seiko Epson Corporation	FROON
Contact information *	EPSON Europe B.V.	EPSON
e-mail address	environment@epson.eu	
Internet site *	http://www.epson.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.							
Type of product *	Large Format Printer (Ink-Jet)						
Commercial name *	SC-T7700DL						
Model number *	30-17700DE						
Issue date *	2023//3/15						
Intended market *	🗌 Global 🛛 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 📃 Other						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template: P9.1 PTEC, ETEC and display resolution

F9.1 FTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

Model number *	SC-T7700DL	Logo	
Issue date *	2023//3/15		EPSON

Produ	Requirement met			
ltem		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	X		
P1.2*	Products do not contain Asbestos (see legal reference).	X		
	Comment: Legal reference has no maximum concentration value.			
	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	X		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride,			
P1.3*	1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no			
	maximum concentration values.			
	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005%	X	_	
P1.4*	polychlorinated terphenyl (PCT) in preparations (see legal reference).			
	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon	X	_	
P1.5*	atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5	_		N
P1.6*	mg/cm ² /week (see legal reference).			\mathbf{X}
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact).			
	http://www.epson.com	<u> </u>		
P2	Batteries			
	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the	52		
P2.1*	disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium.	\mathbf{X}		
P2.2*	(See legal reference)	\mathbf{X}		
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	X		
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference)	ence 🔀		
	The Declaration of Conformity can be requested at (add link or e-mail addres https://www.epson.el	u/confor		
P3.2*	The product complies with the Eco design Requirements for Energy-Related Products.	X	Π	
	(see legal reference).			
	Required information is; a given in item P15 or added to this document,	\mathbf{X}		
	available at (add URL): http://www.epson.com	<u>17 - 11</u>		
P4	Consumable materials			
P4.1*	It a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level	_		57
P4.1	greater than 0.01% (see legal reference and NOTE B1). If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by			\mathbf{X}
P4.2*	weight (see legal reference)	\mathbf{X}		
	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which	X		
	there are Community workplace exposure limits, the product/packaging is adequately labeled			
P4.3*	according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these			
	requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium	\mathbf{X}	_	
•••	and hexavalent chromium by weight of these together. I he packaging materials are marked with abbreviations and numbers indicating the nature of the			
P5.2*			\mathbf{X}	
P5.3*	material(s) used (see legal reference). The product packaging material is free from ozone depleting substances as specified in the	X		
. 0.0	Montreal Protocol (see legal reference).			
DA	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information	<u>14 - 24</u>		
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\mathbf{X}		

NOTE BT Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

ON	
EPSON	UN

	t environmental attributes - Market requirements (See General Note GN below) /ironmental conscious design	Requ	uireme	ent me
ltem	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design			
	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	X		
P7.2*	Plastic materials in covers/housing have no surface coating.	X		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	X		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	X		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available too			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	X		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	X		
P7.8*	Upgrading can be done using commonly available tools	X		
P7.9.	Spare parts are available after end of production for: 7 years			
P7.10	Service is available after end of production for: 7 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: ABS Material type: PS Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		X	
P7.13	Insulation materials of internal electrical cables are PVC free.		X	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	\boxtimes		
P7.15	Printed circuit boards, PCBs (without components) are low haloger PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)		X	
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			X
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):	:		
	TBBPA (additive, TBBPA (reactive) (See NOTE B3), Other; chemical name , CAS #:			
	<u>Alt. 2:</u> Chemical specifications of flame retardants in printed circuit boards (without components) according ISO 1043-4:			
P7.18	Ait. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/brebarations in concentrations above 0.1%: 1. Chemical name: 2. Chemical name: 3. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: 3. Chemical name: 3. Chemical name: (CAS #: (See NOTE B4)			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 10			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)) (See NOTE B5)	`		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model r	number *	SC	-T7700DL			Logo			
Issue date * 20		23//3/15				EPS	50	Ν	
Product	t environmenta	l attri	ibutes - Market req	uirements (continu	ed)	ł	Rog	lirom	ent met
Item	t environmenta	atti	ibutes - Market req				Yes	No	n.a.
	Material and	subs	tance requirements	s (continued)					
P7.20*					ne product (See NO	ГЕ В6):	\mathbf{X}		
	If YES: at leas	st one	of the two alternativ	es below shall be ar	nswered:				
					ecycled plastic mater	ial content			
			percentage of total		/0				
	or			, , ,					
	b) The weigh	t of re	ecycled material is 17,	320 g.					
P7.21*	Biobased plas	tic m	aterial content is use	d in the product (Se	e NOTE B7):			X	
	If VES: at leas	t one	of the two alternativ	es below shall be ar	swered:				
			oarts' weight > 25 g,						
			percentage of total		%.				
	or	1 45 4	percentage of total	plastic by weight)	<i>7</i> 0.				
		t of th	e biobased plastic n	naterial 0 g.					
P7.22*	, -		ree from mercury, i.e				X		
	0		specify: Number of la		mum mercury conte	nt per lami	mg		
P8	Batteries	1000 0					ing		
P8.1*	Battery chemi	cal co	mposition Lithiu	m					
P9	· · · · ·		ion (See NOTE B8)						
P9.1	For the produ	ct the	following power leve	els or energy consur	nptions are reported	:			
-			Power level at	Power level at	Power level at		andard for ener	gy mo	odes
Energy	mode		100 V AC	115 V AC	230 V AC	and test meth	nod *		
Sleep m	ode for ENERG	Y							
STAR®	Operational Mo	de	w	W	2.0 W				
(OM) pr	oducts								
Standby	/off mode for								
ENERG	Y STAR Operat	ional	w	W	0.3 W				
	OM) products								
	EC products (T	=							
Typical	•	_0-	kWh/week	kWh/week	kWh/week				\mathbf{X}
Consum	notion)								
TEC val	lue (OM produc	t)	kWh/week	kWh/week	kWh/week				X
			W	W					
			W						
			W						
			W	W					
			W						
			ncy Level (Internatio		ng Protocc				X
	an Speed * :	39	5 1						
	time to enter en			minutes	Ale a secondaria d		K.Z		\mathbf{X}
P9.2*	information at	Jout th	he energy save func	uon is provided with	ine product.		\mathbf{X}		

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	SC-T7700DL	Logo	
Issue date *	2023//3/15		EPSON

Produc	t environmental a	attributes - Market r	equirement	s (continued)			Req	uirem	ent met
ltem							Yes	No	n.a.
P10	Emissions								
	Noise emission	n – Declared accord	ing to ISO 9	296 (See NOTE	E B9)				
P10.1	Mode	Mode description		Statistic	al upper limit A-we	eighted sound po	ower level	,	
				L _{WA,c} (E	3)				
	Idle	* Idoling		* ir	naudible				
	Operation	* Operation		*	6.6				
	Other mode								
	Measured accor	rding to: 🛛 🔀 ISO 77	779	ECMA-74					
		Other	(only if not c	overed by ECM	A-74)				
	Chemical emiss	sions from printing	products (S	See NOTE B10)					
P10.2*	Test performed according to ECMA-328 Determination of Chemical Emission Rates from					s from		X	
	Electronic Equip	oment (ISO/IEC 2836	0) 🔲 , othe	er specify:					
P10.3	Typical emissior	n rate (operation pha	se) is (mg/h)	:					
	Electrophotogra	phic devices: Oz	Dust	Styrene	Benzene	TVOC			
	Ink devices:		Dust	Styrene	Benzene	TVOC			
	NOTE: compliar	nce with maximum er	mission rates	s in eco labels to	be declared in P1	4.			
P11		aterials for printing							
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4 🛛 🛛 🗌								
P11.2*		g post-consumer rec	ycled fibers of	can be used, pro	ovided that it meets	s the	\mathbf{X}		
1 11.2	requirements of	EN 12281.							
P11.3*	2-sided (duplex) printing/copying is an integrated product function.					X			
P11.4*	· ·	lelivered to end-user	with default	auto-duplex ena	bled.			\mathbf{X}	
P13		documentation							
P13.1*		ing material type(s):		0	ht (kg): 15.41				
		ing material type(s):	-	0	()				
	· ·	ing material type(s):			ht (kg): 4.00				
P13.2*		primary packaging is				-	X		
P13.3*		nary corrugated fiberl	•		contained percen	tage of			
		onsumer recovered		80 %					
P13.4*		or user and product d		on (tick box):					
		,Paper 📋 , C							
P13.5	· ·	mplete this item if pap		,					
	•	ct documentation on	paper media	is chlorine-free	:				
	lf Yes, please sp								
	Totally chlorine-								
	Elemental chlori								
	Processed chlor								
P14	Voluntary prog								
P14.1		ets the requirements							
	ENERGY STAR			Date:	Product categor				
	Eco-label:	Criteria versio		Date:	Product categor				
	Eco-label:	Criteria versio	on:	Date:	Product categor	y:			

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	SC-T7700DL	Logo						
Issue date *	2023//3/15		EPSON					
Product environmental	Product environmental attributes - Market requirements (concluded) Requirement met							
P15 Additional info	ormation (See NOTE B11)							

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *	P1.1, P4.1, P3.1
* Specific exemptions apply for certain products and applications.	
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
	P5.2

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	