

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	EPSON	Logo
Company name *	Seiko Epson Corporation	FDCCNI
Contact information *	EPSON Europe B.V.	EPSON
e-mail address	environment@epson.eu	
Internet site *	http://www.epson.com	
Additional information		

•	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product *	Large Format Printer (Ink-Jet)			
Commercial name *	SC-T7700DM			
Model number *	30-17700DIN			
Issue date *	4/10/2023			
Intended market *	☐ Global Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

Model number *	SC-T7700DM	Logo	
Issue date *	4/10/2023		EPSON

Produ	uct environmental attributes - Legal requirements	Requirement met		
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	X		
P1.2*	Products do not contain Asbestos (see legal reference).	\boxtimes		
	Comment: Legal reference has no maximum concentration value.			
	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	X		
P1.3*	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride,			
1 1.5	1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no			
	maximum concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005%	X		
	polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon	\boxtimes		
	atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5			\boxtimes
	mg/cm²/week (see legal reference).			
D 4 7*	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes		
D0	http://www.epson.com			
P2	Batteries If the product contains a battery or an accumulator, the battery/accumulator is labeled with the			
P2.1*	disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium.	X		
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)	X		
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	X	П	П
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal refere	ence 🔀	П	
	The Declaration of Conformity can be requested at (add link or e-mail addres https://www.epson.et	u/conforr	nity	
P3.2*	The product complies with the Eco design Requirements for Energy-Related Products,	X		
	(see legal reference).			
	Required information is; given in item P15 or added to this document,	\boxtimes		
	□ available at (add URL): http://www.epson.com			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, beit etc.) is used in the product, it does not contain cadmium at a level			\boxtimes
P4.2*	greater than 0.01% (see legal reference and NOTE B1). If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by	X		
Г4.2	weight (see legal reference)			
	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which	\boxtimes		
P4.3*	there are Community workplace exposure limits, the product/packaging is adequately labeled			
	according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
DE	. ,			
P5	Product packaging Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium			
P5.1*	and hexavalent chromium by weight of these together. I he packaging materials are marked with appreviations and numbers indicating the nature of the	X		
P5.2*			\boxtimes	
P5.3*	material(s) used (see legal reference). The product packaging material is free from ozone depleting substances as specified in the	X	П	П
. 0.0	Montreal Protocol (see legal reference).			Ш
P6	Comment: Legal reference has no maximum concentration values. Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\square		
1 U. I	information for recycles/treatment facilities is available (see legal reference).			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	SC-T7700DM	Logo	FDCCN
Issue date *	4/10/2023		EPSON

	environmental attributes - Market requirements (See General Note GN below)			
	rironmental conscious design	-		nt met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design			
57.44	Disassembly, recycling	B 4		
P7.1*	Parts that have to be treated separately are easily separable	X		
P7.2*	Plastic materials in covers/housing have no surface coating.	X		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	X		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	X		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available too			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	X		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	X		
P7.8*	Upgrading can be done using commonly available tools	X		
P7.9.	Spare parts are available after end of production for: 7 years			
P7.10	Service is available after end of production for: 7 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: ABS Material type: PS Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		X	
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes	
	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine			
D7 44	and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame	_	₹	
P7.14	retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm)		\boxtimes	
	chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low haloger X PCBs > 25 g ☐ are	П	X	
	low halogen as defined in IEC 61249-2-21. (See NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:			X
	Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive ☐ , TBBPA (reactive) ☐ (See NOTE B3), Other; chemical name , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components)	П		
	according ISO 1043-4:	ш	ш	Ш
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant			
F7.10	substances/preparations in concentrations above 0.1%:			
	1. Chemical name: , CAS #: (See NOTE B4)			
	2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 10	П	П	
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			
	assigned the following Risk phrases: and Hazard statements:	ш	ш	ш
	The source(s) for these classifications is/are found at (add URL(s)) (See NOTE B5)			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	SC-T7700DM	Logo	
Issue date *	4/10/2023		EPSON

Product	environmental attri	butes - Market requ	uirements (continu	ed)	Re	quiren	nent met
Item		·	•	•	Yes	No	n.a.
	Material and subst	tance requirements	s (continued)				
P7.20*			content is used in the	ne product (See NO	ΓΕ B6): ⊠		
	If YES; at least one	of the two alternativ	es below shall be ar	nswered;			
		arts' weight > 25 g, to percentage of total	the postconsumer re plastic by weight)	ecycled plastic mater	rial content		
	or		, , ,				
	b) The weight of re	cycled material is 19,	696 g.				
P7.21*	Biobased plastic ma	aterial content is use	ed in the product (Se	e NOTE B7):	П	X	П
	,		es below shall be ar	*			
	,		the biobased plastic				
	(calculated as a	percentage of total	plastic by weight)	%.			
	or						
		e biobased plastic m					
P7.22*	•	•	less than 0,1 mg/la	•			
-		pecify: Number of la	imp and maxi	mum mercury conte	nt per lamı mg		
P8	Batteries	1 141-1					
P8.1*	Battery chemical co	•	ım				
P9		ion (See NOTE B8)	.1				
P9.1	For the product the	Power level at	els or energy consun Power level at	Power level at	Reference/Standard for en	orav n	nodoo
Energy n	node *	100 V AC	115 V AC	230 V AC	and test method *	ergy ii	loues
Sloop me	ode for ENERGY	100 V AC	III VAC	230 V AC	and test method		
•	Operational Mode	W	l w	2.0 W			
(OM) pro		"	"	2.0			
. ,.	off mode for						
•	STAR Operational	l w	W	0.3 w			П
	M) products						
	IE IOI ENERGI						
	EC products (TEC=	kWh/week	kWh/week	kWh/week			X
Typical E							
	ie (OM product)	kWh/week	kWh/week	kWh/week			X
		W	W	W			
		W	W	W			
		W	W	W			
		W		W			
		W	W	W			
	Power Supply Efficie			ng Protocc			X
	in Speed * : 39	images per min					
	me to enter energy s		minutes	d I			X
P9 2*	information about th	ne energy save funct	tion is provided with	ine product	IXI		

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	SC-T7700DM	Logo	
Issue date *	4/10/2023		EPSON

Produc	t environmental a	attributes - Market r	equirements	(continued)			F	Req	uirem	ent met
Item							Y	es	No	n.a.
P10	Emissions									
	Noise emission	n – Declared accord	ing to ISO 92	296 (See NO	E B9)					
P10.1	Mode	Mode description		Statist	cal upper limit	A-weighted sou	ınd power le	vel,		
				L _{WA,c}	(B)					
	Idle	* Idoling		*	Inaudible					
	Operation	* Operation		*		6.6				
	Other mode									
	Measured accor	rding to: XISO 77	779	☐ ECMA-74						
		Other	(only if not co	overed by ECI	ЛА-74)					
	Chemical emis	sions from printing	products (S	ee NOTE B10	1)					
P10.2*	Test performed	according to ECMA-3	328 Determin	ation of Chen	ical Emission l	Rates from]	X	
	Electronic Equip	ment (ISO/IEC 2836	0) 🛮 , othe	r specify:						
P10.3	Typical emission	n rate (operation pha	se) is (mg/h):							
	Electrophotogra	phic devices: Ozo	Dust	Styrene	Benzene	e TVOC				
	Ink devices:		Dust	Styrene	Benzen	e TVOC				
	NOTE: compliar	nce with maximum er	nission rates	in eco labels	to be declared	in P14.				
P11	Consumable m	aterials for printing	products							
P11.1*	A Safety Data S	heet (SDS) is availab	ole for the ink	toner prepara	tion, even if no	t legally require	ed (see P4 🛭	< □		
P11.2*	Paper containing	g post-consumer rec	ycled fibers c	an be used, p	rovided that it r	neets the	F	ব		
	requirements of	EN 12281.					<u> </u>	<u> </u>		
P11.3*	2-sided (duplex)	printing/copying is a	n integrated բ	oroduct function	on.				\times	
P11.4*	The product is d	lelivered to end-user	with default a	uto-duplex er	abled.			1	\boxtimes	
P13	Packaging and	documentation								
P13.1*		ing material type(s):			ght (kg): 15.4	1				
	Product packag	ing material type(s):	Corrugated F	ibreboard we	ght (kg): 7.46					
	<u> </u>	ing material type(s):			ght (kg): 4.00					
P13.2*		orimary packaging is						◁		
P13.3*	For product prin	nary corrugated fibert	ooard packag		e contained pe	rcentage of				
		onsumer recovered f		80 %						
P13.4*		or user and product d		n (tick box):						
		,Paper □ ,C								
P13.5		mplete this item if par								
	User and produc	ct documentation on	paper media	is chlorine-fre	e:]		
	If Yes, please sp	pecify:								
	Totally chlorine-]		
	Elemental chlori	ine-free]		
	Processed chlor	rine-free								
P14	Voluntary prog									
P14.1		ets the requirements								
	ENERGY STAR	® Criteria version	on:	Date:	Product cat	egory:				
	Eco-label:	Criteria version	on:	Date:	Product cat	egory:				
	Eco-label:	Criteria version	on:	Date:	Product cat	egory:				

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm. NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	SC-T7700DM	Logo	
Issue date *	4/10/2023		EPSON

Product	Product environmental attributes - Market requirements (concluded) Requirement met		
P15	Additional information (See NOTE B11)		

Legal references Europe Annex B1

Legal references Europe Annex B1		
Reference	Declaration item	
Directive 2011/65/EU (RoHS Directive) *	P1.1, P4.1, P3.1	
* Specific exemptions apply for certain products and applications.		
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2	
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10	
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex	P4.3	
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing	D4 0 5 0	
and use of Ozone layer depleting substances)	P1.3, 5.3	
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5	
Directive 2006/66/EC (Battery and accumulators Directive), as amended.*	P2.1, P2.2, P2.3, P8.1	
* These provisions shall not apply where, for safety, performance, medical or data		
integrity reasons, continuity of power supply is necessary and requires a		
permanent connection between the appliance and the battery or accumulator.		
Directive 2014/35/EU (Low Voltage Directive)	P3.1	
· · · · · · · · · · · · · · · · · · ·	P3.1	
Directive 2014/30/EU (EMC Directive)		
Directive 2014/53/EU (RE Directive)	P3.1	
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1	
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions		
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1	
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19	
Directive 2004/12/EC (Packaging Directive)	P5.1	
Decision 97/129/EC (Secondary packaging legislation)	P5.2	

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and	
electronic equipment (WEEE) generated by weight in each Member State.	