

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	EPSON	Logo
Company name *	Seiko Epson Corporation	EDOON
Contact information *	EPSON Europe B.V.	EPSON
e-mail address	environment@epson.eu	
Internet site *	http://www.epson.com	
Additional information		

The company declares (bas	he company declares (based on product specification or test results based obtained from sample testing), that the product conforms				
to the statements given in t	o the statements given in this declaration.				
Type of product *	POS Printer				
Commercial name *	TM-m30III USB+E	Ethornot			
Model number *	TWI-III30III 03D L	Litternet			
Issue date *	2023/11/1				
Intended market *	Global	Europe	🔲 Asia, Pacific & Japan	Americas	Other
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

Model number *	TM-m30III USB+Ethernet	Logo	
Issue date *	2023/11/1		EPSON

Produ	Product environmental attributes - Legal requirements				
Item		Yes	No	n.a.	
P1	Hazardous substances and preparations				
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	X			
P1.2*	Products do not contain Asbestos (see legal reference).	X			
	Comment: Legal reference has no maximum concentration value.				
	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons	X			
P1.3*	(HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide				
F1.3	(see legal reference). Comment: Legal reference has no maximum concentration values.				
	(see legal relefence). Comment. Legal reference has no maximum concentration values.				
D4 4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl				
P1.4*	(PCT) in preparations (see legal reference).				
D4 5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	X			
P1.5*	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	P 3			
D4 C*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 mg/cm²/week			X	
P1.6*	(see legal reference).			P 1	
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.				
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	X			
	http://www.epson.com			_	
P2	Batteries				
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal	×			
F Z. I	symbol. Information on proper disposal is provided in user manual. (See legal reference)				
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal	X			
	reference)				
P2.3*	Batteries and accumulators are readily removable. (See legal reference)			X	
P3	Conformity verification & Eco design (ErP)	57			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).				
D0.0*	The Declaration of Conformity can be requested at (add link or e-mail address): https://www.epson.eu/c			5.4	
P3.2*	The product complies with the Eco design Requirements for Energy-Related Products,			\boxtimes	
	(see legal reference).			4-4	
	Required information is; given in item P15 or added to this document,			\boxtimes	
	□ available at (add URL): http://www.epson.com				
P4	Consumable materials				
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater			\boxtimes	
	than 0,01% (see legal reference and NOTE B1). If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see				
P4.2*	legal reference)			\boxtimes	
	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are			X	
	Community workplace exposure limits, the product/packaging is adequately labeled according to applicable		ш		
P4.3*	regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal				
	reference).				
P5	Product packaging				
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and	X			
P5.1	hexavalent chromium by weight of these together.				
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)		X		
. 0.2	used (see legal reference). The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol				
P5.3*	(see legal reference).	\boxtimes			
	Comment: Legal reference has no maximum concentration values.				
P6	Treatment information				
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	X			
				ш	

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	TM-m30III USB+Ethernet	Logo	FDCCNI
Issue date *	2023/11/1		EPSON

Product	environmental attributes - Market requirements (See General Note GN below)			
	vironmental conscious design	Requ	iiremei	nt met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design			
	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	X		
P7.2*	Plastic materials in covers/housing have no surface coating.	X		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	X		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	X		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	X		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	X		
P7.8*	Upgrading can be done using commonly available tools	X		
P7.9.	Spare parts are available after end of production for: 10 years			
P7.10	Service is available after end of production for: 10 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: PC+ABS Material type: Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		X	
P7.13	Insulation materials of internal electrical cables are PVC free.		X	
	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%			
P7.14	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and		X	
7.14	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts			
	containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all 🔃 PCBs > 25 g 📋 are		\times	
	low halogen as defined in IEC 61249-2-21. (See NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:	\boxtimes		
	Marking: PC+ABS-FR(40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive) ☐ , TBBPA (reactive) ☐ (See NOTE B3), Other; chemical name: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			
	according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in			
	concentrations above 0,1%:		_	
	1. Chemical name: , CAS #: (See NOTE B4)			
	2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			
	assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): (See NOTE B5	5)		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	TM-m30III USB+Ethernet	Logo	
Issue date *	2023/11/1		EPSON

Product	environmental attribu	tes - Market requiren	nents (continued)			Requ	ıiremer	nt met
Item						Yes	No	n.a.
	Material and substa	nce requirements (co	ontinued)					
P7.20*	Postconsumer recycle	ed plastic material con	tent is used in the prod	duct (See NOTE B6):			X	
	If YES: at least one o	f the two alternatives b	pelow shall be answere	ed:				
	·			d plastic material conte	ent			
	,	ercentage of total plas		%.				
	or	orountago or total plac	ac by weight, io	70.				
	b) The weight of recy	vcled material is	0.0 g.					
	-, ···- ··-·g··· -··	,	9.					
P7.21*	Biobased plastic mate	erial content is used in	the product (See NOT	ΓΕ B7):			X	
	If YES; at least one of	f the two alternatives b	pelow shall be answere	ed;				
a) Of total plastic parts' weight > 25 g, the biobased plastic material content								
		ercentage of total plas	stic by weight) is	%.				
	or							
D7.00*		biobased plastic mate				5-4		
P7.22*	-	from mercury, i.e. les				X		
Do		ecify: Number of lamp	s: and maxin	num mercury content p	per lamp: mg			
P8	Batteries	1 1461						
P8.1*	Battery chemical com		<u>m</u>					
P9	Energy consumption		v anarav aanav mentian	a are reported.				
P9.1	For the product the id	Power level at	or energy consumption Power level at	Power level at	Reference/Standard for	oporav	modes	and toot
Energy m	node *	100 V AC	115 V AC	230 V AC	method *	energy	modes	and test
Sleen mo	de for ENERGY STAR		IIS VAC	230 V AC	metriod			
	ional Mode (OM)	w	w	1.4 W				
products	ional wode (OW)		"	1.4 "				
<u> </u>	off mode for ENERGY							
	perational Mode (OM)	W	w	w				\boxtimes
products								
TEC valu	e for ENERGY STAR							
TEC prod	lucts (TEC= Typical	kWh/week	kWh/week	kWh/week				X
	onsumption)							
TEC valu	e (OM product)	kWh/week	kWh/week	kWh/week				X
		W	W	W				
		W	W	W				
		W	W	W				
		W	W	W				
		W	W	W				
External I	Power Supply Efficiency	y Level (International E	Efficiency Marking Prot	tocol)* : VI				
Print/Sca	n Speed * : 23	images per minu	te					
Default tir	me to enter energy save		minutes					X
P9.2*	Information about the	energy save function	is provided with the pr	oduct.	·			X

NOTE B8 A Guidance document on Energy efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

Model number *	TM-m30III USB+Ethernet	Logo	
Issue date *	2023/11/1		EPSON

Product	environmental atti	ributes - Market requi	rements (cor	ntinued)				Requ	uireme	nt met
Item								Yes	No	n.a.
P10	Emissions									
	Noise emission -	 Declared according 	to ISO 9296	(See NOTE B9)						
P10.1	Mode	Mode description		Statistic	al upper lin	nit A-weig	hted sound power le	evel,		
				L _{WA,c} (E	3)					
	Idle	*		*						X
	Operation	*		*						X
	Other mode									
	Measured accord	_		☐ ECMA-74						
			` ,	vered by ECMA-7	74)					
		ions from printing pro								
P10.2*	•	ccording to ECMA-328	_	n of Chemical Em	nission Rate	es from			X	
		nent (ISO/IEC 28360)		er specify:						
P10.3	Typical emission	rate (operation phase)	is (mg/h):							
	Electrophotograp	hic devices: Ozone	Dust	Styrene	Ben:	zene	TVOC			
	Ink devices:		Dust	Styrene	Ben	zene	TVOC			
		ce with maximum emiss		co labels to be de	eclared in P	P14.				
P11		terials for printing pro								
P11.1*	•	eet (SDS) is available f								X
P11.2*		post-consumer recycle	d fibers can b	e used, provided	that it mee	ts the rec	uirements of EN			\boxtimes
	12281.									
P11.3*		orinting/copying is an in								X
P11.4*		livered to end-user with	default auto	-duplex enabled.						X
P13	Packaging and o									
P13.1*				Fibreboard weig		0.59				
		3	PP 		, (3)	0.04				
		ga.oa. typo(o).	PE	weig	jht (kg):	0.01				
P13.2*		imary packaging is free						\boxtimes		
P13.3*		ary corrugated fiberboar			ained perce	ntage of				
		nsumer recovered fiber		80 %						
P13.4*		user and product docu	`	ck box):						
	Electronic	, , , ,	ther 🛚							
P13.5		plete this item if paper								
	•	documentation on pap	er media is c	hlorine-free:						
	If Yes, please spe	•								
	Totally chlorine-fr									
	Elemental chlorin									
D4.4	Processed chlorin									
P14	Voluntary progra		C 11 .	1 1	()					
P14.1		ts the requirements of t								
	ENERGY STAR®			Date:		category				
	Eco-label:	Criteria versior		Date:		category				
	Eco-label:	Criteria versior	1:	Date:	Product	category	:			

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm. NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	TM-m30III USB+Ethernet	Logo	
Issue date *	2023/11/1		EPSON

Product e	environmental attributes - Market requirements (concluded) Requirement met
P15	Additional information (See NOTE B11)

Legal references Europe Annex B1

Legal references Europe Annex B1 Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *	P1.1, P4.1, P3.1
* Specific exemptions apply for certain products and applications.	1 1.1,1 4.1,1 0.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.*	P2.1, P2.2, P2.3, P8.1
* These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State	