

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	EPSON	Logo
Company name *	Seiko Epson Corporation	EDOON
Contact information *	EPSON Europe B.V.	EPSON
e-mail address	environment@epson.eu	/CL . T S L L
Internet site *	http://www.epson.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Scanner			
Commercial name *	Perfection V39II			
Model number *	renection vosi			
Issue date *	3/31/2023			
Intended market *	☐ Global ☑ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

Model number *	Perfection V39II	Logo	
Issue date *	3/31/2023		EPSON

Produ	ct environmental attributes - Legal requirements	Require	ment	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	X		
P1.2*	Products do not contain Asbestos (see legal reference).	X		
	Comment: Legal reference has no maximum concentration value.			
	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	X		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride,		ш	
P1.3*	1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no			
	maximum concentration values.			
	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005%	□		
P1.4*	polychlorinated terphenyl (PCT) in preparations (see legal reference).	X		
	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon	K.ZI		
P1.5*	atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	X		
	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5			KZI.
P1.6*	mg/cm²/week (see legal reference).			\boxtimes
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	X	П	П
F 1.7	http://www.epson.com		Ш	Ш
P2	Batteries			
F 2	Datteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the			X
FZ.1	disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)			
	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium.			
P2.2*	(See legal reference)			\times
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	П	П	X
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal refere	nce 🔀	П	
. 0.1	The Declaration of Conformity can be requested at (add link or e-mail addres https://www.epson.eu		_	ш
P3.2*	The product complies with the Eco design Requirements for Energy-Related Products,		П	X
1 3.2	(see legal reference).	Ш	ш	
	Required information is; given in item P15 or added to this document,			×
	available at (add URL): http://www.epson.com			
P4	Consumable materials			
r 4	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level			
P4.1*	greater than 0,01% (see legal reference and NOTE B1).			\times
	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by			
P4.2*	weight (see legal reference)			\times
	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which			
	there are Community workplace exposure limits, the product/packaging is adequately labeled			\times
P4.3*	according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these			
	requirements is available (see legal reference).			
DE	· · · · · · · · · · · · · · · · · · ·			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	\boxtimes		
	<u> </u>			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the		\times	
	material(s) used (see legal reference). The product packaging material is free from ozone depleting substances as specified in the			
P5.3*	1 1 0 0	\boxtimes		
	Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information Information Information Information for recyclers/treatment facilities is available (see legal reference).			
F 0. I	iniormation for recycles/treatment facilities is available (see legal reference).	\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	Perfection V39II	Logo	FDCCNI
Issue date *	3/31/2023		EPSON

	t environmental attributes - Market requirements (See General Note GN below)	Dom:	.:	nt mai
	vironmental conscious design *=mandatory to fill in. Additional information regarding each item may be found under P14.			ent me
Item P7	, , , , , , , , , , , , , , , , , , , ,	Yes	No	n.a.
Ρ/	Design			
P7.1*	Disassembly, recycling	KZI.		
	Parts that have to be treated separately are easily separable	X		
P7.2*	Plastic materials in covers/housing have no surface coating.	X		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	X		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	X		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available too			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	X		
P7.8*	Upgrading can be done using commonly available tools	X		
P7.9.	Spare parts are available after end of production for: 7 years			
P7.10	Service is available after end of production for: 7 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: ABS Material type: Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes	
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	×		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: al ☑ PCBs > 25 g ☐ are low halogen as defined in IEC 61249-2-21. (See NOTE B2)		X	
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:			X
1 7.10	Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
1 7.17	TBBPA (additive, TBBPA (reactive) (See NOTE B3), Other; chemical name, CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) according ISO 1043-4: Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant			
P7.18	substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 10			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)) (See NOTE B5	١		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and a

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	Perfection V39II	Logo	
Issue date *	3/31/2023		EPSON

Product	t environmental attri	hutes - Market regu	uirements (continue	ad)		Regu	ıirome	nt met
Item	· onvironmontar attr	battoo markot roqt	an omonto (continu	ou,		Yes	No	n.a.
	Material and subst	tance requirements	s (continued)				-110	
P7.20*		cled plastic material		ne product (See NOT	TE B6):	X		
	If YES: at least one	of the two alternativ	es below shall be ar	nswered:				
		parts' weight > 25 g,			rial content			
		percentage of total		70	iai comon			
	or							
	b) The weight of re	cycled material is	238 g.					
P7.21*	Biobased plastic ma	aterial content is use	ed in the product (Se	e NOTE B7):			X	
	If YES; at least one	of the two alternativ	res below shall be ar	nswered;				
	a) Of total plastic p	oarts' weight > 25 g,	the biobased plastic	material content				
	(calculated as a	percentage of total	plastic by weight)	%.				
	or							
	b) The weight of th	e biobased plastic m	naterial g.					
P7.22*	Light sources are fr	ee from mercury, i.e	. less than 0,1 mg/la	mp.		X		
	If mercury is used specify: Number of lamp: and maximum mercury content per lamp mg							
P8	Batteries							
P8.1*	Battery chemical co	mposition						\boxtimes
P9	Energy consumpti	ion (See NOTE B8)						
P9.1	For the product the	following power leve	els or energy consun	nptions are reported	<u>.</u>			
Energy r	mode *	Power level at	Power level at	Power level at	Reference/Standard for	or ener	gy mo	des and
Lilorgy		100 V AC	115 V AC	230 V AC	test method *			
Sleep m	ode for ENERGY							
	Operational Mode	w	W	1.1 w				
(OM) pro	oducts							
,	off mode for							
	Y STAR Operational	w	W	0.0 w				
	OM) products							
	EC products (TEC=							_
Typical I		kWh/week	kWh/week	kWh/week				\boxtimes
Consum								
TEC val	ue (OM product)	kWh/week	kWh/week	kWh/week				X
		W		W				
		W	W	W				
		W	W	W				
		W	W					
		W	W	W				
	Power Supply Efficie			ng Protocc				X
	an Speed * : 6	g p						<u> </u>
	time to enter energy s		minutes			K-A		X
P9.2*	Intermation about th	ne energy save funct	tion is provided with	the product.		X		

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	Perfection V39II	Logo	EDOON
Issue date *	3/31/2023		EPSON

Product	t environmental a	ttributes - Market re	quirements	(continued)				Req	uirem	ent met
Item								Yes	No	n.a.
P10	Emissions									
	Noise emission	- Declared accordi	ing to ISO 92	296 (See NOT	ΓE B9)					
P10.1	Mode	Mode description		Statist	tical uppe	er limit A-w	eighted sound p	ower level	,	
				L _{WA,c}	(B)					
	Idle	* Idoling		*	Inaudib	le				
	Operation	* Operation		*		5.5				
	Other mode									
	Measured accor	ding to: 🔀 ISO 77	79	☐ ECMA-74	ļ					
		Other	(only if not co	overed by EC	MA-74)					
	Chemical emiss	sions from printing	products (S	ee NOTE B10	0)					
P10.2*	Test performed	according to ECMA-3	328 Determin	ation of Chem	nical Emi	ssion Rate	s from		X	
	Electronic Equip	ment (ISO/IEC 2836)	0) 🔀 , othe	er specify:						
P10.3	Typical emission	n rate (operation phas	se) is (mg/h):							
	Electrophotogra	phic devices: Ozc	Dust	Styrene	В	enzene	TVOC			
	Ink devices:		Dust	Styrene	В	enzene	TVOC			
	NOTE: compliar	nce with maximum en	nission rates	in eco labels	to be ded	lared in P	14.			
P11	Consumable materials for printing products									
P11.1*	* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see					e P4 🗌		X		
D44.0*	Paper containing	g post-consumer recy	cled fibers c	an be used, p	rovided t	hat it meet	s the			
P11.2*	requirements of	EN 12281.								X
P11.3*	2-sided (duplex)	printing/copying is a	n integrated	product function	on.					\times
P11.4*	The product is d	elivered to end-user	with default a	auto-duplex er	nabled.					X
P13	Packaging and	documentation								
P13.1*	Product packagi	ng material type(s):	Corrugated F	ibreboard we	ight (kg):	0.36				
	Product packagi	ng material type(s):	Foamed PS	we	ight (kg):	0.04				
	Product packagi	ng material type(s):	PE	we	ight (kg):	0.02				
P13.2*	Product plastic p	orimary packaging is	free from PV	C.				X		
P13.3*	For product prim	nary corrugated fiberb	oard packag	ing, specify th	ne contaiı	ned percer	tage of			
	minimum post-c	onsumer recovered fi	ber conte	80 %						
P13.4*	Specify media for	or user and product d	ocumentation	n (tick box):						
	Electronic 🔀	, Paper 🔀 ,O	ther 🔲							
P13.5	(Please only cor	nplete this item if par	er documen	tation used)						
	User and produc	ct documentation on p	paper media	is chlorine-fre	e:					
	If Yes, please sp	pecify:								
	Totally chlorine-	free								
	Elemental chlori	ne-free								
	Processed chlor	ine-free						П		
P14	Voluntary prog	rams:								
P14.1		ets the requirements	of the followi	ng voluntary p	orogram(s	s):				
	ENERGY STAR			Date:	•	uct catego	ry:			
	Eco-label:	Criteria version	on:	Date:		uct catego	•			
	Eco-label:	Criteria version	on:	Date:	Prod	uct catego	rv:			

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	Perfection V39II	Logo	
Issue date *	3/31/2023		EPSON

Product	Product environmental attributes - Market requirements (concluded) Requirement met			
P15	P15 Additional information (See NOTE B11)			

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *	P1.1, P4.1, P3.1
* Specific exemptions apply for certain products and applications.	
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation) Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2, P9.1
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	