

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	EPSON	Logo
Company name *	Seiko Epson Corporation	EDOON
Contact information *	EPSON Europe B.V.	EPSON
e-mail address	environment@epson.eu	
Internet site *	http://www.epson.com	
Additional information		

	he company declares (based on product specification or test results based obtained from sample testing), that the product onforms to the statements given in this declaration.			
Type of product *	Ink-Jet Printer			
Commercial name *	WF-M5399DW			
Model number *	WI -W33355W			
Issue date *	7/6/2023			
Intended market *	☐ Global 🔀 Europe 🔲 Asia, Pacific & Japan 🔲 Americas 🔲 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

Model number *	WF-M5399	Logo	
Issue date *	7/6/2023		EPSON

Produ	oduct environmental attributes - Legal requirements			met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference).	\boxtimes		
	Comment: Legal reference has no maximum concentration value.			
	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes		
P1.3*	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride,			
	1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no			
	maximum concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	\boxtimes		
	terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms	\boxtimes		
	in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5			\boxtimes
	mg/cm²/week (see legal reference).			
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.	4-1		
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes		
	http://www.epson.com			
P2	Batteries If the product contains a pattery or an accumulator, the pattery/accumulator is labeled with the disposa	1		
P2.1*				\boxtimes
P2.2*	symbol. Information on proper disposal is provided in user manual. (See legal reference) Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See	П	П	X
P2.3*	legal reference) Batteries and accumulators are readily removable. (See legal reference)			X
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference	ce). 🔀		П
. 0.1	The Declaration of Conformity can be requested at (add link or e-mail address): https://www.epson.e		_	
P3.2*	The product complies with the Eco design Requirements for Energy-Related Products,			П
	(see legal reference).			Ш
	Required information is;	×	П	П
	available at (add URL): http://www.epson.com			Ш
P4	Consumable materials			
P4.1*	If a photo conductor (drum, beit etc.) is used in the product, it does not contain cadmium at a level			
F4.1	greater than 0.01% (see legal reference and NOTE B1). If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight			×
P4.2*	(see legal reference)	\boxtimes		
	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which	X		П
D4 0*	there are Community workplace exposure limits, the product/packaging is adequately labeled	<u> </u>		
P4.3*	according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these			
	requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and	X		
	hexavalent chromium by weight of these together. I he packaging materials are marked with abbreviations and numbers indicating the nature of the			
P5.2*	material(s) used (see legal reference). The product packaging material is free from ozone depleting substances as specified in the Montreal		X	
P5.3*	Protocol (see legal reference).	\boxtimes		
	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	X		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	WF-M5399	Logo	EDOON
Issue date *	7/6/2023		EPSON

Duadicat	any incompanied attributes. Market requirements (Con Consul Note CN below)			
	environmental attributes - Market requirements (See General Note GN below)	Dogu	iroma	nt mat
Item	*ironmental conscious design *=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No.	nt met
P7	Design	165	NO	II.a.
F 1	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	X	П	П
P7.2*	Plastic materials in covers/housing have no surface coating.	X		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	X		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	X		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		П	
P7.6*				
	Product lifetime	X		
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	X	П	П
P7.8*	Upgrading can be done using commonly available tools	X	П	П
P7.9.	Spare parts are available after end of production for: 10 years			П
P7.10	Service is available after end of production for: 10 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: ABS Material type: PS Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		X	
P7.13	Insulation materials of internal electrical cables are PVC free.		X	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm)	X		
	chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: a ☐ PCBs > 25 g ☐ are		X	
	low halogen as defined in IEC 61249-2-21. (See NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:			X
	Marking:			
P7.17	<u>Alt. 1:</u> Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive \square , TBBPA (reactive) \square (See NOTE B3), Other; chemical name , CAS $\#$:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components)			
	according ISO 1043-4: Alt. 1: Frame retarged plastic parts > 25 g contain the following flame retargant			
P7.18	substances/preparations in concentrations above 0.1%:			
	1. Chemical name: , CAS #: (See NOTE B4)			
	2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-	П	П	П
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been	П	П	
	assigned the following Risk phrases: and Hazard statements:	_	_	_
	The source(s) for these classifications is/are found at (add URL(s)): (See NOTE B5)		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	WF-M5399	Logo	
Issue date *	7/6/2023		EPSON

Product	environmental attri	butes - Market requi	rements (continued))		Requ	iireme	nt met
Item		•				Yes	No	n.a.
	Material and subst	tance requirements	(continued)					
P7.20*	Postconsumer recy	cled plastic material c	ontent is used in the p	product (See NOTE	B6):	X		
	If YES; at least one	of the two alternatives	s below shall be answ	ered;				
	a) Of total plastic p	arts' weight > 25 g, th	e postconsumer recyc	cled plastic material	content			
		percentage of total pl		%.				
	or							
	b) The weight of re	cycled material is 1,0	29.4 g.					
P7.21*	Biobased plastic ma	aterial content is used	in the product (See N	OTE B7):			X	
	If YES; at least one	of the two alternatives	s below shall be answ	ered;				
	a) Of total plastic p	arts' weight > 25 g, th	e biobased plastic ma	terial content				
	(calculated as a	percentage of total pl	astic by weight) is	%.				
	or							
		e biobased plastic ma						
P7.22*	•	•	less than 0,1 mg/lamp			X		
-	<u>·</u>	pecify: Number of lan	nps: and maxi	mum mercury conte	nt per lam mg			
P8	Batteries							52
P8.1* P9	Battery chemical co	•						X
P9.1		following power level	or operay concumpti	one are reported:				
		Power level at	s or energy consumpti Power level at	Power level at	Reference/Standard fo	r ener	av mo	des
Energy m	node *	100 V AC	115 V AC	230 V AC	and test method *	or Crici	gy iiio	ucs
Sleep mo	ode for ENERGY							
	Operational Mode	w	W	1.1 W				
(OM) pro								
	off mode for							
	/ STAR Operational	W	W	0.2 W				
	M) products							
STAR TE	EC products (TEC=	138/1-61	LAA/II. for a sta	LANGE (constitution)				52
Typical E		kWh/week	kWh/week	kWh/week				\boxtimes
Consumr TEC valu	otion) ue (OM product)	kWh/week	kWh/week	0.17 kWh/week				
TEO Valu	ic (OW product)	W	W	W WITH				
		w	w	w				
		w	W	W				
		W	w	W				П
		W	W	W				
External	Power Supply Efficie	ncy Level (Internation	al Efficiency Marking I	Protocol) *				X
	n Speed * : 25	<u> </u>	te					
	me to enter energy s		minutes					X
P9.2*	Information about th	ne energy save function	on is provided with the	product.		X		

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	WF-M5399	Logo	
Issue date *	7/6/2023		EPSON

Product	environmental a	attributes - Market re	quirements (c	ontinued)				Req	uirem	ent met
Item								Yes	No	n.a.
P10	Emissions									
	Noise emission	n – Declared accordi	ng to ISO 9296	6 (See NOTE	B9)					
P10.1	Mode	Mode description		Statis	tical up	per limit A-w	eighted sound powe	r level	,	
				L _{WA,c}	(B)					
	Idle	* Idoling		*	Inaud	lible				
	Operation	* Operation		*		6.6				
	Other mode									
	Measured accor	rding to: 🔀 ISO 777	79	☐ ECMA-74	4					
			only if not cove		\ -74)					
	Chemical emis	sions from printing p	products (See	NOTE B10)						
P10.2*	•	according to ECMA-32					rom	\times		
	Electronic Equip	ment (ISO/IEC 28360) 🔲 , othe	er specify: DE	E-UZ21	9				
P10.3	Typical emission	n rate (operation phase	e) is (mg/h):							
	Electrophotogra	phic devices: Ozo	Dust	Styrene		Benzene	TVOC			
	Ink devices:		Dust	Styrene		Benzene	TVOC			
	NOTE: compliar	nce with maximum em	ission rates in	eco labels to	be dec	lared in P14.				
P11	Consumable m	naterials for printing	products							
P11.1*		heet (SDS) is availabl). 🛚		
P11.2*		g post-consumer recy	cled fibers can	be used, prov	vided th	nat it meets th	ne requirements	X		
	of EN 12281.									
P11.3*	· · · ·) printing/copying is an						X		
P11.4*	· ·	delivered to end-user v	vith default auto	o-duplex enat	bled.			X		
P13		documentation								
P13.1*		ing material type(s):								
		ing material type(s): F			• ,	g): 0.384				
	<u>_</u>	ing material type(s): F		We	eight (k	g): 0.139				
P13.2*		primary packaging is fi						X		
P13.3*		nary corrugated fiberb				ied percentaç	ge of			
D40.4*		consumer recovered fil		80 %						
P13.4*	. , _	or user and product do	`	ick box):						
D40.5	_	, Paper <mark>⊠</mark> , Ot	_							
P13.5	`	mplete this item if pape		,						
	•	ct documentation on p	aper media is o	chlorine-free:						
	If Yes, please sp	•								
	Totally chlorine-									
	Elemental chlori									
D4.4	Processed chlor									
P14	Voluntary prog		£41- £-11			٠١.				
P14.1	•	ets the requirements of	-		•	•				
	ENERGY STAR			Date:		oduct catego	•			
	Eco-label:	Criteria version		Date:		oduct catego	•			
l	Eco-label:	Criteria versior	1 :	Date:	Pr	oduct catego	ry:			

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	WF-M5399	Logo	
Issue date *	7/6/2023		EPSON

Product	environmental attributes - Market requirements (concluded) Requirement met
P15	Additional information (See NOTE B11)

Legal references Europe Annex B1	
Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *	P1.1, P4.1, P3.1
* Specific exemptions apply for certain products and applications.	
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.*	P2.1, P2.2, P2.3, P8.1
* These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	