

## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	EPSON	Logo
Company name *	Seiko Epson Corporation	FROOM
Contact information *	EPSON Europe B.V.	EPSON
e-mail address	environment@epson.eu	
Internet site *	http://www.epson.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.							
Type of product *	Scanner						
Commercial name *	Perfection V39II						
Model number *	Periodition visan						
Issue date *	31/03/2023						
Intended market *	🔲 Global 🛛 Europe 🔲 Asia, Pacific & Japan 🔛 Americas 📃 Other						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1 Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template: P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number *	Perfection V39II	Logo	
Issue date *	31/03/2023		EPSON

Produ	uct environmental attributes - Legal requirements	Require	ment ı	met
ltem		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	X		
P1.2*	Products do not contain Asbestos (see legal reference).	X		
	Comment: Legal reference has no maximum concentration value.			
	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	X		
P1.3*	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride,			
F 1.3	1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no			
	maximum concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	X		
1 1.4	terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms	$\mathbf{X}$		
1 1.5	in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5			X
1 1.0	mg/cm <sup>2</sup> /week (see legal reference).		_	_
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	$\mathbf{X}$		
	http://www.epson.com			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the			$\mathbf{X}$
P2.2*	disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See		_	X
	legal reference)			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)			X
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal referen	/		
D2 0*	The Declaration of Conformity can be requested at (add link or e-mail address) https://www.epson.eu			57
P3.2*	The product complies with the Eco design Requirements for Energy-Related Products,			$\mathbf{X}$
	(see legal reference). Demoised information in a minimum in item D45 on added to this demonstration.	_	_	R.Z
	Required information is; given in item P15 or added to this document,			$\mathbf{X}$
D4	available at (add URL): http://www.epson.com			
P4	Consumable materials If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level			
P4.1*	greater than 0.01% (see legal reference and NOTE B1). It inknoner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight			$\mathbf{X}$
P4.2*				$\mathbf{X}$
	(see legal reference) If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which			<b>N</b> 7
	there are Community workplace exposure limits, the product/packaging is adequately labeled			X
P4.3*	according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these			
	requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and		_	
P9.1	hexavalent chromium by weight of these together. The packaging materials are marked with abbreviations and numbers indicating the nature of the	$\mathbf{X}$		
P5.2*			$\mathbf{X}$	
P5.3*	material(s) used (see legal reference). The product packaging material is free from ozone depleting substances as specified in the Montrear	X		
. 0.0	Protocol (see legal reference).	КЛ		
DC	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information		_	
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	X		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	ımber *	Perfection V39II	Logo	-00		0
Issue date *		31/03/2023		EPS	UN	
					and and so	·
Desident						
	ronmental cons	ttributes - Market requirements (See General Note GN below)		Bogu	iromo	nt met
Item		fill in. Additional information regarding each item may be found under	P14	Yes	No	n.a.
P7	Design	in in. Additional information regarding each item may be found under	1 14.	165	NU	n.a.
F <i>1</i>	Disassembly, re	ecveling				
P7.1*		to be treated separately are easily separable				
P7.2*		in covers/housing have no surface coating.				
P7.3*		00 g consist of one material or of easily separable materials.				
P7.4*		5 g have material codes according to ISO 11469 referring ISO 1043-	1			
P7.5		free from metal inlays or have inlays that can be removed with comr				
P7.6*		y separable. (This requirement does not apply to safety/regulatory lat				
17.0	Product lifetime					
P7.7*		e done e.g. with processor, memory, cards or drives				
P7.8*		e done using commonly available tools				
P7.9.		available after end of production for: 7 vears				
P7.10	<u> </u>	ble after end of production for: 7 years				
17.10		bstance requirements				
P7.11*		pusing material type (e.g. plastics, metal, aluminum):				
1 7.11	Material type:		ial type:			
P7.12	71	als of external electrical cables are PVC free.	iai type.		X	
P7.12		als of internal electrical cables are PVC free.			X	
1 7.10		casing/cover parts > 25 g contain no more than 0,1% weight (1000 p	m) bromine and			
		00 ppm) chlorine attributable to brominated flame retardants, chlorina				
P7.14		polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight		$\mathbf{X}$		
		containing more than 25% post-consumer recycled content.				
P7.15		pards, PCBs (without components) are low halogen: all 🔀 PCBs > 2	25 q ⊓ are		X	
		defined in IEC 61249-2-21. (See NOTE B2)			<u>17 - 11</u>	
P7.16	0	plastic parts > 25 g in covers / housings are marked according ISO 1	043-4:			X
	Marking:					
P7.17	0	specifications of flame retardants in printed circuit boards > 25 g (wit	hout components)			
		e _ , TBBPA (reactive) _ (See NOTE B3), Other; chemical name				
			, 0/ 10 // 1			
	Alt. 2: Chemical	specifications of flame retardants in printed circuit boards (without co	mponents)			
	according ISO 1					
P7.18	Alt. 1: Flame reta	arded plastic parts > 25 g contain the following flame retardant				
1 7.10		parations in concentrations above 0.1%:				
	1. Chemical nam	,				
	2. Chemical nam					
	3. Chemical nam	ne: , CAS #: "				
	Alt. 2: Chemical	specifications of flame retardants in plastic parts > 25 g according IS	O 1043 <sup>,</sup>			
P7.19		25 g, flame retardant substances/preparations above 0,1% are used				
		owing Risk phrases; and Hazard statements:				
	•	r these classifications is/are found at (add URL(s)):	(See NOTE I	35)		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

	umber * P	erfection V39II			Logo			
lssue da	ate * 3	1/03/2023				EPS	50	N
Product	environmental attr	ibutes - Market requi	rements (continued	l)		Requ	ireme	nt met
ltem			·	·		Yes	No	n.a.
	Material and subs	tance requirements	(continued)					
P7.20*	Postconsumer rec	cled plastic material o	content is used in the	product (See NOTE	B6):	$\mathbf{X}$		
	<sup>a)</sup> Of total plastic (calculated as a or	e of the two alternative parts' weight > 25 g, th a percentage of total p	ne postconsumer rec lastic by weight) i		content			
	b) The weight of r	ecycled material is	238 g.					
P7.21*	Biobased plastic m	aterial content is used	I in the product (See	NOTE B7):			$\mathbf{X}$	
	<ul> <li>a) Of total plastic (calculated as a or</li> <li>b) The weight of t</li> </ul>	e of the two alternative parts' weight > 25 g, th a percentage of total p the biobased plastic matrix	ne biobased plastic n lastic by weight) i: aterial i: g.	naterial content %.				
P7.22*		ree from mercury, i.e. specify: Number of lar		np. mum mercury conten	t ner lamn <sup>.</sup>	mg		
P8	Batteries				r por lump.	ing		
P8.1*	Battery chemical c	omposition:						X
P9		ion (See NOTE B8)						<u>17.31</u>
P9.1		following power level	s or energy consum	otions are reported.				
Energy r		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/St test method *	andard for energ	gy mod	es and
	ode for ENERGY Operational Mode oducts	w	w	1.1 w				
,	/off mode for Y STAR Operational M) products	w	w	0.0 w				
Mode (O TEC valu STAR TE	ue for ENERGY EC products (TEC= Energy Consumption	kWh/week	kWh/week	kWh/week				X
Mode (O TEC valı STAR TE Typical E	EC products (TEC= Energy Consumption	)						
Mode (O TEC valı STAR TE Typical E	EC products (TEC=		kWh/week kWh/week WW/week	kWh/week kWh/week W				
Mode (O TEC valı STAR TE Typical E	EC products (TEC= Energy Consumption	) kWh/week	kWh/week	kWh/week				
Mode (O TEC valı STAR TE Typical E	EC products (TEC= Energy Consumption	) kWh/week W	kWh/week	kWh/week				
Mode (O TEC valı STAR TI Typical E	EC products (TEC= Energy Consumption	) kWh/week W W	kWh/week W W	kWh/week W				
Mode (O TEC valı STAR TI Typical E	EC products (TEC= Energy Consumption	) kWh/week W W W W	kWh/week W W W	kWh/week W W W				
Mode (C TEC valu STAR TE Typical E TEC valu	EC products (TEC= Energy Consumption ue (OM product)	) kWh/week W W W W W W	kWh/week W W W W W	kWh/week W W W W W				
Mode (O TEC values STAR TH Typical E TEC values External	EC products (TEC= Energy Consumption ue (OM product) Power Supply Efficie	) kWh/week W W W W W W W	kWh/week W W W W W Mal Efficiency Marking	kWh/week W W W W W				
Mode (O TEC valu STAR TI Typical E TEC valu External Print/Sca	EC products (TEC= Energy Consumption ue (OM product) Power Supply Efficie	) kWh/week w w w w w w w w w cncy Level (Internation 6 images per mini	kWh/week W W W W W Mal Efficiency Marking	kWh/week W W W W W				

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	Perfection V39II	Logo	
Issue date *	31/03/2023		EPSON

Product	t environmental at	tributes - Market red	uirements (	continue	d)			Rea	uireme	ent met
Item			• • • •		,			Yes	No	n.a.
P10	Emissions									
	Noise emission	- Declared according	ng to ISO 929	96 (See N	OTE B9)					
P10.1	Mode	Mode description	•	St	tatistical up	per limit A-we	eighted sound pov	ver level,		
				L	<sub>WA,c</sub> (B)	-				
	ldle	* Idoling		*	Inaud	lible				
	Operation	* Operation		*		5.5				
	Other mode									
	Measured accord	ding to: 🛛 🔀 ISO 77	79	ECM/	A-74					
		Other	(only if not co	overed by	ECMA-74)					
		ions from printing p								
P10.2*	Test performed a	according to ECMA-32	28 Determina	tion of Ch	nemical Em	ission Rates	from		X	
	Electronic Equipr	ment (ISO/IEC 28360	) 🔀 , othe	r specify:						
P10.3	Typical emission	rate (operation phase	e) is (mg/h):							
	Electrophotograp	phic devices: Ozo	Dust	Styre	ne	Benzene	TVOC			
	Ink devices:		Dust	Styre	ne	Benzene	TVOC			
		ce with maximum em		n eco labe	els to be de	clared in P14				
P11		aterials for printing								
P11.1*		neet (SDS) is availabl					<b>2</b> 1 1	94.3) 🗌		X
P11.2*	Paper containing of EN 12281.	post-consumer recy	cled fibers ca	n be used	l, provided	that it meets	the requirements			$\mathbf{X}$
P11.3*	2-sided (duplex)	printing/copying is an	integrated p	roduct fun	nction.					X
P11.4*	The product is de	elivered to end-user v	vith default au	uto-duplex	cenabled.					X
P13	Packaging and	documentation								
P13.1*	Product packagir	ng material type(s):	Corrugated F	ibreboard	weight (k	g): 0.36				
	Product packagir	ng material type(s):	Foamed PS		weight (k	g): <b>0.04</b>				
		ng material type(s):			weight (k	g): 0.02				
P13.2*		rimary packaging is fi						$\mathbf{X}$		
P13.3*		ary corrugated fiberb		• • •		ined percenta	age of			
		onsumer recovered fil		80	%					
P13.4*		r user and product do		(tick box)	:					
	linearit	, , , , , , , , ,	ther 🗌							
P13.5		plete this item if pape			,					
	•	t documentation on p	aper media is	s chlorine-	-free:					
	lf Yes, please sp									
	Totally chlorine-f									
	Elemental chlorin									
	Processed chlori									
P14	Voluntary progr		C 41 C 11	and the		(-):				
P14.1		ets the requirements of		•		. ,				
	ENERGY STAR®			Date:		oduct catego	•			
	Eco-label:	Criteria versio		Date:		oduct catego	,			
	Eco-label:	Criteria versio	DI1.	Date:	Pr	oduct catego	y.			

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm. NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	Perfection V39II	Logo							
Issue date *	31/03/2023		EPSON						
	ttributes - Market requirements (concluded) Requirement met								
P15 Additional info	rmation (See NOTE B11)								

Legal references Europe Annex B1	
Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *	P1.1, P4.1, P3.1
* Specific exemptions apply for certain products and applications.	
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	