

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	EPSON	Logo
Company name *	Seiko Epson Corporation	FDCON
Contact information *	EPSON Europe B.V.	EPSON
e-mail address	environment@epson.eu	EXCEED YOUR VISION
Internet site *	http://www.epson.com	
Additional information		

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Liquid Crystal Projector				
Commercial name *	EB-L520U				
Model number *	EB-L3200				
Issue date *	2024/4/24				
Intended market *	☐ Global Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

Model number *	EB-L520U	Logo	EDCON
Issue date *	2024/4/24		EPSON EXCEED YOUR VISION
			EXCEED TOOK VIOLON

Produ	ct environmental attributes - Legal requirements	Requirement met		
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	X		
P1.2*	Products do not contain Asbestos (see legal reference).	X		
	Comment: Legal reference has no maximum concentration value.			
	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	X	П	
D4 2*	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
P1.3*	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
D4 4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	X		
P1.4*	terphenyl (PCT) in preparations (see legal reference).		ш	
D4 5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in	X		
P1.5*	the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	<u> </u>	Ш	
D4.0*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5		П	X
P1.6*	mg/cm ² /week (see legal reference).	Ш	ш	
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	X		
	http://www.epson.com			
P2	Batteries			
	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal			
P2.1*	symbol. Information on proper disposal is provided in user manual. (See legal reference)	X		
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See	\boxtimes		
	legal reference)			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	×		
P3	Conformity verification & Eco design (ErP)	A-A		
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).			
	The Declaration of Conformity can be requested at (add link or e-mail address): https://www.epson.eu		ty	
P3.2*	The product complies with the Eco design Requirements for Energy-Related Products,	\boxtimes		
	(see legal reference).	_		
	Required information is; given in item P15 or added to this document,	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater			X
	than 0,01% (see legal reference and NOTE B1). If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see			
P4.2*	legal reference)			\boxtimes
	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there			X
D 4 04	are Community workplace exposure limits, the product/packaging is adequately labeled according to		ш	6 4
P4.3*	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available			
	(see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and	X		
1 0.1	hexavalent chromium by weight of these together.	K-A	Ш	
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the		\times	
	material(s) used (see legal reference). The product packaging material is free from ozone depleting substances as specified in the Montreal	E 28		
P5.3*	Protocol (see legal reference).	X		
	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	X	П	П

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	EB-L520U	Logo	EDOON
Issue date *	2024/4/24		EPSON EXCEED YOUR VISION

	t environmental attributes - Market requirements (See General Note GN below)	Pogu	iromo	nt mat
tem	vironmental conscious design *=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	i <mark>ireme</mark> No	
em 7		res	INO	n.a.
1	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	X		
7.1 7.2*	Plastic materials in covers/housing have no surface coating.	X		
7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	X		
7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	X		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.			
7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).			
7.0	Product lifetime			
P7.7 *	Upgrading can be done e.g. with processor, memory, cards or drives	X		
P7.8*	Upgrading can be done using commonly available tools	X		
7.0 7.9.	Spare parts are available after end of production for: 6 years		Ш	
7.3. 7.10	Service is available after end of production for: 6 years			
7.10	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
7.11	Material type: PC+ABS Material type: Material type: Material type:			
7.12	Insulation materials of external electrical cables are PVC free.	П	X	П
7.12	Insulation materials of external electrical cables are PVC free.		X	
7.10	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and	Ш		
	0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants,			
P7.14	and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts	\boxtimes		
	containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all 🔀 PCBs > 25 g 📋 are	П	X	П
	low halogen as defined in IEC 61249-2-21. (See NOTE B2)			
27.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:			
	Marking: FR(40)			
27.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:	П	П	П
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g	П		
	according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in			
7.10	concentrations above 0,1%:			
	1. Chemical name: , CAS #: (See NOTE B4)			
	2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:	П		
7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			
1.10	assigned the following Risk phrases; and Hazard statements:		Ш	Ш
	The source(s) for these classifications is/are found at (add URL(s)): (See NOTE B	Ξ\		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	EB-L520U	Logo	EDOON
Issue date *	2024/4/24		EPSON EXCEED YOUR VISION

Product	environmental attribu	utos - Market require	ments (continued)			Ren	uireme	nt met
Item	environmental attrib	ates - Market require	ments (continued)			Yes	No	n.a.
10111	Material and substa	ance requirements (c	continued)			165	110	n.u.
P7.20*		led plastic material co		roduct (See NOTE	B6):	X	П
			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			<i>,</i> -		
	If YES; at least one of	of the two alternatives	below shall be answe	ered;				
	a) Of total plastic pa	arts' weight > 25 g, the	postconsumer recyc	led plastic materia	I co	ntent		
	(calculated as a p	percentage of total pla	stic by weight) is	%.				
	or							
	b) The weight of rec	cycled material is	g.					
	,		•					
P7.21*	Biobased plastic mat	terial content is used i	n the product (See No	OTE B7):			X	
	If YES; at least one of	of the two alternatives	below shall be answe	ered;				
	 a) Of total plastic pa 	arts' weight > 25 g, the	e biobased plastic ma	terial content				
	(calculated as a p	percentage of total pla	istic by weight) is	%.				
	or							
		biobased plastic mat						
P7.22*	•	e from mercury, i.e. le	• .					
		ecify: Number of lamp	os: and maxir	mum mercury cont	ent	per lamp: mg		
P8	Batteries							
P8.1*	Battery chemical con	·	16					
P9	Energy consumption							
P9.1	For the product the fo	ollowing power levels	•			In ()()		
Energy n	node *	Power level at	Power level at	Power level at		Reference/Standard for energitest method *	y mode	es and
		100 V AC	115 V AC	230 V AC		test method		
On-noma	al .	w	100	234.0	W	ICO/ICC 24449-2020		
OH-HOHI	ai	VV	W	234.0	VV	ISO/IEC 21118:2020		×
Save		W	w	0.3	W	ISO/IEC 21118:2020		X
						100/120 2111012020		
External	Power Supply Efficiend	cy Level (International	Efficiency Marking P	rotocol) * :				\boxtimes
	n Speed * :	images per minu						
	me to enter energy sav							X
P9.2*	Information about the	e energy save function	n is provided with the	product.				

NOTE B8 A Guidance document on Energy efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

Model number *	EB-L520U	Logo	FDCCN
Issue date *	2024/4/24		EPSON EXCEED YOUR VISION

Product	environmental at	ttributes - Market requ	irements (cor	ntinued)				Req	uireme	ent met
Item								Yes	No	n.a.
P10	Emissions									
	Noise emission	n – Declared according	g to ISO 9296	(See NOTE BS	9)					
P10.1	Mode	Mode description		Declare	d A-we	eighted				
				sound _l	oressur	re level LpAm	(dB)			
	Idle	*		*						X
	Operation	* Operation		*		31				
	Other mode									
	Measured accor	ding to: 🔀 ISO 77	79	☐ ECMA-74						
		☐ Other	only if not cov	ered by ECMA	-74)					
	Chemical emiss	sions from printing pr	oducts (See N	NOTE B10)						
P10.2*	Test performed	according to ECMA-328	B Determination	n of Chemical I	Emissio	on Rates from		\times		
	Electronic Equip	ment (ISO/IEC 28360)	🔀 , other	specify:						
P10.3	Typical emission	n rate (operation phase)) is (mg/h):							
	Electrophotogra	phic devices: Ozon	Dust	Styrene		Benzene	TVOC			
	Ink devices:		Dust	Styrene		Benzene	TVOC			
	NOTE: complian	nce with maximum emis	sion rates in e	co labels to be	declar	ed in P14.				
P11	Consumable m	aterials for printing p	roducts							
P11.1*	A Safety Data S	heet (SDS) is available	for the ink/ton	er preparation,	even i	f not legally re	quired (see P4.3).			
P11.2*	Paper containing	g post-consumer recycl	ed fibers can b	e used, provid	ed that	it meets the r	equirements of			
F 11.Z	EN 12281.									
P11.3*	2-sided (duplex)	printing/copying is an i	ntegrated prod	luct function.						
P11.4*	The product is d	lelivered to end-user wit	th default auto-	-duplex enable	d.					
P13	Packaging and	documentation								
P13.1*			Corrugated Fi	breboard weig	ght (kg)): 1.523				
	Product packagi	ing material type(s):	Foamed PS	wei	ght (kg)): 0.155				
		ing material type(e).	PE	wei	ght (kg)): 0.040				
P13.2*		orimary packaging is fre						X		
P13.3*		nary corrugated fiberboa		specify the co	ntained	d percentage of	of			
	minimum post-co	onsumer recovered fibe	er content:	80 %						
P13.4*		or user and product doc	•	ck box):						
			ther							
P13.5	` ,	mplete this item if paper		,						
	User and produc	ct documentation on pa	per media is cl	nlorine-free:						
	If Yes, please sp	•								
	Totally chlorine-	free								
	Elemental chlori	ne-free								
	Processed chlor	rine-free								
P14	Voluntary prog									
P14.1		ets the requirements of	the following v	oluntary progra	am(s):					
	ENERGY STAR	® Criteria version	n:	Date:	Pro	duct category	•			
	Eco-label:	Criteria version	n:	Date:	Pro	duct category	:			
l	Fco-label:	Criteria version	n·	Date:	Pro	duct category	•			

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm. NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	EB-L520U	Logo	EDCON
Issue date *	2024/4/24		EPSON EXCEED YOUR VISION

Product 6	Product environmental attributes - Market requirements (concluded) Requirement met		
P15	Additional information (See NOTE B11)		

Legal references Europe Annex B1	
Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *	P1.1, P4.1, P3.1
* Specific exemptions apply for certain products and applications.	
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.*	P2.1, P2.2, P2.3, P8.1
* These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	